Index

VOLUMES 1–3

Included in this issue is a cumulative index for Volumes 1 to 3 of *Reactor Fuel Processing*. Future indexes for this quarterly will be prepared annually and will appear in the final (Number 4) issue. In this index the bold numbers denote volumes, the numbers in parentheses denote issues, and the other numbers denote pages.

A

A-nickel alloy, corrosion by ADF process gases, **3**(2), 25
  corrosion by fluorine, **3**(1), 37; **3**(3), 35
  corrosion by fused-salt volatility process solutions, **2**(4), 28–31
  corrosion by uranium tetrafluoride–sodium fluoride–zirconium fluoride systems (fused), **2**(3), 27
Accident reports, **2**(1), 3–4
  Brookhaven National Laboratory fire, May 1957, **2**(1), 21
  Hanford Atomic Products Operation, Apr. 17, 1960, **3**(4), 7
  Hanford Atomic Products Operation, June 1958, **2**(4), 35
  Idaho Chemical Processing Plant, Oct. 16, 1959, **3**(2), 6–7; **3**(4), 6
  Los Alamos Scientific Laboratory, Dec. 30, 1958, **2**(2), 4
  Oak Ridge National Laboratory, Apr. 26, 1960, **3**(2), 6; **3**(3), 5
  Thorex Pilot Plant, Nov. 20, 1959, **3**(2), 6
  Vallecitos Atomic Laboratory, **3**(3), 5
  Y-12 Plant, **2**(1), 3–4
Actinides, ion exchange, **2**(4), 18
  thermodynamic properties, **2**(4), 20
Activated alumina, uranium hexafluoride absorption, **3**(2), 27
Activated carbon, strontium absorption, **3**(4), 43
ADF process, **2**(1), 22–3; **2**(4), 19; **3**(2), 24–5; **3**(3), 24; **3**(4), 24
  corrosion problems, **3**(2), 25
ADU precipitation process, uranium dioxide production, **2**(4), 40–1
  uranium tetrafluoride production, **2**(3), 35–6
AEC Annual Report to Congress, **3**(4), 43
Aircraft Reactor Experiment, **1**(3), 14–15; **2**(1), 20; **3**(4), 37–8
Alamine, radiolysis, **2**(3), 16; **2**(4), 14
Alkaline earths, removal by melt refining, **2**(2), 20
Alloy Reguline Chloride Oxidation Process
  See ARCO process
Alumina
  See Aluminum oxide
Alumina (activated), uranium hexafluoride absorption, **3**(2), 27
Aluminum, adsorption on Amberlite IRA-401 resin, **2**(3), 18
  adsorption on Cation KU-1 resin, **2**(1), 18–19
  adsorption on Dowex 1 resin, **2**(2), 16; **2**(3), 18; **3**(3), 18
  adsorption on Dowex 50 resin, **3**(3), 18
  adsorption on MSF-1 resin, **2**(1), 18–19
  adsorption on SBSR resin, **2**(1), 18–19
  adsorption on sulfocarbonate resin, **2**(1), 18–19
  adsorption on Wofatit P resin, **2**(1), 18–19
  ion exchange, **2**(1), 17
  removal, **2**(4), 14
  ruthenium adsorption, **3**(4), 45
  solubility in hydrogen fluoride–nitrogen dioxide systems, **2**(3), 20; **3**(3), 21
  solubility in mercuric nitrate–nitric acid systems, **2**(3), 11
  solubility in nitric acid, **3**(3), 13
  solubility in sodium hydroxide, **3**(1), 9
  solubility in sodium hydroxide–sodium nitrate systems, **2**(4), 6; **3**(4), 11
  thorium oxide reduction, **3**(1), 27–8; **3**(2), 30
  thorium oxide reduction in cryolite, **3**(3), 27–8
  uranium dioxide reduction, **1**(4), 18, 19
Aluminum (liquid), corrosive effects, **3**(2), 29
  fission-product dissolution, **2**(1), 26
  nickel dissolution, **3**(2), 13; **3**(4), 11
  plutonium dissolution, **2**(1), 26
  plutonium reduction, **1**(4), 18

Aluminum (liquid) (Continued)
uranium dissolution, **2**(1), 26; **3**(2), 29; **3**(3), 27; **3**(4), 32
zirconium dissolution, **3**(3), 27
Aluminum-cadmium alloys (liquid), corrosive effects, **3**(2), 28
partition coefficients for cerium, lanthanum, palladium, praseodymium, uranium, and zirconium, **3**(4), 31
Aluminum chloride, protactinium precipitation, **3**(3), 18
Aluminum chloride–potassium chloride systems (fused), cerium extraction, **2**(2), 20
plutonium extraction, **2**(2), 20
thorium recovery, **2**(2), 20
uranium extraction, **2**(2), 20
Aluminum–dibutyl phosphate complex, solubility in nitric acid, tributyl phosphate, and water, **3**(1), 17
Aluminum fluoride, corrosive effects, **1**(2), 25
Aluminum fluoride–nitric acid systems, protactinium extraction, **3**(3), 18
uranium extraction, **3**(3), 18
Aluminum-iron-nickel-plutonium-silicon systems
See Plutonium-aluminum-iron-nickel-silicon systems
Aluminum-molybdenum alloys (liquid), uranium dissolution, **3**(4), 31
Aluminum-molybdenum-uranium alloys
See Uranium-aluminum-molybdenum alloys
Aluminum-molybdenum-zinc alloys (liquid), uranium dissolution, **3**(4), 31
Aluminum-nickel alloys, solubility in nitric acid, **2**(4), 6
solubility in sodium hydroxide–sodium nitrate systems, **3**(3), 11
Aluminum-nickel-plutonium alloys
See Plutonium-aluminum-nickel alloys
Aluminum-nickel-plutonium-silicon systems
See Plutonium-aluminum-nickel-silicon systems
Aluminum nitrate, corrosive effects, **1**(1), 23; **3**(3), 34; **3**(4), 37
Aluminum nitrate–ammonium fluoride–nitric acid systems, uranium dioxide dissolution, **3**(3), 12
uranium-molybdenum alloy dissolution, **2**(3), 12
Aluminum nitrate, dibasic, uranium-aluminum alloy dissolution, **2**(3), 14
Aluminum nitrate–hydrofluoric acid–nitric acid systems, uranium dioxide dissolution, **2**(3), 11
uranium dissolution, **2**(3), 11
Zircaloy-2 dissolution, **2**(4), 5
Aluminum nitrate–nitric acid–sodium fluoride systems, uranium dioxide–thorium oxide system dissolution, **2**(4), 10; **3**(1), 12; **3**(2), 15
Aluminum nitrate–nitric acid systems, corrosive effects, **3**(2), 34
Aluminum nitrate solutions, calcination, **1**(1), 29–30
corrosive effects, **1**(1), 23
Aluminum nitrate–zirconium fluoride systems, corrosive effects, **3**(1), 37–8
Aluminum oxide, corrosion by ADF process gases, **3**(2), 25
corrosion by carbon tetrachloride, **3**(3), 29
corrosion by fluorine, **3**(4), 25
corrosion by fused-chloride extraction process solutions, **3**(2), 32–3
corrosion by hydrofluoric acid–nitric acid systems, **3**(4), 37
corrosion by magnesium-zinc alloys (liquid), **3**(2), 37
corrosion by potassium chloride–sodium chloride systems (fused), **3**(3), 28
corrosion by sulfuric acid, **3**(1), 36
corrosion by uranium (liquid), **1**(2), 25
corrosion by zinc (liquid), **3**(2), 37
heat-transfer characteristics, **3**(2), 41
leaching of fission products from, **1**(1), 31
ruthenium adsorption, **3**(1), 44
uranium hexafluoride adsorption of activated, **3**(2), 27
Aluminum oxide (gaseous), thermodynamic properties, **1**(4), 19
Aluminum oxide–chromium cermets, corrosion by fissium alloy (liquid), **2**(2), 28
corrosion by uranium-chromium-magnesium alloys (liquid), **2**(2), 28
Aluminum oxide–chromium–tungsten cermets, corrosion by fissium alloy, **2**(2), 28
corrosion by uranium-chromium-magnesium alloy (liquid), **2**(2), 28
Aluminum oxide–magnesium oxide systems, corrosion by fluorine, **3**(4), 25
Aluminum oxide–nickel oxide–nickel cermets, corrosion by fluorine, **3**(4), 25
Aluminum oxide–zirconium oxide systems, leaching of fission products from, **1**(1), 31
Aluminum-plutonium alloys
See Plutonium-aluminum alloys
Aluminum-plutonium-silicon systems
See Plutonium-aluminum-silicon systems
Aluminum-thorium-uranium alloys
See Uranium-thorium-aluminum alloys
Aluminum-uranium alloys
See Uranium-aluminum alloys
Aluminum-zinc alloys (liquid), uranium dissolution, **3**(4), 31
Amberlite IR-120 resin, cerium adsorption, **3**(3), 20
neptunium adsorption, **2**(4), 18
thorium adsorption, **2**(4), 18; **3**(3), 20
uranium adsorption, **2**(4), 18
Amberlite IRA-400 resin, neptunium and plutonium adsorption, **2**(3), 17, 18
Amberlite IRA-401 resin, aluminum, cadmium, and copper adsorption, **2**(3), 18
hydrodynamic characteristics, **1**(3), 12
ion-exchange efficiency, **1**(3), 12–13
iron and nickel adsorption, **2**(3), 18
plutonium adsorption, **1**(4), 14; **2**(3), 17
radiation effects, **1**(4), 14
thorium, uranium, yttrium, and zinc adsorption, **2**(3), 18

Amberlite IRC-50 resin, ruthenium adsorption, **2**(1), 19
Americium, adsorption on Dowex 1 resin, **2**(4), 17; **3**(2), 23; **3**(3), 18–19
adsorption on Dowex 2 resin, **2**(1), 17–18
adsorption on Dowex 50 resin, **3**(3), 18–19
adsorption on Dowex 50 X-12 resin, **1**(4), 13–14
flow sheet for ion exchange, **3**(3), 19
ion exchange, **1**(1), 13
partition in tributyl phosphate, **1**(2), 8
removal by Purex process, **3**(4), 17
separation, **2**(4), 13
separation from Redox wastes, **2**(4), 17
solubility in mono-2-ethylhexyl phosphoric acid, **2**(4), 13
Ames process, thorium production, **2**(3), 37
Amex process, **3**(1), 14–16
Amine, *n*-benzylheptadecyl, radiolysis, **2**(4), 14
Amine, tri-isononyl-, plutonium and uranium extraction, **3**(1), 16
Amine, tri-iso-octyl-, radiolysis, **2**(3), 16; **2**(4), 14
Amine, trilauryl-, neptunium, technetium, and uranium extraction, **3**(3), 15–16
radiolysis, **2**(4), 14
Amine(tri-*n*-octyl), solvent properties, **2**(4), 13
Amine, trioctyldecyl
See Alamine
Amines
See also specific amines
extractive properties, **1**(3), 10
molybdenum extraction, **3**(4), 17
neptunium extraction, **3**(2), 19; **3**(4), 17
plutonium extraction, **3**(1), 15–16; **3**(2), 19
radiolysis, **2**(3), 16; **2**(4), 14
ruthenium and samarium extraction, **3**(4), 17
separation in Amex process, **3**(1), 15
technetium, thorium, uranium, and zirconium extraction, **3**(1), 15–16; **3**(2), 19; **3**(4), 17
Ammonium bifluoride, corrosive effects, **2**(2), 27; **2**(3), 26
Ammonium bifluoride–nitric acid systems, stainless-steel and uranium dioxide dissolution, **2**(4), 7
Ammonium diuranate, conversion to uranium dioxide, **3**(4), 49
Ammonium fluoride, corrosive effects, **2**(1), 31; **3**(3), 32
dissolution of uranium dioxide (Zircaloy-clad), **1**(4), 6–7
uranium dissolution, **3**(3), 9
uranyl fluoride dissolution, **2**(4), 5
Zircaloy-2 dissolution, **1**(4), 7; **3**(4), 9
zirconium dissolution, **3**(3), 7
Ammonium fluoride–aluminum nitrate–nitric acid systems
See Aluminum nitrate–ammonium fluoride–nitric acid systems
Ammonium fluoride–ammonium nitrate–hydrogen peroxide systems, corrosive effects, **3**(4), 36
Ammonium fluoride–ammonium nitrate systems (fused), corrosive effects, **2**(3), 26; **3**(4), 35, 36
uranium dioxide (Zircaloy-2-clad) dissolution, **3**(1), 7
uranium dioxide (zirconium-clad) dissolution, **3**(2), 3
uranium hexafluoride dissolution, **3**(1), 7
uranium-niobium-zirconium alloy dissolution, **3**(1), 7
uranium-niobium-zirconium alloy (Zircaloy-clad) dissolution, **3**(4), 5
uranium tetrafluoride dissolution, **3**(1), 7
Zircaloy dissolution, **2**(1), 5–6; **2**(4), 5
Zircaloy-2 alloy dissolution, **2**(1), 5–6; **2**(3), 5–6; **3**(1), 7; **3**(2), 10–12; **3**(3), 8; **3**(4), 9
zirconium dissolution, **3**(1), 7; **3**(2), 3; **3**(3), 8
Ammonium fluoride–nitric acid systems, zirconium fluoride dissolution, **3**(3), 9
Ammonium nitrate–ammonium fluoride–hydrogen peroxide systems
See Ammonium fluoride–ammonium nitrate–hydrogen peroxide systems
Ammonium nitrate–sodium hydroxide systems, uranic-uranous oxide–thorium oxide systems (aluminum-clad) dissolution, **3**(1), 9
Ammonium thiocyanate, barium and strontium recovery in Purex process, **3**(4), 17
Amsco solvent, radiolysis, **2**(2), 11–12
Anaconda Resin-in-Basket, **2**(1), 19
Anion exchange processes, **2**(2), 14–18; **2**(3), 16–18
Anodic dissolution, stainless steel in nitric acid, **3**(1), 9
Antimony, solubility in cadmium (liquid) and in zinc (liquid), **2**(4), 22
APPR
See Reactor (SM-1)
ARCO process, **3**(2), 14; **3**(3), 27; **3**(4), 32–3
corrosion problems, **3**(2), 14, 30, 33; **3**(3), 27
flow sheets, **3**(3), 8
uranium losses, **3**(2), 14
Argon, solubility in sodium fluoride–zirconium fluoride systems (fused), **1**(3), 16
Argonne National Laboratory, calcination of wastes, **1**(1), 29–30
waste disposal, **2**(3), 31; **2**(4), 36
Armco iron, corrosion by uranium-zinc alloys (liquid), **1**(2), 26
Army Package Power Reactor
See Reactor (SM-1)
Atomic Energy Research Establishment, Harwell, waste disposal, **2**(4), 35–6

B

Barium, removal by cryolite (fused), **1**(4), 18
removal by ion exchange, **3**(4), 21
removal in melt refining, **1**(3), 17; **2**(1), 24
removal by salt-cycle process, **3**(3), 28
separation in Purex process, **3**(4), 17
separation from Purex wastes, **3**(2), 42; **3**(3), 16
solubility in cadmium (liquid), **3**(1), 27

Barium (Continued)
solubility in calcium (liquid), **2**(1), 28; **3**(1), 27
solubility in di-2-ethylhexyl phosphoric acid, **3**(2), 42
solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
zirconium scavenging, **3**(4), 10
Barium-140, separation, **1**(2), 10–11; **1**(3), 13
Barium fluozirconate process, **3**(4), 10
Barium oxide, solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
Beds (fluidized)
See Fluidized beds
Benzene, radiolysis, **1**(4), 10
Benzene–tributyl phosphate systems
See Tributyl phosphate–benzene systems
n-Benzylheptadecyl amine, radiolysis, **2**(4), 14
Beryllium, solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
uranium reduction, **1**(4), 19
Beryllium carbide, vapor pressure, **1**(4), 19
Beryllium fluoride, solubility in hydrogen fluoride, **3**(1), 22
vapor pressure, **1**(4), 16
Beryllium fluoride (fused), cerium fluoride, lanthanum fluoride, and yttrium fluoride dissolution, **1**(4), 15
Beryllium fluoride–cesium fluoride systems (fused), vapor pressure, **1**(4), 16
Beryllium fluoride–lithium fluoride systems, phase diagrams, **1**(3), 15
Beryllium fluoride–lithium fluoride systems (fused), cerium fluoride dissolution, **1**(4), 15–16
corrosive effects, **3**(2), 26
plutonium trifluoride dissolution, **1**(4), 15
uranium fluorination, **3**(1), 22
Beryllium fluoride–lithium fluoride–sodium fluoride systems, phase diagrams, **1**(3), 15
Beryllium fluoride–lithium fluoride–sodium fluoride systems (fused), plutonium trifluoride dissolution, **1**(4), 15
Beryllium fluoride–lithium fluoride–uranium tetrafluoride systems
See Uranium tetrafluoride–beryllium fluoride–lithium fluoride systems
Beryllium fluoride–sodium fluoride systems, phase diagrams, **1**(3), 15
Beryllium fluoride–sodium fluoride systems (fused), cerium fluoride dissolution, **1**(3), 16; **1**(4), 15–16
plutonium trifluoride dissolution, **1**(3), 16; **1**(4), 15
Beryllium fluoride–thorium fluoride systems
See Thorium fluoride–beryllium fluoride systems
Beryllium fluoride–uranium tetrafluoride systems
See Uranium tetrafluoride–beryllium fluoride systems
Beryllium oxide, corrosion by uranium (liquid), **1**(2), 25
solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
vapor pressure, **1**(4), 19
Bibliographies, **3**(4), 8
ground disposal, **2**(3), 33
Biflex process, corrosion problems, **2**(2), 27
Bismuth (liquid), cerium dissolution, **3**(1), 30
corrosive effects, **2**(2), 26
fission-product dissolution, **2**(1), 26
magnesium and niobium dissolution, **3**(1), 30
plutonium dissolution, **2**(1), 26
uranium dissolution, **2**(1), 26; **3**(1), 30
zirconium dissolution, **3**(1), 30
Bismuth–bismuth chloride systems, vapor pressure, **1**(4), 19
Bismuth chloride–magnesium chloride–potassium chloride–sodium chloride systems (fused), corrosive effects, **3**(1), 37
Bismuth-lead alloys (liquid), corrosive effects, **2**(2), 23
Bismuth-lead-tin alloys, uranium recovery, **1**(4), 18
Bismuth phosphate process, **1**(4), 13
Bismuth-titanium alloys (liquid), palladium and ruthenium dissolution, **2**(4), 24
Bismuth-uranium alloys
See Uranium-bismuth alloys
Bismuth-zirconium alloys (liquid), palladium and ruthenium dissolution, **2**(4), 24
Blankets
See Breeding blankets
Books, **3**(2), 30
BORAX Reactor
See Reactor (BORAX-IV)
Boron nitride, corrosion by uranium (liquid), **2**(2), 28
Breeding blankets, **1**(2), 20–1
Homogeneous Reactor Experiment II, **1**(4), 19; **2**(1), 30–1
plutonium separation by melt refining, **1**(4), 17
thorium recovery, **3**(4), 32
uranium separation by pyrometallurgical methods, **1**(4), 17; **3**(4), 32
British fuel-processing facilities, **3**(4), 1
Bromine, reaction with uranium-graphite systems, **3**(1), 12
removal by melt refining, **1**(3), 17
Bromine fluorides, properties, **3**(4), 28
Bromine pentafluoride–uranium hexafluoride systems
See Uranium hexafluoride–bromine pentafluoride systems
Bromine trifluoride, reactions with fluorine, **3**(3), 24
uranium ignition and detonation, **1**(2), 13; **2**(3), 19–20; **3**(4), 22–3
uranium recovery, **3**(3), 21
Bromine trifluoride–hydrogen fluoride–nitrogen dioxide systems (fused), uranium-zirconium alloy dissolution, **2**(3), 20
Zircaloy-2 dissolution, **2**(3), 19–20

Bromine trifluoride process, 1(1), 14–16; 3(4), 22–3
explosion hazards, 1(2), 12–13
uranium ignition, 2(3), 19–20
Brookhaven National Laboratory, fire in fluoride-volatility pilot plant, 2(1), 21
waste disposal, 1(3), 32; 2(3), 31
di-*n*-butylbutyl phosphonate
See Phosphonate, di-*n*-butylbutyl
di-*sec*-butylphenyl phosphonate
See Phosphonate, di-*sec*-butylphenyl

C

Cadmium, adsorption on Amberlite IRA-401 resin, 2(3), 18
adsorption on Dowex 50 resin, 2(3), 18
distillation, 3(3), 26–7
removal by melt refining, 1(3), 17; 2(1), 24
solubility in zinc (liquid), 2(4), 22
Cadmium (liquid), antimony dissolution, 2(4), 22
barium dissolution, 3(1), 27
corrosive effects, 2(4), 23; 3(1), 38; 3(2), 28; 3(3), 36
indium, iodine, and molybdenum dissolution, 2(4), 22
neodymium dissolution, 3(4), 31
niobium and palladium dissolution, 2(4), 22
plutonium dissolution, 2(2), 22; 2(4), 24
plutonium recovery from melt-refining-process residues, 2(3), 23
praseodymium dissolution, 3(4), 31
rhodium, rubidium, and silver dissolution, 2(4), 22
solvent properties, 2(1), 27
strontium dissolution, 2(4), 22; 3(1), 27
technetium, tellurium, and tin dissolution, 2(4), 22
titanium dissolution, 3(4), 31
uranium dissolution, 1(4), 18; 2(2), 22; 3(2), 28; 3(4), 31
uranium recovery from melt-refining-process residues, 2(3), 23
xenon, yttrium, and zirconium dissolution, 2(4), 22
Cadmium-aluminum alloys
See Aluminum-cadmium alloys
Cadmium–cadmium chloride systems, vapor pressure, 1(4), 19
Cadmium–cadmium iodide systems, vapor pressure, 1(4), 19
Cadmium-magnesium alloys (liquid), uranium dissolution, 2(4), 23; 3(4), 31
Cadmium-magnesium-uranium alloys
See Uranium-cadmium-magnesium alloys
Cadmium-magnesium-zinc alloys (liquid), corrosive effects, 3(1), 38
uranium reduction from skulls, 3(3), 26
Cadmium-uranium alloys
See Uranium-cadmium alloys
Cadmium-zinc alloys (liquid), corrosive effects, 3(3), 36
uranium dissolution, 2(4), 24
Calcination, 2(1), 42–3; 3(2), 41–2; 3(3), 39; 3(4), 44–5
conversion of uranyl nitrate to uranium trioxide, 1(3), 35
Darex wastes, 3(1), 44–5; 3(4), 44
flow sheets, 2(3), 32, 33
ICPP process wastes, 1(1), 29–30; 3(1), 44–5; 3(2), 41
Purex wastes, 3(1), 43–4; 3(3), 39–40; 3(4), 44
Redox wastes, 3(1), 44
solidification of wastes, 2(3), 31–3
Thorex wastes, 3(1), 44–5
waste disposal, 1(1), 29–30; 2(4), 36–7
Calciners, design and operation, 3(3), 39; 3(4), 44
Calcium, effects on Purex waste calcination, 3(4), 44
ion exchange, 2(1), 17; 2(2), 16; 2(4), 17
reduction of plutonic-plutonous oxide, 3(1), 55
reduction of thorium oxide to thorium, 1(4), 29–30
reduction of uranium oxides, 1(4), 19; 3(1), 55
reduction of uranium tetrafluoride to uranium, 1(1), 33
separation from Purex wastes, 3(3), 16
thorium oxide reduction, 1(4), 29–30
Calcium (liquid), barium dissolution, 2(1), 28; 3(1), 27
cerium, cesium, fission-product, lanthanum, molybdenum, ruthenium, strontium, uranium, uranium-plutonium alloy, and yttrium dissolution, 2(1), 28
Calcium alginate, cerium adsorption, 3(3), 20
thorium adsorption, 3(3), 20
Calcium fluoride, corrosive effects, 1(2), 25
uranium hexafluoride adsorption, 3(2), 27
Calcium-magnesium alloys (liquid), cerium dissolution, 1(4), 17
corrosive effects, 3(3), 35
iron dissolution, 1(4), 17
lanthanum, molybdenum, niobium, plutonium, ruthenium, and zirconium dissolution, 1(4), 17; 2(1), 29
Calcium-mercury alloys, uranium dioxide reduction, 2(4), 25
Calcium oxide, corrosion by plutonium (liquid), 2(4), 32; 3(1), 29
Calcium sulfate, uranium hexafluoride adsorption, 3(2), 27
Californium, adsorption on Dowex 50 X-12 resin, 1(4), 13–14
Canada, uranium sales, 3(4), 3
Carbon, adsorption of uranium hexafluoride, 3(2), 27
corrosion by Flurex process solutions, 2(4), 32
corrosion by potassium chloride–sodium chloride systems (fused), 3(3), 28
krypton adsorption, 3(1), 31
uranium dioxide reduction, 1(4), 19, 28–9; 2(4), 25
xenon adsorption, 3(1), 31

Carbon (activated)
See Activated carbon
Carbon-14, production in power reactors, **3**(4), 3
Carbon-tantalum systems
See Tantalum-carbon systems
Carbon tetrachloride, corrosive effects, **3**(3), 29
rare-earth oxide chlorination, **3**(3), 29
thorium oxide conversion to thorium tetrachloride, **3**(3), 29; **3**(4), 51–2
uranium dioxide chlorination, **3**(3), 29
uranium dioxide–zirconium oxide system chlorination, **3**(1), 10
uranium hexafluoride reduction to uranium tetrafluoride, **2**(1), 49
uranium-zirconium alloy chlorination, **3**(4), 27
zirconium oxide chlorination, **3**(3), 29
Carpenter 20 alloy, corrosion by aluminum nitrate solutions, **1**(1), 23
corrosion by ammonium bifluoride, **2**(3), 26
corrosion by ARCO process solutions, **3**(2), 14, 30
corrosion by Flurex process solutions, **2**(4), 32
corrosion by hydrofluoric acid, **2**(3), 26
corrosion by hydrofluoric acid–nitric acid systems, **1**(4), 7; **2**(3), 26
corrosion by hydrogen fluoride–hydrogen peroxide systems, **3**(1), 35; **3**(2), 33
corrosion by ICPP process wastes, **2**(4), 36
corrosion by lead–lead chloride systems (fused), **3**(3), 27
corrosion by Niflex process solutions, **2**(2), 26
corrosion by nitric acid, **1**(4), 23; **2**(3), 27; **3**(2), 13
corrosion by sulfuric acid, **1**(2), 24; **2**(3), 25; **2**(4), 27
corrosion by waste solutions, **1**(4), 22
corrosion by Zircex solutions, **1**(2), 23
Carpenter 20-Cb alloy, corrosion by sulfuric acid, **2**(1), 31–2; **2**(2), 24–5; **3**(1), 36
corrosion by Thorex solutions, **1**(4), 20; **2**(1), 31–2
Cation-exchange processes, **2**(2), 18
Cation KU-1 resin, aluminum and zirconium adsorption, **2**(1), 18–19
Ceramic filters
See Filters (ceramic)
Cerium, adsorption on Amberlite IR-120 resin, **3**(3), 20
adsorption on calcium alginate, **3**(3), 20
adsorption by clinoptilolite, **3**(1), 43
adsorption on Dowex 2 resin, **2**(1), 17–18
adsorption on Dowex 50 resin, **3**(3), 20
adsorption on Dowex 50W resin, **3**(4), 21
ion exchange, **1**(1), 31; **1**(3), 12; **2**(1), 17–18; **3**(2), 23; **3**(3), 20
oxidation by zinc chloride, **3**(1), 27; **3**(2), 29
partition coefficients between aluminum-cadmium layers (liquid), **3**(4), 31
removal in ARCO process, **3**(2), 14, 30
removal from ceramic fuel elements, **2**(3), 23
removal by electrorefining, **1**(4), 17; **2**(1), 30
removal by fractional crystallization, **1**(4), 18; **2**(1), 29
removal by fused-salt electrolysis, **2**(4), 25
removal by fused-salt extraction, **2**(2), 20
removal by liquid-metal extraction, **1**(4), 17
removal by melt refining, **1**(3), 17, 19–20; **1**(4), 16; **2**(1), 24, 29; **2**(3), 21; **2**(4), 21; **3**(4), 30
removal by Processing Refabrication Experiment, **2**(3), 23
removal by Purex process, **3**(4), 17
removal by salt-cycle process, **3**(3), 28; **3**(4), 34
separation, **2**(4), 13
separation from Purex wastes, **2**(1), 44; **2**(4), 13–14, 37–8; **3**(1), 46–7; **3**(2), 42; **3**(4), 20–1
separation from other rare earths by ion exchange, **3**(3), 20
separation by rare-earth double sulfate process, **3**(2), 43
separation from waste streams, **2**(4), 13–14
solubility in bismuth (liquid), **3**(1), 30
solubility in calcium (liquid), **2**(1), 28
solubility in calcium-magnesium alloys (liquid), **1**(4), 17
solubility in di-2-ethylhexyl phosphoric acid, **2**(4), 13–14; **3**(2), 42
solubility in lithium chloride–potassium chloride systems (fused), **3**(1), 27; **3**(4), 32
solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
solubility in magnesium-silver alloys (liquid), **2**(4), 24
solubility in mercury, **2**(1), 30
solubility in mono-2-ethylhexyl phosphoric acid, **2**(4), 13
solubility in silver (liquid), **2**(1), 27
solubility in sodium fluoride–zirconium fluoride systems (fused), **3**(1), 30
solubility in zinc (liquid), **2**(2), 21–2
volatilization, **2**(1), 29
Cerium (liquid), uranium dissolution, **2**(2), 22
Cerium-137, separation from waste solutions, **2**(1), 44
Cerium-144, separation at Oak Ridge National Laboratory, **3**(4), 3
separation from waste solutions, **2**(1), 44
Cerium-cobalt-plutonium alloys
See Plutonium-cerium-cobalt alloys
Cerium fluoride, solubility in beryllium fluoride (fused), **1**(4), 15
solubility in beryllium fluoride–lithium fluoride systems (fused), **1**(4), 15–16
solubility in beryllium fluoride–sodium fluoride systems (fused), **1**(3), 16; **1**(4), 15–16
solubility in sodium fluoride–zirconium fluoride systems (fused), **1**(3), 16
Cerium oxide, corrosion by plutonium (liquid), **2**(4), 32; **3**(1), 29
Cerium tellurides, properties, **3**(4), 31
Cesium, adsorption on clinoptilolite clay, **3**(1), 43; **3**(3), 38–9; **3**(4), 43–4, 45
adsorption on Decalso, **3**(4), 45
adsorption on Dowex 50 resin, **3**(4), 21

Cesium (Continued)
adsorption on Duolite C-3 resin, **2**(2), 18; **3**(3), 20; **3**(4), 21
adsorption on Duolite CS-100 resin, **3**(4), 21
adsorption on manganese dioxide, **2**(2), 18
adsorption on Zeolite, **3**(2), 40–1
adsorption on zirconium phosphate, **3**(1), 19
ion exchange, **1**(1), 30; **1**(3), 13
removal by ARCO process, **3**(2), 14, 30
removal by chemical pulverization process, **2**(1), 26
removal by cryolite (fused), **1**(4), 18
removal by cyclic oxidation-reduction, **3**(3), 28
removal by fractional crystallization, **1**(4), 18
removal by fused-salt electrolysis, **2**(4), 25
removal with hydrogen chloride, **1**(3), 20
removal by melt refining, **2**(1), 24
removal by Processing Refabrication Experiment, **2**(3), 23
removal with zinc ferrocyanide, **3**(4), 45
separation plants, **3**(4), 2
separation from Purex wastes, **3**(2), 42; **3**(4), 20–1, 45
separation from wastes, **1**(3), 32; **2**(4), 13–14
solubility in calcium (liquid), **2**(1), 28
solubility in di-2-ethylhexyl phosphoric acid, **2**(4), 13–14; **3**(2), 42
volatilization, **1**(2), 22; **2**(2), 21; **2**(4), 25
Cesium-137, adsorption by Conasauga shale, **1**(4), 27
disposal, **2**(2), 33
leaching from fluor-phlogopite, **3**(1), 43
price and markets, **3**(1), 47
separation at Oak Ridge National Laboratory, **3**(4), 3
Cesium fluoride, vapor pressure, **1**(4), 16
Cesium fluoride–beryllium fluoride systems
See Beryllium fluoride–cesium fluoride systems
Chalk River Project, Canada, waste disposal, **2**(1), 41; **2**(2), 32
Charcoal, rare-gas adsorption, **1**(3), 21
Chattanooga shale, uranium separation, **3**(2), 22
Chemical pulverization process, **2**(1), 26
Chloride ion, removal from Darex solutions, **2**(4), 9; **3**(1), 10–11
Chlorimet-3 alloy, corrosion by hydrofluoric acid, **2**(3), 26
Chlorine, reactions with lead (liquid), **3**(4), 33
reactions with uranium dioxide, **3**(2), 30
Chlorine fluorides, properties, **3**(4), 28
Chlorine trifluoride, reactions with uranium tetrafluorides, **3**(1), 23
Chromium, corrosion by hydrofluoric acid–nitrogen dioxide systems, **3**(3), 34
ion exchange, **2**(1), 17; **2**(2), 16
removal by fused-salt volatility process, **3**(4), 24
Chromium–aluminum oxide cermets
See Aluminum oxide–chromium cermets
Chromium boride, corrosion by magnesium-zinc alloys (liquid), **3**(2), 37
corrosion by zinc (liquid), **3**(2), 37
Chromium-magnesium-uranium alloys
See Uranium-chromium-magnesium alloys
Chromium-tungsten–aluminum oxide cermets
See Aluminum oxide–chromium tungsten cermets
Chromium-uranium alloys
See Uranium-chromium alloys
Cladding removal
See Dejacketing
Clays
See specific clays, e.g., Montmorillonite
Clinch River, radiological survey downstream from Oak Ridge National Laboratory, **3**(4), 43
Clinoptilolite clay, cerium adsorption, **3**(1), 43
cesium adsorption, **3**(1), 43; **3**(3), 38–9; **3**(4), 43–4, 45
fission-product adsorption, **3**(1), 43
Purex waste decontamination, **3**(2), 40; **3**(4), 43–4
strontium adsorption, **3**(1), 43; **3**(4), 43
Cobalt-60, irradiators for sterilization, **3**(4), 2
price, **3**(4), 2, 3
production in British reactors, **3**(4), 2
production in power reactors, **3**(4), 3
Cobalt alloy S-816, corrosion in Zircex solutions, **1**(1), 23
Cobalt-cerium-plutonium alloys
See Plutonium-cerium-cobalt alloys
Cobalt-plutonium alloys
See Plutonium-cobalt alloys
Colmonoy-6 alloy, corrosion by zinc (liquid), **2**(4), 32
Colorimeters (flow), **1**(2), 9–10
Columbium
See Niobium
Columns (extraction), design, **1**(2), 9
Columns (pulse), design, **3**(2), 32; **3**(3), 30–1
level controllers, **3**(3), 31
Commercial aspects, **1**(2), 1–3; **1**(3), 1–2; **1**(4), 1; **2**(1), 1–2; **2**(2), 1–3; **2**(3), 1–3; **2**(4), 1–3; **3**(1), 1–5; **3**(2), 1–5; **3**(3), 1–4; **3**(4), 1–4
See also Economic aspects
Edison Electric Institute fuel-cost survey, **2**(2), 3
plant design, **3**(2), 32
radioisotopes, industrial uses, **2**(4), 2–3
uranium dioxide, industrial use of, **3**(3), 47–8
waste-disposal licenses, **2**(1), 2; **2**(3), 2; **2**(4), 2; **3**(1), 4–5; **3**(2), 4; **3**(3), 3; **3**(4), 3–4
Commercial facilities, **3**(1), 1–3; **3**(2), 3; **3**(3), 2; **3**(4), 2
Eurochemic, **3**(4), 1–2
Martin Co., **3**(4), 3
proposals for building, **2**(2), 1
Conasauga shale, cesium-137 adsorption, **1**(4), 27
Concrete, incorporation of waste, **2**(4), 35
Conferences, AEC Symposium for Chemical Processing of Irradiated Fuels, Richland, Wash., Oct. 20–21, 1959, **3**(1), 1; **3**(4), 1, 9, 16
Darex-Zirflex Information Meeting, National Reactor Testing Station, Idaho Falls, July 29–30, 1959, **1**(4), 5–7
Fifth Atomic Energy Commission Air Cleaning Conference, Harvard Univ., July 1957, **2**(1), 38

Conferences (Continued)
IAEA and UNESCO Scientific Conference on the Disposal of Radioactive Wastes, Monaco, Nov. 16–21, 1959, **3**(2), 40
Rassegna Internationale Electronica e Nucleare, Rome, June 1959, **3**(4), 46
Symposium on High-Temperature Technology, Stanford Research Institute, Oct. 6–9, 1959, **3**(1), 29
Symposium for Reprocessing of Irradiated Fuels, Brussels, May 20–25, 1957, **1**(1), 17–18
Congressional hearings, waste disposal, **2**(2), 31–2; **3**(1), 42
Consolidated Edison Reactor
See Reactor (Indian Point Power)
Contactors, **2**(1), 19
ion-exchange applications, **3**(3), 20
Container materials
See Materials of construction
Containers, safety for radioactive shipments, **3**(4), 5
specifications for shipping, **2**(3), 2
Copper, adsorption on Amberlite IRA-401 resin, **2**(3), 18
adsorption on Dowex 50 resin, **2**(3), 18
corrosion by fused-salt volatility process solutions, **2**(1), 32
electrolytic removal from Homogeneous Reactor Experiment II fuel, **2**(4), 26–7; **3**(1), 31; **3**(2), 31; **3**(4), 35
Copper-nickel–hydrofluoric acid systems, corrosive effects, **1**(2), 23
Corrosion products, removal from Homogeneous Reactor Experiment II fuel, **2**(2), 23; **3**(4), 34
Criticality studies, **1**(1), 10; **1**(3), 11
enriched uranium, **3**(4), 6
Redox process, **1**(4), 12
Thorex process, **1**(2), 8–9
Croloy-2¼ alloy, corrosion by lead–lead chloride systems (fused), **3**(3), 27
corrosion by magnesium (liquid), **1**(1), 23
corrosion by uranium-magnesium-zinc alloys (liquid), **2**(2), 28
Crucible skulls, plutonium and uranium recovery, **3**(2), 28
Cryolite (fused), fission-product removal, **1**(4), 18; **2**(3), 22
plutonium separation and uranium recovery, **1**(4), 18
thorium reduction by aluminum, **3**(3), 27–8
Crystallization processes, **1**(4), 16
Curium, adsorption on Dowex 1 resin, **3**(3), 19
adsorption on Dowex 50 resin, **3**(3), 19
adsorption on Dowex 50 X-12 resin, **1**(4), 13–14
ion exchange, **2**(4), 17
Curium-242, separation at Martin Co., **3**(4), 3

D

D2EHPA
See Phosphoric acid, di-2-ethylhexyl
Dapex process, **1**(2), 7; **3**(1), 14–16
equipment design, **3**(3), 30
Darex process, **1**(1), 5; **1**(2), 4; **1**(3), 4; **1**(4), 5–6; **2**(1), 9; **2**(2), 7–8; **2**(3), 10; **2**(4), 7–8, 9; **3**(1), 9, 10–11; **3**(2), 14–15; **3**(4), 10
chloride ion removal, **2**(4), 9; **3**(1), 10–11
corrosion problems, **1**(1), 6; **1**(2), 23–4, **1**(3), 23–4; **2**(1), 31; **2**(3), 25; **2**(4), 27; **3**(2), 15; **3**(3), 32
decontamination factors, **2**(4), 12–13
equipment design, **3**(4), 20
flow sheets, **1**(1), 5; **2**(4), 8; **3**(3), 8, 10
plant design, **3**(4), 20
plutonium and thorium losses, **3**(2), 15; **3**(3), 10–11
stainless-steel dissolution, **1**(1), 6
uranium losses, **3**(1), 9; **3**(2), 15; **3**(3), 10–11
waste disposal, **2**(1), 40–1; **2**(3), 31; **3**(1), 44–5
Darex-Thorex process, corrosion problems, **3**(1), 33
Darex wastes, calcination, **3**(1), 44–5; **3**(4), 44
Deacidite FF resin, neptunium and plutonium adsorption, **3**(2), 22–3
protactinium and thorium adsorption, **2**(4), 18
uranium adsorption, **2**(4), 18; **3**(1), 19
DeBoer iodide process, **1**(2), 22
Decalin, effects as diluent in Purex process, **3**(3), 15
Decalso, cesium adsorption, **3**(4), 45
Decladding
See Dejacketing
Decontamination, solvents, **3**(4), 20
temperature effects, **2**(1), 12
Decontamination factors, Thorex process, **2**(3), 13; **3**(3), 15
Dejacketing, chemical means, **2**(1), 5–8; **2**(2), 5–7; **2**(3), 5–7; **2**(4), 5–6; **3**(1), 7–9
mechanical means, **1**(3), 3; **2**(1), 5; **2**(2), 5; **2**(3), 4–5; **2**(4), 4–5; **3**(1), 6–7; **3**(2), 8–10; **3**(3), 6–7; **3**(4), 8–9
Dialkyl phosphoric acid
See Phosphoric acid, dialkyl
Diamylamyl phosphonate
See Phosphonate, diamylamyl
Dibasic aluminum nitrate
See Aluminum nitrate, dibasic
Diban
See Aluminum nitrate, dibasic
Dibutyl phosphate, complex ion formation, **3**(2), 20
removal from tributyl phosphate, **3**(4), 19
uranium retention in Purex process, **1**(4), 10
Dibutyl phosphate complexes
See specific metal–dibutyl phosphate complex
Dibutyl phosphoric acid
See Phosphoric acid, dibutyl
Diethers, solvent properties, **2**(4), 13
Dissolution, **1**(1), 4–6
See also as subheading under specific materials
effect of fuel-element configuration, **2**(1), 10
Dissolvers, design, **1**(4), 8
Distillation, liquid metals, **3**(3), 26–7
D-nickel alloy, corrosion by fused-fluoride volatility process solutions, **2**(2), 26–7

Doerner-Hoskins coprecipitation law, **2**(4), 24
Dorr continuous contactor, **2**(1), 19
Dounreay, Scotland, ocean disposal, **3**(3), 40
Dowex 1 resin, aluminum adsorption, **2**(2), 16; **3**(3), 18
americium adsorption, **2**(4), 17; **3**(2), 23; **3**(3), 18–19
calcium removal, **2**(2), 16
chromium removal, **2**(2), 16
curium adsorption, **3**(3), 19
hydrodynamic characteristics, **1**(3), 12
ion exchange, **1**(2), 11; **1**(3), 12, 13; **2**(2), 16
iron adsorption, **2**(2), 16; **3**(3), 18
lanthanum adsorption, **3**(3), 18
magnesium and manganese removal, **2**(2), 16
neptunium adsorption, **2**(3), 17; **3**(1), 19; **3**(2), 23
nickel adsorption, **2**(2), 16
niobium adsorption, **2**(3), 16
plutonium adsorption, **1**(4), 14; **2**(2), 16; **2**(3), 16, 17; **2**(4), 16; **3**(2), 23; **3**(3), 18, 19
promethium adsorption, **3**(3), 11
protactinium adsorption, **2**(4), 18; **3**(2), 23
radiation effects, **1**(4), 14
rare-earth adsorption, **3**(3), 18, 20
ruthenium adsorption, **2**(3), 16
thorium adsorption, **2**(4), 18; **3**(2), 23
uranium adsorption, **2**(4), 18; **3**(2), 23
zirconium adsorption, **2**(3), 16
Dowex 2 resin, americium, cerium, molybdenum, palladium, ruthenium, strontium, thorium, uranium, yttrium, and zirconium adsorption, **2**(1), 17–18
Dowex 21K resin, ion-exchange efficiency, **1**(2), 11; **1**(3), 12–13
neptunium adsorption, **3**(1), 18, 19
uranium adsorption, **2**(4), 17, 18; **3**(1), 17, 19
uranyl sulfate adsorption, **3**(4), 21
Dowex 50 resin, aluminum adsorption, **2**(3), 18; **3**(3), 18
americium adsorption, **3**(3), 18–19
cadmium adsorption, **2**(3), 18
cerium adsorption, **3**(3), 20
cesium adsorption, **3**(4), 21
copper adsorption, **2**(3), 18
curium adsorption, **3**(3), 19
iron adsorption, **2**(3), 18; **3**(3), 18
lanthanum adsorption, **3**(3), 18
neptunium adsorption, **2**(4), 17, 18
nickel adsorption, **2**(3), 18
plutonium adsorption, **2**(4), 16, 17; **3**(3), 18
rare-earth adsorption, **3**(4), 21
strontium adsorption, **3**(4), 21
thorium adsorption, **2**(3), 18; **2**(4), 18; **3**(3), 20
uranium adsorption, **2**(3), 18; **2**(4), 17, 18
yttrium, zinc, and zirconium adsorption, **2**(3), 18
Dowex 50W resin, cerium adsorption, **3**(4), 21
ion-exchange efficiency, **1**(1), 13; **1**(3), 12
plutonium adsorption, **2**(4), 16; **3**(3), 18
promethium-147, adsorption, **3**(2), 23
radiation effects, **3**(2), 23
strontium adsorption, **3**(4), 21
Dowex 50 X-12 resin, americium, californium, and curium adsorption, **1**(4), 13–14
Dowex A1 resin, strontium adsorption, **3**(4), 21
Drip melting process, thorium decontamination, **2**(4), 25; **3**(2), 30–1
Duolite C-3 resin, cesium adsorption, **2**(2), 18; **3**(3), 20; **3**(4), 21
strontium adsorption, **3**(3), 20
Duolite C-65 resin, uranium adsorption, **2**(2), 18
Duolite CS-100 resin, cesium adsorption, **3**(4), 21
Durco D-10 alloy, corrosion by hydrofluoric acid, **2**(3), 26
Durimet-20 alloy, corrosion by hydrofluoric acid, **2**(3), 26

E

Economic aspects, **1**(3), 2
See also Commercial aspects
cesium-137, costs and markets, **3**(1), 47
cobalt-60 price, **3**(4), 2, 3
cost uncertainties, **2**(4), 1–2
feed material costs, **2**(4), 39
fluorine cost, **2**(1), 22
fuel costs, **2**(2), 1–3
fuel material manufacture, **2**(2), 37–8
moving-bed reactor for uranium tetrafluoride production, **3**(1), 51
plant cost factors, **2**(3), 1; **3**(1), 4; **3**(3), 30
Purex process plant costs, **3**(1), 32
raw materials price, **2**(2), 1
reprocessing plant costs, **1**(1), 1–3; **3**(3), 30
uranium separation from Chattanooga shale by ion exchange, **3**(2), 22
uses of depleted uranium, **3**(2), 47–8; **3**(3), 47
waste processing, **3**(1), 46–7
Edison Electric Institute, fuel-cost survey, **2**(2), 3
Electrodialytic processes, **2**(1), 18
Electrolysis, copper removal from Homogeneous Reactor Experiment II fuel, **2**(4), 26–7; **3**(1), 31; **3**(2), 31; **3**(4), 35
manganese and nickel removal from Homogeneous Reactor Experiment II fuel, **2**(4), 26–7; **3**(1), 31; **3**(2), 31; **3**(4), 34–5
reduction of uranyl chloride to uranium dioxide, **3**(3), 28; **3**(2), 30; **3**(4), 34
stainless-steel dissolution in nitric acid, **3**(1), 11; **3**(2), 12; **3**(4), 11
uranium dioxide (stainless-steel-clad) dissolution in nitric acid, **3**(1), 11
uranium dioxide reduction to uranium, **1**(3), 37; **3**(4), 50–1
uranium hexafluoride reduction, **3**(1), 53
uranium purification, **2**(4), 43–4
uranium reduction, **3**(4), 35
uranium-zirconium alloy dissolution, **3**(2), 12
zirconium alloy dissolution, **3**(2), 12
zirconium dissolution, **3**(2), 12

Electromagnetic pumps
See Pumps (electromagnetic)
Electrorefining processes, 1(1), 21; 1(2), 19–20; 1(4), 17, 20
Los Alamos Molten Plutonium Reactor Experiment fuels, 2(1), 30
thorium recovery, 3(3), 27
uranium recovery, 2(4), 25, 43–4; 3(3), 27
Electrostatic precipitators
See Separators (electrostatic)
Elk River Reactor
See Reactor (Elk River)
Enrico Fermi Fast Breeder Reactor
See Reactor (Enrico Fermi Fast Breeder)
Equipment, calciners, 3(3), 39; 3(4), 44
contactors, 2(1), 19
cyclic oxidation-reduction of uranium dioxide, 3(3), 28
Dapex process, 3(3), 30
Darex process, 3(4), 20
diaphragm pumps, 3(4), 39
dissolvers, 1(4), 8
electromagnetic pumps, 1(2), 21
extraction columns, 1(2), 9
filters, 2(1), 34; 3(3), 39
fluorinators, 2(3), 19; 3(3), 21–2
fluorine cells, 3(1), 24
fuel cycles, 1(3), 1–2
ion exchangers, 2(1), 19; 3(1), 20; 3(2), 23–4; 3(3), 20–1; 3(4), 21–2
liquid-metal extraction processes, 3(1), 28
melt-refining process, 3(3), 25
mixer-settler design, 1(3), 11; 2(1), 19; 3(2), 32; 3(3), 30
pulse columns, 3(2), 32; 3(3), 30–1
Purex process, 3(1), 32; 3(4), 20
scrubbers, 3(4), 45
Ethanol–hydrochloric acid systems, uranium dioxide (Zircaloy-2) clad, 2(1), 9
uranium-molybdenum alloy dissolution, 2(1), 9
uranium-niobium alloy dissolution, 2(1), 9
uranium-zirconium alloy dissolution, 2(1), 9
Ethers, di-, solvent properties, 2(4), 13
di-2-ethylhexyl phosphoric acid
See Phosphoric acid, di-2-ethylhexyl
Euratom–United States program, fuel-processing features, 1(4), 2–3
Eurochemic facilities, 3(4), 1–2
European Atomic Energy Community contracts, 3(2), 1
Europium, ion exchange, 1(3), 12; 3(3), 20
precipitation, 3(2), 19
removal by melt refining, 1(3), 17
removal by Purex process, 3(2), 21; 3(4), 17
separation, 2(4), 13; 3(3), 20
solubility in mono-2-ethylhexyl phosphoric acid, 2(4), 13
Excer process, 1(3), 35–6; 2(2), 16, 36
flow sheets, 2(2), 17
Experimental Breeder Reactor
See Reactor (Experimental Breeder II)
Extraction
See Fused-salt extraction processes; Liquid-metal extraction processes; Solvent-extraction processes
Extraction columns
See Columns (extraction)

F

Feed materials, costs, 2(4), 39
dissolution of uranium-ore concentrates, 2(4), 39
uranium hexafluoride production, 2(2), 34–5
uranium tetrafluoride production, 2(2), 35–6; 2(4), 19
Feed materials plants, Mallinckrodt Works, 1(3), 35; 2(1), 52
Ferric nitrate–nitric acid systems, corrosive effects, 3(1), 11, 34
preparation, 2(4), 10
uranium-molybdenum alloy dissolution, 2(4), 10; 3(1), 11; 3(3), 12; 3(4), 13
Ferrous sulfamate, plutonium reduction, 3(4), 16
Filters, corrosion by nitric acid, 2(4), 32
gas disposal applications, 3(4), 45
silicon removal from dissolver solutions, 3(2), 21–2
Filters (ceramic), operation, 3(3), 39
Filters (magnetic), 2(1), 34
Fission products
See also specific fission products; refer also to texts cited under separation processes for specific removals
adsorption on clinoptilolite clay, 3(1), 43
adsorption on graphite, 1(4), 20–1
adsorption on mica, 3(1), 43
cost of separation from wastes, 3(1), 46–7
cryolite extraction, 1(4), 18; 2(3), 22
disposal, 1(2), 30–3
distribution in Homogeneous Reactor Experiment II fuel, 2(2), 24
leaching from glass, 2(4), 36
properties of oxides, fluorides, and oxyfluorides, 3(2), 26
removal, 1(3), 14; 1(4), 13
removal from Homogeneous Reactor Experiment II fuel, 3(3), 29
removal by ion exchange, 1(1), 30–1; 2(1), 17; 2(2), 18
solubility in aluminum (liquid), 2(1), 26
solubility in bismuth (liquid), 2(1), 26
solubility in calcium (liquid), 2(1), 28
solubility in lead (liquid), 2(1), 26
solubility in lithium chloride–potassium chloride systems, 3(2), 29
solubility in magnesium-silver alloys (liquid), 3(2), 29–30
solubility in mercury, 1(4), 17; 2(1), 26

Fission products (Continued)
solubility in uranium-chromium alloys (liquid), **3**(2), 29–30
solubility in zinc (liquid), **2**(1), 26
volatilization, **1**(2), 13–14, 22; **2**(4), 25
Fissium alloys, properties, **3**(1), 29
Fissium alloys (liquid), corrosive effects, **2**(2), 28
Fixation, solidification of wastes into glass, **2**(3), 31; **2**(4), 35; **3**(1), 43
waste disposal, **1**(3), 29–30
Flowmeters, **2**(1), 34; **3**(2), 25, 32
Flow sheets, americium recovery, **3**(3), 19
ARCO process, **3**(3), 8
calcination of wastes, **2**(3), 32, 33
Darex process, **1**(1), 5; **2**(4), 8; **3**(3), 8, 10
Enrico Fermi Fast Breeder Reactor fuel processing, **1**(2), 7
Excer process, **2**(2), 17
foam separation process, **3**(2), 42, 43
fused-chloride extraction process, **1**(3), 23
fused-salt volatility process, **1**(3), 22; **3**(1), 21
ion-exchange processes, **1**(1), 12; **2**(2), 15, 16, 17; **3**(3), 19
melt-refining process, **3**(4), 29
moving-bed reactor for uranium tetrafluoride production, **3**(1), 50
neptunium ion exchange, **2**(1), 17; **2**(4), 17; **3**(1), 18
Niflex process, **3**(3), 8
Perflex process, **3**(2), 14; **3**(3), 8
Purex process, **1**(1), 9; **1**(3), 8; **2**(1), 12; **2**(4), 12; **3**(1), 14; **3**(3), 40
radium removal from uranium mill wastes, **3**(3), 38
SM-1 Reactor fuel processing, **1**(2), 7
solvent extraction, **1**(1), 7
Sulfex process, **2**(1), 8; **3**(3), 8, 10
Thorex process, **1**(2), 5–6
thorium removal from uranium mill wastes, **3**(3), 38
uranium carbide–graphite system processing, **3**(1), 12
uranium extraction from uranium-aluminum alloys, **3**(4), 32
uranium hexafluoride production, **2**(2), 34
uranium-molybdenum alloy dissolution, **3**(2), 15
uranium recovery from slag, **3**(4), 31–2
uranium tetrafluoride production, **1**(2), 34–5; **2**(4), 19
waste-disposal systems, **1**(1), 27, 28; **2**(1), 41
Zircex process, **2**(2), 7; **2**(3), 7, 8–9; **2**(4), 6; **3**(3), 8; **3**(4), 27
Zirflex process, **1**(4), 6–7; **2**(1), 7; **2**(2), 5–6; **2**(3), 5–6; **3**(2), 11; **3**(3), 8
Fluid-bed denitrators, operating rates, **2**(4), 40
Fluidized beds, corrosion problems, **1**(1), 23
Fluor-phlogopite, cesium-137 leaching from, **3**(1), 43
Fluoride-volatility processes, **1**(1), 14–17; **1**(2), 12–14; **1**(3), 13–16; **2**(1), 20–3; **2**(2), 18–19; **2**(3), 18–20; **2**(4), 19–21; **3**(1), 20–4; **3**(2), 24–7, 35–6; **3**(3), 21–4; **3**(4), 22–6
corrosion problems, **1**(2), 24–5; **2**(3), 27; **2**(4), 28, 30–1; **3**(1), 36–7; **3**(3), 33–5; **3**(4), 37–8
Fluorides, phase diagrams, **1**(3), 15
process chemistry, **1**(1), 16–17
Fluorination vessels, design, **2**(3), 19; **3**(3), 21–2
Fluorine, conversion of plutonium tetrafluoride to plutonium hexafluoride, **3**(2), 25
corrosive effects, **3**(1), 37; **3**(3), 34–5; **3**(4), 25
cost, **2**(1), 22
plutonium dioxide fluorination, **3**(1), 22
production plants, **2**(1), 22
reactions with bromine trifluoride, **3**(3), 24
recovery from uranium hexafluoride, **3**(1), 53
uranium dioxide fluorination, **3**(1), 22; **3**(4), 25
uranium dioxide (Zircaloy-2-clad) fluorination, **3**(4), 24–5
uranium tetrafluoride fluorination, **3**(1), 23
Fluorine (liquid), corrosive effects, **2**(1), 33
Fluorine cells, design, **3**(1), 24
Fluorine-nitrogen systems, uranium dioxide fluorination, **3**(3), 24
Fluorox process, **3**(1), 51–3
corrosion problems, **3**(1), 52–3
Flurex process, **2**(1), 18
corrosion problems, **2**(4), 32
Foam separation process, strontium separation, **3**(2), 42, 43
Formaldehyde, depassivation of stainless steel in Sulfex process, **3**(4), 11
Formic acid, catalytic effect on stainless-steel dissolution, **3**(1), 8
Fractional crystallization processes, **1**(1), 20; **1**(2), 17–19; **1**(4), 18, 20; **2**(1), 26
See also Hermex process; Pyrozinc process
Los Alamos Molten Plutonium Reactor Experiment fuel processing, **2**(1), 29
Frozen salts, corrosion by fused-salt volatility process solutions, **3**(2), 26
Frozen-wall fluorinators, design, **3**(3), 21–2
Fuel cycles, economics, **1**(3), 1–2
Fuel elements
See specific processes for processing of fuel elements
chemical decladding, **2**(1), 5–8; **2**(2), 5–7; **2**(3), 5–7; **2**(4), 4–6; **3**(1), 7–9, 28; **3**(2), 10–13; **3**(3), 7; **3**(4), 9–11
dissolution, **2**(1), 10
effect of shape on dissolution, **2**(4), 9
mechanical decladding, **1**(3), 3–7; **1**(4), 4; **2**(1), 5; **2**(3), 4–5; **2**(4), 4–5; **3**(1), 6–7; **3**(2), 8; **3**(3), 6–7; **3**(4), 8–9
Fuel elements (ceramic), chemical pulverization, **2**(3), 22
Fuel materials, lease agreement, **3**(2), 1
manufacturing costs, **2**(2), 37–8
Fuel processing
See specific processes for methods
commercial facilities, **3**(2), 3; **3**(3), 2; **3**(4), 1–2
comparison of various methods, **3**(4), 28–9
proposals for building of private facilities, **2**(2), 1
services provided by AEC, **3**(2), 1–2

Fuels, cost, **2**(2), 1–3
shipping regulations, **3**(3), 2
Fuels (irradiated), isotope distribution, **2**(1), 24
shipping, **3**(1), 5
Fuels (liquid), **3**(1), 29–30
Fuels (recycled), heavy-isotope buildup, **2**(1), 23
transuranic-element buildup, **1**(4), 1
Fused-chloride extraction process, corrosion problems, **1**(3), 25; **1**(4), 22; **3**(2), 32–3
flow sheets, **1**(3), 23
Liquid Metal Fuel Reactor fuel processing, **1**(3), 23
Fused-salt electrolysis, **2**(4), 25
Fused-salt extraction processes, **1**(1), 19–20; **3**(2), 30
corrosion problems, **1**(1), 23
uranium-bismuth alloy processing, **1**(1), 24
Fused salt–liquid metal extraction processes, **3**(1), 26–8; **3**(2), 29; **3**(4), 32–3
Fused-salt volatility process, **1**(1), 16–17; **1**(3), 13–16; **1**(4), 15–16; **2**(1), 20–1; **2**(2) 19; **2**(3), 18–19, 27; **3**(1), 20–3; **3**(2), 26; **3**(3), 21–2; **3**(4), 23–4
corrosion problems, **1**(2), 12, 24–5; **1**(3), 24–5; **1**(4), 21–2; **2**(1), 32; **2**(2), 25–7; **2**(4), 28–31; **3**(1), 36–7; **3**(2), 26, 36; **3**(3), 21–2; **3**(4), 37–8
flow sheets, **1**(3), 22
Liquid Metal Fuel Reactor fuel processing, **1**(3), 21–3; **3**(1), 29

G

Gallium oxide, dissolution in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
GA Meehanite alloy, corrosion by uranium-magnesium-zinc alloys (liquid), **2**(2), 28
Gas disposal, filtration and scrubbing, **3**(4), 45
monitoring, **3**(2), 32
ruthenium removal, **3**(4), 44
uranium hexafluoride recovery, **2**(2), 37–8
Gas-solid systems, thermal conductivity, **3**(1), 45
Gaseous diffusion plants, uranium hexafluoride recovery from gas streams, **3**(2), 26–7
Gases, solubility in fused salts, **1**(3), 16
General Electric Co., Vallecitos Atomic Laboratory, accident reports, **3**(3), 5
Glass, incorporation of waste, **2**(3), 31; **2**(4), 35; **3**(1), 43
leaching of fission products from, **2**(4), 36
Gold, corrosion by bismuth chloride–magnesium chloride–potassium chloride–sodium chloride systems, **3**(1), 37
corrosion by Flurex process solutions, **2**(4), 32
corrosion by fused-salt volatility process solutions, **2**(1), 32
corrosion by hydrofluoric acid–nitric acid systems, **1**(4), 20
corrosion by hydrofluoric acid–nitrogen dioxide systems, **3**(3), 34
Graphitar-14 alloy, corrosion by sulfuric acid, **3**(1), 36
Graphite, applications in liquid-metal extraction process, **1**(3), 17
corrosion by aluminum (liquid), **3**(2), 29
corrosion by carbon tetrachloride, **3**(3), 29
corrosion by fused-salt extraction process solutions, **1**(1), 23
corrosion by fused-salt volatility process solutions, **1**(2), 24–5; **1**(3), 24, 25; **1**(4), 22; **3**(1), 23; **3**(2), 26
corrosion in pyrometallurgical processes, **1**(1), 23
corrosion by sodium fluoride–zirconium fluoride systems (fused), **3**(3), 21; **3**(4), 23
corrosion by uranium (liquid), **1**(1), 23; **1**(2), 21
corrosion by uranium-magnesium alloys, **1**(1), 23
fission-product adsorption, **1**(4), 20–1
iodine and xenon adsorption, **3**(1), 30
iodine and xenon diffusion, **1**(4), 20–1
Graphite–thorium carbide–uranium carbide systems
See Uranium carbide–thorium carbide–graphite systems
Graphite-thorium-uranium systems
See Uranium-thorium-graphite systems
Graphite–uranium carbide systems
See Uranium carbide–graphite systems
Greases, radiation effects, **3**(1), 25
Ground disposal, **2**(1), 44–7; **2**(3), 33–4; **3**(3), 41–2; **3**(4), 46
cesium-137, **2**(2), 33
Hanford Atomic Products Operation, **1**(3), 29; **3**(3), 42
National Reactor Testing Station, **3**(1), 46
Oak Ridge National Laboratory, **3**(3), 42, 46

H

Hafnium dissolution, **1**(2), 7
Hafnium oxide, solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
Halogen fluorides, properties, **3**(4), 28
Hanford Atomic Products Operation, accident reports, **2**(1), 3; **2**(4), 35; **3**(4), 7
commercial facilities for fuel processing, **3**(1), 1
ground disposal facilities, **1**(3), 29; **3**(3), 41–2
waste disposal, **1**(1), 29; **1**(2), 30–3; **1**(3), 29–32; **1**(4), 27; **2**(1), 38–41, 44–5; **2**(3), 31, 34; **2**(4), 36
waste-disposal costs, **3**(1), 46
waste storage, **3**(4), 3
Hastelloy B, corrosion by hydrogen fluoride, **1**(1), 23
corrosion by Zircex solutions, **1**(2), 23; **2**(3), 26
Hastelloy B alloy, corrosion by fused-salt volatility process solutions, **2**(2), 26–7; **2**(4), 30–1; **3**(1), 37
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34
corrosion by lithium fluoride–sodium fluoride systems (fused), **2**(3), 27
corrosion by Purex wastes, **3**(3), 35–6
corrosion by sodium fluoride–zirconium fluoride systems (fused), **2**(3), 27

Hastelloy B alloy (Continued)
corrosion by sulfuric acid, 3(1), 36
corrosion by Zircex solutions, 1(3), 24
Hastelloy C, corrosion by Thorex solutions, 2(1), 32
corrosion by Zircex solutions, 1(2), 23
Hastelloy C alloy, corrosion by ammonium bifluoride, 2(2), 27
corrosion by hydrogen chloride–hydrogen systems, 2(1), 31
corrosion by hydrogen fluoride–hydrogen peroxide systems, 3(1), 35; 3(2), 14; 3(3), 33
corrosion by ICPP process waste solutions, 2(1), 34
corrosion by Purex wastes, 3(3), 35–6
corrosion by sulfuric acid, 2(1), 32; 3(1), 36
Hastelloy F, corrosion by hydrofluoric acid–nitric acid systems, 2(4), 29
Hastelloy F alloy, corrosion by ammonium bifluoride, 2(3), 26
corrosion by ammonium fluoride, 2(1), 31; 3(3), 32
corrosion by ammonium fluoride–ammonium nitrate–hydrogen peroxide systems, 3(4), 36
corrosion by ammonium fluoride–ammonium nitrate systems, 3(4), 36
corrosion by ferric nitrate–nitric acid systems, 3(1), 34
corrosion by hydrofluoric acid, 3(4), 35
corrosion by hydrofluoric acid–nitric acid systems, 1(4), 7; 2(1), 31; 2(2), 25; 2(3), 26; 2(4), 27; 3(4), 36, 37
corrosion by lead–lead chloride systems (fused), 3(3), 27
corrosion by Niflex process solutions, 2(2), 25–6
corrosion by nitric acid, 2(1), 31; 3(4), 35
corrosion by sulfuric acid, 2(1), 32; 2(2), 24–5; 2(3), 25; 3(2), 33; 3(3), 32; 3(4), 35
corrosion by Thorex solutions, 2(1), 32; 2(4), 29
corrosion by Zirflex solutions, 1(4), 21; 2(4), 7
Hastelloy N alloy, corrosion by hydrofluoric acid–nitrogen dioxide systems, 3(3), 34
Hastelloy W alloy, corrosion by fused salts, 1(2), 25
corrosion by fused-salt volatility process solutions, 2(2), 26
corrosion by lithium fluoride–sodium fluoride systems (fused), 2(3), 27
corrosion by sodium fluoride–zirconium fluoride systems (fused), 2(3), 27
Hastelloy X alloy, corrosion by Zircex solutions, 1(2), 23
Haynes-21 alloy, corrosion by Darex solutions, 1(2), 23
corrosion by hydrochloric acid–nitric acid systems, 1(1), 23
corrosion by Sulfex-Thorex process solutions, 2(2), 25
corrosion by Thorex solutions, 2(4), 29
corrosion by Zircex solutions, 1(1), 23; 1(2), 23
Haynes-25 alloy, corrosion by aluminum nitrate–zirconium fluoride systems, 3(1), 37–8
corrosion by Darex solutions, 1(3), 24
corrosion by hydrochloric acid–nitric acid systems, 2(4), 27
corrosion by hydrogen fluoride–hydrogen peroxide systems, 3(1), 35
corrosion by hydrogen fluoride–nitrogen dioxide systems, 3(3), 34
corrosion by magnesium-zinc alloys (liquid), 3(1), 38
corrosion by Sulfex solutions, 1(2), 24
corrosion by Sulfex-Thorex process solutions, 2(2), 25
corrosion by Thorex solutions, 2(4), 29
corrosion by zinc (liquid), 3(1), 38
corrosion by Zircex solutions, 1(2), 23; 1(3), 24; 2(3), 26
corrosion by zirconium fluoride, 3(1), 37–8
corrosion by Zirflex solutions, 1(2), 24
solubility in hydrofluoric acid–nitric acid systems, 1(3), 6
Haynes Alloy C, corrosion by lead–lead chloride systems (fused), 3(3), 27
Haynes Stellite 6B alloy, corrosion by magnesium-zinc alloy (liquid), 3(1), 38
corrosion by zinc (liquid), 3(1), 38
Head-end processes, 1(1), 4–6; 1(2), 4; 1(3), 3–7; 1(4), 4–8; 2(1), 5–11; 2(2), 5–9; 2(3), 4–12; 2(4), 4–11; 3(1), 6–13; 3(2), 6–17; 3(3), 6–14; 3(4), 8–15
Heat-transfer coefficient, Mallinckrodt feed materials process, 2(4), 40
Helium, solubility in sodium fluoride–zirconium fluoride systems (fused), 1(3), 16
Hermex process, 1(1), 20; 1(2), 17–19; 1(4), 16–18; 2(1), 26
Hexone, radiolysis, 3(4), 18
Homogeneous Reactor Test
See Reactor (Homogeneous, Experiment II)
Huey test, 3(4), 35, 37
Hydrochloric acid–ethanol systems
See Ethanol–hydrochloric acid systems
Hydrochloric acid–nitric acid systems, corrosive effects, 1(1), 22–3; 2(3), 25; 2(4), 27; 3(1), 33; 3(2), 15, 33–4; 3(3), 32–3; 3(4), 10, 36–38
stainless-steel dissolution, 1(4), 5–6; 2(1), 9; 2(2), 7–8; 2(3), 10; 2(4), 8–9; 3(1), 9, 10; 3(2), 15; 3(4), 10, 12
uranium dioxide dissolution, 2(2), 7–8; 2(3), 10
uranium dioxide (stainless-steel-clad) dissolution, 1(4), 5–6; 2(4), 8–9; 3(4), 12
uranium dioxide–thorium oxide systems (stainless-steel-clad) dissolution, 2(4), 8; 3(1), 9; 3(2), 15
uranium dissolution, 2(2), 8
uranium (stainless-steel-clad) dissolution, 3(1), 10
uranium-molybdenum alloy dissolution, 1(3), 11; 2(2), 8
uranium–stainless steel alloy dissolution, 1(4), 5; 2(4), 7
uranium–thorium oxide systems (stainless-steel-clad) dissolution, 3(2), 15

Hydrochloric acid–nitric acid–uranyl nitrate hexahydrate systems
See Uranyl nitrate hexahydrate–hydrochloric acid–nitric acid systems
Hydroclones
See Separators (hydroclone)
Hydrofluoric acid, corrosive effects, **2**(3), 26; **3**(1), 34–5; **3**(3), 12; **3**(4), 35–6
uranium dioxide hydrofluorination, **2**(4), 42; **3**(4), 50
uranium-plutonium alloy dissolution, **2**(4), 19
uranium-zirconium alloy dissolution, **2**(4), 19; **3**(3), 11; **3**(4), 12
uranium-zirconium alloy hydrofluorination, **3**(4), 24
Zircaloy dissolution, **2**(1), 5
Zircaloy-2 dissolution, **3**(1), 7
zirconium dissolution, **2**(1), 5; **3**(1), 7
Hydrofluoric acid–aluminum nitrate–nitric acid systems
See Aluminum nitrate–hydrofluoric acid–nitric acid systems
Hydrofluoric acid–copper–nickel systems
See Copper-nickel–hydrofluoric acid systems
Hydrofluoric acid–nitric acid–aluminum nitrate systems
See Aluminum nitrate–hydrofluoric acid–nitric acid systems
Hydrofluoric acid–nitric acid systems, corrosive effects, **1**(4), 7, 20, 21; **2**(1), 31; **2**(3), 26; **2**(4), 28–9; **3**(2), 16, 33–5; **3**(3), 32, 34; **3**(4), 37
fuel-element decladding, **2**(2), 5–7
Haynes-25 alloy dissolution, **1**(3), 6
niobium dissolution, **2**(1), 10
plutonium-aluminum-silicon system dissolution, **2**(1), 10
stainless-steel dissolution, **1**(3), 6; **1**(4), 7; **2**(3), 7, 10; **3**(3), 12
thorium dissolution, **3**(2), 16
uranium-molybdenum alloy (zirconium-clad) dissolution, **2**(3), 13; **2**(4), 6
uranium-zirconium alloy dissolution, **1**(4), 7; **3**(4), 12
Zircaloy-2 dissolution, **1**(3), 6; **2**(3), 5; **3**(2), 14; **3**(4), 10
zirconium dissolution, **1**(4), 7; **2**(3), 5, 13; **2**(4), 6; **3**(1), 10
Hydrogen, reduction of uranium hexafluoride to uranium tetrafluoride, **2**(1), 49
uranium hexafluoride reduction, **1**(4), 28, 30
Hydrogen chloride, fission-product removal, **1**(3), 20
reactions with uranium, **2**(3), 7
reactions with uranium-niobium-zirconium alloys, **3**(1), 10
reactions with uranium-zirconium alloys, **3**(1), 10; **3**(3), 22–3; **3**(4), 26–7
reactions with uranium-zirconium alloys (Zircaloy-clad), **2**(4), 19–21
ruthenium removal, **1**(3), 20
zirconium volatilization, **2**(3), 7
Hydrogen chloride–hydrogen systems
See Hydrogen–hydrogen chloride systems
Hydrogen fluoride, beryllium fluoride dissolution, **3**(1), 22
corrosive effects, **1**(1), 23
lithium fluoride dissolution, **3**(1), 22
reactions with Zircaloy-2, **2**(3), 18–19
recovery from slag, **3**(3), 47
recovery from uranium hexafluoride, **3**(3), 47
solubility in sodium fluoride–zirconium fluoride systems (fused), **1**(3), 16; **1**(4), 15
Hydrogen fluoride–bromine trifluoride–nitrogen dioxide systems
See Bromine trifluoride–hydrogen fluoride–nitrogen dioxide systems
Hydrogen fluoride–hydrogen peroxide systems, corrosive effects, **3**(1), 10, 35; **3**(2), 14, 33; **3**(3), 33
uranium-tin-zirconium alloy dissolution, **2**(4), 6; **3**(2), 13–14
uranium-zirconium alloy dissolution, **3**(1), 10; **3**(2), 14
Zircaloy dissolution, **2**(4), 6
Hydrogen fluoride–lithium fluoride–sodium fluoride systems (fused), corrosive effects, **3**(1), 20
Hydrogen fluoride–nitrogen dioxide systems, **3**(3), 21
aluminum dissolution, **2**(3), 20; **3**(3), 21
corrosive effects, **2**(3), 20; **3**(3), 21, 33–4
protactinium dissolution, **3**(3), 21
stainless-steel dissolution, **2**(3), 20; **3**(3), 21
thorium tetrafluoride dissolution, **3**(3), 21
uranium-aluminum alloy dissolution, **3**(3), 21
uranium-tin-zirconium alloy dissolution, **3**(3), 21
Zircaloy-2 dissolution, **2**(3), 20; **3**(3), 21
Hydrogen fluoride–sodium fluoride–zirconium fluoride systems, phase diagrams, **3**(4), 28
Hydrogen–hydrogen chloride systems, corrosive effects, **2**(1), 31
Hydrogen–hydrogen fluoride systems, fluorination of uranium trifluoride to uranium tetrafluoride, **2**(1), 50
Hydrogen ions, effects of concentration on Zircaloy-2 dissolution in Zirflex process, **3**(4), 9
Hydrogen peroxide, plutonium precipitation, **2**(2), 13–14
Hydrogen peroxide–ammonium fluoride–ammonium nitrate systems
See Ammonium fluoride–ammonium nitrate–hydrogen peroxide systems
Hydrogen peroxide–hydrogen fluoride systems
See Hydrogen fluoride–hydrogen peroxide systems
Hydrogen peroxide–sodium acetate systems, cerium separation from Purex wastes, **3**(1), 46–7
Hydrogen-steam systems, uranium hexafluoride conversion to uranium dioxide, **2**(4), 41–2

I

ICPP process, **2**(1), 33
chemical decladding of zirconium and Zircaloy-2 fuel elements, **2**(2), 5–6
corrosion problems, **2**(1), 33
ICPP wastes, calcination, **1**(1), 29–30; **3**(1), 44–5; **3**(2), 41
corrosive effects, **2**(1), 34; **2**(4), 36; **3**(3), 35
disposal, **1**(3), 31, 33; **2**(1), 42–3; **3**(1), 44–5
Idaho Chemical Processing Plant, accident of October 1959, **3**(2), 6–7; **3**(4), 6
Idaho Chemical Processing Plant process
See ICPP process
Illium-98 alloy, corrosion by Sulfex-Thorex process solutions, **2**(2), 25
Illium-G alloy, corrosion by aluminum nitrate–zirconium fluoride systems, **3**(1), 37–8
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34
corrosion by zirconium fluoride, **3**(1), 37–8
Illium-R alloy, corrosion by hydrogen chloride–hydrogen systems, **2**(1), 31
corrosion by sulfuric acid, **2**(2), 24–5; **3**(1), 36
corrosion by Thorex solutions, **2**(1), 32
corrosion by Zircex solutions, **1**(2), 23; **1**(3), 24; **2**(3), 26
Incoloy 804 alloy, corrosion by ARCO process solutions, **3**(2), 14, 30
corrosion by hydrofluoric acid–nitric acid systems, **2**(3), 26
corrosion by lead–lead chloride systems (fused), **3**(3), 27
corrosion by Niflex process solutions, **2**(2), 26
corrosion by Sulfex-Thorex process solutions, **2**(1), 32
corrosion by sulfuric acid, **2**(1), 32
Inconel alloy, corrosion by Fluorox materials, **3**(1), 52–3
corrosion by fused-chloride extraction process solutions, **1**(4), 22
corrosion by fused-salt volatility process solutions, **1**(4), 21–2; **2**(4), 30
corrosion by fused salts, **1**(2), 25
corrosion by hydrogen fluoride, **1**(1), 23
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34; **3**(4), 38
corrosion by uranium tetrafluoride–sodium fluoride–zirconium fluoride systems (fused), **3**(4), 38
corrosion by Zircex solutions, **1**(2), 23; **1**(3), 24; **2**(3), 26; **3**(1), 35
Inconel 700 alloy, corrosion by Sulfex-Thorex solutions, **2**(2), 25
Inconel X alloy, corrosion by aluminum nitrate–zirconium fluoride systems (fused), **3**(1), 37–8
corrosion by fused-salt volatility process solutions, **1**(4), 22
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34
corrosion by lead–lead chloride systems (fused), **3**(3), 27
corrosion by mercuric nitrate–nitric acid systems, **2**(3), 11
corrosion by zirconium fluoride, **3**(1), 37–8
Indium, solubility in cadmium (liquid), **2**(4), 22
solubility in zinc (liquid), **2**(4), 22
Infilco mixer-settler, **2**(1), 19
INOR-1 alloy, corrosion by fused-salt volatility process solutions, **1**(3), 24; **1**(4), 21–2; **2**(2), 26–7; **2**(4), 30–1
corrosion by lithium fluoride–sodium fluoride systems (fused), **2**(3), 27
corrosion by sodium fluoride–zirconium fluoride systems (fused), **2**(3), 27
INOR-8 alloy, corrosion by fused-salt volatility process solutions, **1**(3), 24; **1**(4), 21–2; **2**(2), 26; **2**(4), 30–1; **3**(1), 20, 37
corrosion by hydrogen fluoride–hydrogen peroxide systems, **3**(1), 10
corrosion by lithium fluoride–sodium fluoride systems (fused), **2**(3), 27
corrosion by lithium fluoride–sodium fluoride–zirconium fluoride systems (fused), **3**(4), 23
corrision by sodium fluoride–zirconium fluoride systems (fused), **2**(3), 27; **3**(2), 36
Instrumentation, **1**(4), 23–4; **2**(1), 34–5
alpha scintillation screens, **3**(3), 32
flow colorimeters, **1**(2), 9–10
flowmeters, **2**(1), 34; **3**(2), 25, 32
heavy-metal monitors, **3**(4), 39
level controllers, **3**(3), 31
level indicators, **1**(4), 23; **2**(1), 31, 34; **3**(4), 33, 39
oxygen detectors, **3**(2), 32
porosity indicator for cast fuels, **3**(1), 32
pressure transmitters, **1**(4), 23–4
pumps, **3**(1), 31–2
radiation counters, **2**(1), 34–5; **3**(2), 25, 32; **3**(3), 32
scintillation counters, **3**(2), 25; **3**(3), 32
solvent-extraction processes, **1**(2), 9–10
stack radioactivity monitors, **3**(2), 32
strain gauge weighing systems for fuel inventory, **3**(1), 31
thermistors, **3**(3), 31
International Atomic Energy Agency, waste-disposal studies, **2**(3), 33–4
Iodine, adsorption on graphite, **3**(1), 30
adsorption on steel, **3**(1), 30
diffusion through graphite, **1**(4), 20–1
removal, **2**(1), 40; **3**(1), 30
removal from ceramic fuel elements, **2**(3), 23
removal by cyclic oxidation-reduction, **3**(3), 28
removal in Homogeneous Reactor Experiment II, **1**(4), 19; **3**(1), 31
removal by ion exchange, **3**(4), 21
removal with manganese dioxide, **1**(4), 13
removal by melt refining, **1**(3), 17; **2**(1), 24; **2**(2), 20
removal by salt-cycle process, **3**(4), 34

Iodine (Continued)
retention in melt refined fuels, 1(4), 16
solubility in cadmium (liquid), 2(4), 22
solubility in zinc (liquid), 2(4), 22
volatilization, 1(2), 22; 2(2), 21
Iodine-131, monitoring, 3(2), 32
Iodine fluorides, properties, 3(4), 28
Iodine monochloride, uranium-graphite fuel disintegration, 3(4), 13
Ion exchange, 2(1), 17
See also as subheading under specific materials, e.g., Actinides and specific ion-exchange resins
applications in the atomic energy field, 2(4), 19
equipment, 3(1), 20; 3(3), 20–1; 3(4), 21–2
substitution for extraction in Purex process, 1(1), 8
waste processing, 1(1), 30–1; 2(2), 32
Ion-exchange processes, 1(1), 11–14; 1(2), 11, 17–19; 1(3), 12–13; 1(4), 13–15; 2(2), 14–18; 2(3), 16–18; 2(4), 16–19; 3(1), 17–20; 3(2), 22–4; 3(3), 18–21; 3(4), 20–2
equipment design, 2(1), 19; 3(1), 20; 3(2), 23–4; 3(3), 20–1; 3(4), 21–2
flow sheets, 1(1), 12; 2(2), 15, 16, 17; 3(3), 19
Iridium, corrosion, 3(4), 37
Iridium-platinum alloys
See Platinum-iridium alloys
Iron, adsorption on Amberlite IRA-401 resin, 2(3), 18
adsorption on Dowex 1 resin, 3(3), 18
adsorption on Dowex 50 resin, 2(3), 18; 3(3), 18
corrosion by cadmium (liquid), 3(2), 28
ion exchange, 2(1), 17; 2(2), 16; 2(3), 18
removal by electrorefining, 2(1), 30
removal in Excer process, 2(2), 16
removal by fractional crystallization, 2(1), 29
removal by liquid-metal extraction, 1(4), 17
removal by melt refining, 1(3), 19–20; 2(3), 21; 3(4), 30
ruthenium adsorption, 3(4), 45
solubility in calcium-magnesium alloys (liquid), 1(4), 17
Iron-aluminum-nickel-plutonium-silicon systems
See Plutonium-aluminum-iron-nickel-silicon systems
Iron-plutonium alloys
See Plutonium-iron alloys
Iron-uranium alloys
See Uranium-iron alloys
Irradiated fuels
See Fuels (irradiated)
di-Isobutyl ketone
See Ketone, di-isobutyl
Isotopes, buildup of heavy in recycled fuels, 2(1), 23
distribution in irradiated fuels, 2(1), 24
production in Union of Soviet Socialist Republics, 1(3), 33
separation from wastes, 2(4), 37–8
transuranic buildup in recycled fuels, 1(4), 1
Italian facilities, 3(4), 2

J

Jiggler contactor, ion-exchange applications, 3(3), 20

K

Kanthal alloy, corrosion by mercuric nitrate–nitric acid systems, 2(3), 11
Karbate anodes, use in fluorine cells, 3(1), 24
Kerosene, radiolysis, 3(3), 16; 3(4), 18
Kerosene–tributyl phosphate systems
See Tributyl phosphate–kerosene systems
Ketone, di-isobutyl, protactinium extraction, 3(3), 18
Knives, fuel-element disassembly, 3(3), 6–7
Krypton, adsorption on carbon, 3(1), 31
adsorption on charcoal, 1(3), 21
solubility in sodium fluoride–zirconium fluoride systems (fused), 1(3), 16
volatilization from irradiated fuel elements, 2(2), 21

L

Laboratory wastes, disposal, 2(2), 32
LAMPRE
See Reactor (Los Alamos Molten Plutonium, Experiment)
Lamps (mercury vapor), radiation effects, 3(1), 25
Land burial, 3(4), 46
Lanthanides, partition in tributyl phosphate, 1(2), 8
Lanthanum, adsorption on Dowex 1 resin, 3(3), 18
adsorption on Dowex 50 resin, 3(3), 18
ion exchange, 1(3), 2
partition coefficients between aluminum-cadmium layers (liquid), 3(4), 31
removal by electrorefining, 1(4), 17; 2(1), 30
removal by fractional crystallization, 2(1), 29
removal by liquid-metal extraction, 1(4), 17
removal by melt refining, 1(3), 17, 19–20; 2(1), 29; 2(3), 21; 3(4), 30
solubility in calcium (liquid), 2(1), 28
solubility in calcium-magnesium alloys (liquid), 1(4), 17; 2(1), 29
solubility in mercury, 2(1), 30
volatilization, 2(1), 29
Lanthanum (liquid), uranium dissolution, 2(2), 22
Lanthanum fluoride, solubility in beryllium fluoride (fused), 1(4), 1[E]
Lanthanum oxide, corrosion by plutonium (liquid), 2(4), 32; 3(1), 29
vapor pressure, 1(4), 19
Laundries, waste disposal, 2(2), 32
tri-Laurylamine
See Amine, trilauryl-
Lawrence (E. O.) Radiation Laboratory, waste disposal, 2(4), 35
waste-disposal costs, 3(1), 46

Lead, corrosion by sulfuric acid, **3**(1), 36
ruthenium adsorption, **3**(4), 45
solubility in nitric acid, **3**(1), 9

Lead (liquid), chlorination, **3**(4), 33
fission-product dissolution, **2**(1), 26
plutonium dissolution, **2**(1), 26
uranium dissolution, **2**(1), 26; **3**(4), 31

Lead-bismuth alloys
See Bismuth-lead alloys

Lead-bismuth-tin alloys
See Bismuth-lead-tin alloys

Lead chloride, recovery from ARCO process, **3**(4), 33

Lead chloride (fused), uranium-Zircaloy alloy dissolution, **2**(4), 10
uranium-zirconium alloy dissolution, **3**(1), 27; **3**(2), 14
Zircaloy-2 dissolution, **3**(1), 27; **3**(2), 14
zirconium dissolution, **3**(1), 27; **3**(2), 14

Lead chloride–uranium chloride systems
See Uranium chloride–lead chloride systems

Lead–lead chloride systems (fused), corrosive effects, **3**(2), 33; **3**(3), 27

Lead-uranium alloys
See Uranium-lead alloys

Lead (liquid)–zinc (liquid) systems, silver partition, **3**(4), 31

Level controllers, **3**(3), 31

Level indicators, **2**(1), 34
ion-exchange-column applications, **3**(4), 39
Homogeneous Reactor Experiment II, **1**(4), 23
liquid-metal applications, **3**(4), 33
ultrasonic, **3**(1), 31

Licensing, waste disposal, **2**(1), 2; **2**(3), 2; **2**(4), 2; **3**(1), 4–5; **3**(2), 4; **3**(3), 3; **3**(4), 3–4

Liquid-metal dissolution systems, **1**(1), 6

Liquid-metal extraction processes, **1**(1), 21–2; **1**(3), 17–19; **1**(4), 17, 20; **2**(1), 26–8; **2**(2), 21–3; **2**(3), 23–4; **2**(4), 22–6; **3**(2), 27–9; **3**(4), 31–2
equipment, **1**(3), 17; **3**(1), 28
Experimental Breeder Reactor II blanket processing, **1**(2), 20–1
Los Alamos Molten Plutonium Reactor Experiment fuel, **2**(1), 29
protactinium separation, **2**(1), 27

Liquid Metal Fuel Reactor
See Reactor (Liquid Metal Fuel)

Liquid Metal Fuel Reactor Experiment
See Reactor (Liquid Metal Fuel, Experiment)

Liquid metal–fused salt extraction processes
See Fused salt–liquid metal extraction processes

Liquid metals, bibliographies, **3**(4), 33
distillation, **3**(3), 26–7
heating methods, **3**(2), 30
technical reviews, **3**(2), 30

Lithium amalgams, uranium recovery, **1**(4), 18–19

Lithium chloride–potassium chloride systems (fused), cerium dissolution, **3**(1), 27; **3**(4), 32
fission-product dissolution, **3**(2), 29
lithium oxide and magnesium oxide dissolution, **1**(4), 16
molybdenum and protactinium dissolution, **3**(1), 27
thorium dissolution, **3**(2), 29; **3**(4), 32
uranium dissolution, **3**(1), 27; **3**(2), 29; **3**(4), 32
zirconium dissolution, **3**(2), 29; **3**(4), 32

Lithium chloride–potassium chloride–zinc chloride systems (fused), uranium dissolution, **2**(1), 28; **2**(4), 26

Lithium fluoride, solubility in hydrogen fluoride, **3**(1), 22

Lithium fluoride–beryllium fluoride–sodium fluoride systems
See Beryllium fluoride–lithium fluoride–sodium fluoride systems

Lithium fluoride–beryllium fluoride systems
See Beryllium fluoride–lithium fluoride systems

Lithium fluoride–beryllium fluoride–uranium tetrafluoride systems
See Uranium tetrafluoride–beryllium fluoride–lithium fluoride systems

Lithium fluoride–hydrogen fluoride–sodium fluoride systems
See Hydrogen fluoride–lithium fluoride–sodium fluoride systems

Lithium fluoride–potassium fluoride systems (fused), metal and metallic oxide dissolution, **1**(4), 16

Lithium fluoride–sodium fluoride systems (fused), corrosive effects, **2**(3), 27
thorium oxide dissolution, **3**(4), 23
uranium-zirconium alloy dissolution, **2**(3), 18–19
Zircaloy-2 dissolution, **1**(4), 15; **3**(4), 23

Lithium fluoride–sodium fluoride–zirconium fluoride systems, phase diagrams, **2**(3), 19

Lithium fluoride–sodium fluoride–zirconium fluoride systems (fused), corrosive effects, **3**(4), 23
niobium, stainless-steel, and thorium oxide dissolution, **3**(4), 23–4
uranium-zirconium alloy (Zircaloy-2-clad) dissolution, **3**(4), 23

Lithium fluoride–thorium fluoride systems
See Thorium fluoride–lithium fluoride systems

Lithium-mercury alloys
See Lithium amalgams

Lithium oxide, solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16

L-nickel alloy, corrosion by fluorine, **3**(1), 37
corrosion by fused-salt volatility process solutions, **1**(4), 22; **2**(2), 26–7; **2**(4), 31
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34
corrosion by uranium tetrafluoride–sodium fluoride–zirconium fluoride systems (fused), **2**(3), 27; **3**(4), 37–8

Los Alamos Molten Plutonium Experiment
See Reactor (Los Alamos Molten Plutonium, Experiment)

Los Alamos Scientific Laboratory, nuclear accident, Dec. 30, 1958, **2**(2), 4
waste disposal, **1**(4), 26

LT-1 cermet
See Aluminum oxide–chromium cermets
LT-2 cermet
See Aluminum oxide–chromium–tungsten cermets
Lutetium, removal by Purex process, **3**(4), 17

M

MABIE, **3**(4), 21
Magnesia
See Magnesium oxide
Magnesium, adsorption on Dowex 1 resin, **2**(2), 16
ion exchange, **2**(1), 17
recovery from slag, **3**(3), 47
reduction of uranium tetrafluoride, **1**(3), 36
ruthenium adsorption, **3**(4), 45
solubility in bismuth (liquid), **3**(1), 30
solubility in sodium fluoride–zirconium fluoride (fused), **3**(1), 30
thorium reduction, **3**(2), 29
uranium reduction, **3**(1), 28; **3**(2), 29; **3**(3), 26
uranium tetrafluoride reduction, **2**(4), 42; **3**(2), 46–7
zirconium reduction, **3**(2), 29
Magnesium (liquid), corrosive effects, **1**(1), 23; **1**(2), 25; **2**(2), 28
plutonium dissolution, **1**(2), 20–1; **1**(3), 17; **2**(3), 23; **3**(3), 26
thorium dissolution, **2**(1), 27; **2**(3), 23; **2**(4), 26; **3**(3), 26
uranium dissolution, **2**(1), 27; **2**(2), 22; **2**(3), 23; **2**(4), 26; **3**(3), 26; **3**(4), 31–2
uranium-233 extraction from thorium, **3**(4), 32
Magnesium alloys, plutonium dioxide reduction, **2**(3), 23–4
uranium dioxide reduction, **2**(3), 23–4
Magnesium amalgams, uranium dioxide reduction, **2**(4), 25; **3**(1), 28
Magnesium-cadmium alloys
See Cadmium-magnesium alloys
Magnesium-cadmium-uranium alloys
See Uranium-cadmium-magnesium alloys
Magnesium-cadmium-zinc alloys
See Cadmium-magnesium-zinc alloys
Magnesium-calcium alloys
See Calcium-magnesium alloys
Magnesium chloride–bismuth chloride–potassium chloride–sodium chloride systems
See Bismuth chloride–magnesium chloride–potassium chloride–sodium chloride systems
Magnesium-chromium-uranium alloys
See Uranium-chromium-magnesium alloys
Magnesium fluoride, corrosive effects, **1**(2), 25
uranium recovery from slag, **2**(2), 37
Magnesium–magnesium chloride systems, uranium dioxide reduction, **2**(4), 25
Magnesium-mercury alloys
See Magnesium amalgams
Magnesium oxide, cerium removal, **2**(1), 29
corrosion by fused-chloride extraction process solutions, **2**(1), 32–3
corrosion by plutonium (liquid), **2**(4), 32; **3**(1), 29
corrosion by uranium (liquid), **1**(2), 25
crucibles for melt-refining process, **1**(2), 15
lanthanum removal, **2**(1), 29
solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
Magnesium oxide–aluminum oxide systems
See Aluminum oxide–magnesium oxide systems
Magnesium-silver alloy (liquid)–uranium-chromium alloy (liquid), samarium partition, **3**(4), 31
Magnesium-silver alloys (liquid), cerium dissolution, **2**(4), 24
fission-product dissolution, **3**(2), 29–30
neodymium, samarium, and terbium dissolution, **3**(2), 30
thorium dissolution, **3**(4), 32
zirconium dissolution, **2**(4), 34
Magnesium-thorium alloys
See Thorium-magnesium alloys
Magnesium-uranium alloys
See Uranium-magnesium alloys
Magnesium-uranium-zinc alloys
See Uranium-magnesium-zinc alloys
Magnesium-zinc alloys (liquid), corrosive effects, **3**(1), 38; **3**(2), 37
plutonium dissolution, **1**(4), 17; **2**(1), 27
uranium dissolution, **2**(1), 27; **2**(4), 23
Magnetic filters
See Filters (magnetic)
Mallinckrodt Chemical Works, conversion of uranyl nitrate to uranium, **1**(3), 35
feed material production, **2**(1), 22; **2**(4), 40
Manganese, adsorption on Dowex 1 resin, **2**(2), 16
electrolytic removal from Homogeneous Reactor Experiment II fuel, **2**(4), 26–7; **3**(1), 31; **3**(2), 31; **3**(4), 35
ruthenium adsorption, **3**(4), 45
Manganese dioxide, cesium adsorption, **2**(2), 18
fission-product removal, **1**(4), 13
niobium adsorption, **2**(2), 18
niobium removal, **1**(2), 11; **1**(4), 13; **2**(4), 15–16
plutonium, strontium, uranium, yttrium, and zirconium adsorption, **2**(2), 18
ruthenium adsorption, **1**(4), 13; **2**(2), 18
zirconium removal, **1**(2), 11; **1**(4), 13; **2**(4), 15–16
Marcoule, France, waste disposal, **2**(1), 38
Marlex resin, ruthenium adsorption, **3**(1), 44
Martin Company, curium-242 separation facility, **3**(4), 3
Materials of construction, **1**(2), 21
pyrometallurgical processes, **1**(3), 20
Materials Testing Reactor
See Reactor (Materials Testing)
Melt-refining process, **1**(2), 14–17; **1**(3), 16–17, 19–20; **1**(4), 16–17; **2**(1), 23–5; **2**(2), 19–20; **2**(3), 20–1; **2**(4), 21–2; **3**(1), 25–6; **3**(3), 25; **3**(4), 29–31
crucible skull oxidation, **2**(4), 24

Melt-refining process (Continued)
flow sheets, **3**(4), 29
Los Alamos Molten Plutonium Reactor Experiment fuel, **2**(1), 29
Merchant vessels, waste disposal, **2**(4), 37
Mercuric nitrate, catalysis in dissolution of uranium-aluminum alloys, **1**(4), 8
Mercuric nitrate–nitric acid systems, aluminum dissolution, **2**(3), 11
corrosive effects, **2**(3), 11
plutonium-aluminum-iron-nickel-silicon system dissolution, **3**(4), 12–13
plutonium-aluminum-nickel-silicon system dissolution, **3**(4), 12–13
uranium-aluminum alloy dissolution, **2**(3), 11; **2**(4), 9
Mercuric nitrate–nitric acid–uranyl nitrate systems
See Uranyl nitrate–mercuric nitrate–nitric acid systems
Mercury, cerium dissolution, **2**(1), 30
fission-product dissolution, **1**(4), 17; **2**(1), 26
lanthanum dissolution, **2**(1), 30
plutonium dissolution, **1**(3), 21; **1**(4), 17; **2**(1), 26, 30; **2**(4), 23
solvent properties, **2**(4), 23
thorium dissolution, **2**(2), 22; **3**(1), 27
uranium dissolution, **1**(2), 18; **1**(4), 18; **2**(1), 26; **3**(1), 27
Mercury-calcium alloys
See Calcium-mercury alloys
Mercury-lithium alloys
See Lithium amalgams
Mercury-magnesium alloys
See Magnesium amalgams
Mercury-sodium alloys
See Sodium amalgams
Mercury-uranium alloys
See Uranium-mercury alloys
Mercury vapor lamps, radiation effects, **3**(1), 25
Mica, fission-product adsorption, **3**(1), 43
Mills
See Uranium mills
Mixer-settlers, design, **1**(3), 11; **2**(1), 19; **3**(2), 32; **3**(3), 30
Molecular sieves, ruthenium adsorption, **3**(1), 44
Molybdenum, adsorption on Dowex 2 resin, **2**(1), 17–18
corrosion by bismuth chloride–magnesium chloride–potassium chloride–sodium chloride systems (fused), **3**(1), 37
corrosion by bismuth (liquid), **2**(2), 26
corrosion by fused-chloride extraction process solutions, **1**(4), 22
corrosion by fused-salt volatility process solutions, **2**(1), 32; **2**(2), 26
corrosion by lead–lead chloride systems (fused), **3**(3), 27
corrosion by plutonium (liquid), **1**(2), 25
corrosion by plutonium-iron alloys (liquid), **2**(1), 33
corrosion by zinc (liquid), **2**(4), 32
corrosion by Zircex solutions, **1**(2), 23
ion exchange, **2**(1), 17–18
removal by electrorefining, **1**(4), 17; **2**(1), 30
removal by Excer process, **2**(2), 16
removal by fractional crystallization, **2**(1), 29
removal by fused-salt volatility process, **3**(4), 24
removal by liquid-metal extraction, **1**(4), 17
removal by melt refining, **1**(3), 19–20; **2**(2), 20; **2**(3), 21; **3**(4), 30
removal by zone melting, **2**(1), 28
solubility in amines, **3**(4), 17
solubility in cadmium (liquid), **2**(4), 22
solubility in calcium (liquid), **2**(1), 28
solubility in calcium-magnesium alloys (liquid), **1**(4), 17; **2**(1), 29
solubility in lithium chloride–potassium chloride systems (fused), **3**(1), 27
solubility in silver (liquid), **2**(1), 27
solubility in zinc (liquid), **2**(4), 22; **3**(2), 28
Molybdenum-aluminum alloys
See Aluminum-molybdenum alloys
Molybdenum-aluminum-uranium alloys
See Uranium-aluminum-molybdenum alloys
Molybdenum-aluminum-zinc alloys
See Aluminum-molybdenum-zinc alloys
Molybdenum-nickel alloys, corrosion by fused-salt extraction process solutions, **1**(1), 23
corrosion by fused-salt volatility process solutions, **1**(3), 24; **1**(4), 21–2; **2**(4), 30
corrosion by sodium fluoride–zirconium fluoride systems (fused), **2**(3), 27
Molybdenum trioxide, free energy of formation, **3**(4), 31
Molybdenum-uranium alloys
See Uranium-molybdenum alloys
Monazite sands, rare-earth production, **2**(3), 36–7
thorium extraction, **2**(3), 36–7; **3**(1), 15
uranium extraction, **3**(1), 15
Monel alloy, corrosion by ADF process gases, **3**(2), 25
corrosion by ammonium bifluoride, **2**(2), 27
corrosion by ammonium fluoride–ammonium nitrate–hydrogen peroxide systems, **3**(4), 36
corrosion by ammonium fluoride–ammonium nitrate systems, **3**(4), 36
corrosion by copper-nickel–hydrofluoric acid systems, **1**(2), 23
corrosion by fluorine, **3**(1), 37
corrosion by fused-salt volatility process solutions, **2**(4), 30
corrosion by hydrofluoric acid, **3**(4), 36
corrosion by hydrogen fluoride, **1**(1), 23
corrosion by hydrogen fluoride–hydrogen peroxide systems, **3**(1), 10, 35; **3**(2), 33
corrosion by hydrogen fluoride–nitrogen dioxide systems, **2**(3), 20; **3**(3), 21, 33–4; **3**(4), 38
corrosion by ICPP waste solutions, **2**(1), 34
corrosion by uranium tetrafluoride–sodium fluoride–zirconium fluoride systems, **3**(4), 37
corrosion by zirconium fluoride (fused), **3**(2), 36

Monitoring, Oak Ridge waste-disposal trenches, **3**(3), 42
Redox stacks, **3**(2), 32
Montmorillonite clay, strontium adsorption, **3**(2), 40
MSF-1 resin, aluminum and zirconium adsorption, **2**(1), 18–19
MTR
See Reactor (Materials Testing)
Mullite, corrosion by uranium (liquid), **1**(2), 25
Multimet alloy, corrosion by magnesium-zinc alloys (liquid), **3**(1), 38
corrosion by zinc (liquid), **3**(1), 38

N

Nalfilm membrane, uranium permeability, **2**(1), 18
National Industrial Conference Board, report on industrial use of radioisotopes, **2**(4), 2–3
National Lead Company of Ohio, conversion of uranyl nitrate to uranium, **1**(3), 35
uranium-metal processing, **2**(3), 39–40
National Reactor Testing Station, commercial facilities for fuel processing, **3**(1), 1
waste-burial sites, **3**(4), 46
waste disposal, **1**(2), 30; **1**(3), 31, 33; **2**(3), 32–3; **2**(4), 36
waste-disposal costs, **3**(1), 46
waste storage, **3**(4), 3
Neodymium, ion exchange, **1**(3), 2; **3**(3), 20
removal in melt-refining process, **1**(3), 17
separation, **2**(4), 13, 24
separation by Purex process, **3**(3), 15
solubility in cadmium (liquid), **3**(4), 31
solubility in magnesium-silver alloys (liquid), **3**(2), 30
solubility in mono-2-ethylhexyl phosphoric acid, **2**(4), 13
solubility in uranium-chromium alloys (liquid), **3**(2), 30
Neodymium-uranium alloys
See Uranium-neodymium alloys
Neon, solubility in sodium fluoride–zirconium fluoride systems (fused), **1**(3), 16
Neptex process, **2**(4), 17
Nepton AR-111 membrane, uranium permeability, **2**(1), 18
Neptunium, adsorption on Amberlite IR-120 and Amberlite IRA-400 resins, **2**(3), 18
adsorption on Deacidite FF resin, **3**(2), 22–3
adsorption on Dowex 1 resin, **2**(3), 17; **3**(1), 19; **3**(2), 23
adsorption on Dowex 21K resin, **3**(1), 18–19
adsorption on Dowex 50 resin, **3**(4), 17–18
adsorption on Permutit resin, **2**(2), 18
extraction, **1**(1), 9
extraction with di-*n*-butylbutyl phosphonate, **3**(1), 16
ion exchange, **2**(1), 17; **2**(4), 16–17; **2**(4), 18; **3**(2), 22
recovery from Purex wastes, **3**(1), 16
separation, **1**(2), 5; **2**(4), 13
separation from fluoride ash, **2**(1), 12
separation by fused-salt volatility process, **3**(4), 24
separation by Nethix-1 process, **2**(3), 13
separation by Purex process, **1**(1), 9; **1**(2), 5; **2**(1), 12; **2**(2), 10; **2**(3), 13
separation by Redox process, **1**(1), 9; **1**(2), 5
solubility in amines, **2**(4), 17–18; **3**(2), 19
solubility in trilaurylamine, **3**(3), 15–16
Neptunium-237, buildup in recycled fuel, **1**(4), 1
Neptunium hexafluoride, thermodynamic properties, **2**(4), 20
vapor pressure, **2**(4), 20; **3**(2), 25–6
Nethix-1 process, **2**(3), 13
Nevada Test Site, waste-disposal costs, **3**(1), 46
New York State, facilities for nuclear industries, **3**(2), 3
waste-storage facilities, **3**(4), 2
Nickel, adsorption on Amberlite IRA-401 resin, **2**(3), 18
adsorption on Dowex 1 resin, **2**(2), 16
adsorption on Dowex 50 resin, **2**(3), 18
corrosion by ADF process gases, **3**(2), 25
corrosion by cadmium (liquid), **3**(2), 28
corrosion by carbon tetrachloride, **3**(3), 29
corrosion by fluorine, **3**(1), 37; **3**(3), 34–5; **3**(4), 25–6
corrosion by fused salts, **1**(2), 25
corrosion by fused-salt volatility process solutions, **2**(1), 32; **3**(1), 36–7
corrosion by hydrogen chloride–hydrogen systems, **2**(1), 31
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34; **3**(4), 38
corrosion by Purex wastes, **3**(3), 35–6
corrosion in Zircex solutions, **1**(2), 23
corrosion by zirconium fluoride (fused), **3**(2), 36
dissolution, **1**(2), 7
electrolytic removal from Homogeneous Reactor Experiment II fuel, **2**(4), 26–7; **3**(1), 31; **3**(2), 31; **3**(4), 34–5
ion exchange, **2**(1), 17
reactions with yttrium, **1**(3), 20
solubility in aluminum (liquid), **3**(2), 13; **3**(4), 11
solubility in nitric acid, **3**(1), 9; **3**(2), 13; **3**(4), 11
solubility in sodium hydroxide–sodium nitrate systems, **3**(4), 11
solubility in uranyl nitrate hexahydrate–nitric acid systems, **3**(1), 9
solubility in uranyl nitrate–nitric acid systems, **3**(4), 11
Nickel (nickel fluoride coated), corrosion by uranium hexafluoride, **3**(4), 25
Nickel alloys, corrosion by ADF process gases, **3**(2), 25
corrosion by ammonium fluoride–ammonium nitrate systems, **3**(4), 35
corrosion by fluorine, **3**(1), 37; **3**(3), 35

Nickel alloys (Continued)
corrosion by Flurex process solutions, **2**(4), 32
corrosion by fused salt, **1**(2), 25
corrosion by fused-salt extraction process solutions, **1**(1), 23
corrosion by fused-salt volatility process solutions, **2**(1), 32
corrosion by hydrofluoric acid, **3**(4), 35
corrosion by hydrofluoric acid–nitric acid systems, **3**(4), 10, 36
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 33–4; **3**(4), 38
corrosion by nitric acid, **3**(4), 35
corrosion by sulfuric acid, **3**(4), 35
corrosion by uranium tetrafluoride–sodium fluoride–zirconium fluoride systems (fused), **3**(4), 37–8
Nickel-aluminum alloys
See Aluminum-nickel alloys
Nickel-aluminum-iron-plutonium-silicon systems
See Plutonium-aluminum-iron-nickel-silicon systems
Nickel-aluminum-plutonium alloys
See Plutonium-aluminum-nickel alloys
Nickel-aluminum-plutonium-silicon systems
See Plutonium-aluminum-nickel-silicon systems
Nickel-copper–hydrofluoric acid systems
See Copper-nickel–hydrofluoric acid systems
Nickel fluoride, corrosion by uranium hexafluoride, **3**(4), 25
Nickel-fluorine reaction, **3**(4), 25
Nickel-molybdenum alloys
See Molybdenum-nickel alloys
corrosion by fused-salt extraction process solutions, **1**(1), 23
Nickel–nickel oxide–aluminum oxide cermets
See Aluminum oxide–nickel oxide–nickel cermets
Nickel oxide–aluminum oxide–nickel cermets
See Aluminum oxide–nickel oxide–nickel cermets
Nickel-plutonium alloys
See Plutonium-nickel alloys
Nichrome alloy, corrosion by mercuric nitrate–nitric acid systems, **2**(3), 11
Nichrome-V alloy, corrosion by fused-salt volatility process solutions, **1**(4), 22
corrosion by Zircex solutions, **1**(2), 23
Niflex process, **2**(3), 7, 10, 13; **2**(4), 6–7; **3**(3), 11; **3**(4), 12
corrosion problems, **2**(1), 31; **2**(2), 25–6; **2**(3), 26; **2**(4), 28; **3**(3), 32
decontamination factors, **2**(4), 13
flow sheets, **3**(3), 8
uranium losses, **3**(3), 11
Niobium, **1**(3), 12
adsorption on Dowex 1 resin, **2**(3), 16
adsorption on manganese dioxide, **2**(2), 18
adsorption on silica gel, **1**(2), 16
adsorption on soil, **3**(1), 43
corrosion by plutonium (liquid), **1**(2), 25
corrosion by plutonium-iron alloys (liquid), **2**(1), 33
corrosion by uranium-thorium-aluminum alloys (liquid), **1**(1), 23
ion exchange, **1**(2), 11; **3**(3), 19
removal by electrorefining, **2**(1), 30
removal by fractional crystallization, **1**(4), 18
removal by ion exchange, **1**(1), 31; **1**(3), 13
removal by liquid-metal extraction, **1**(4), 17
removal with manganese dioxide, **1**(2), 11; **1**(4), 13; **2**(4), 15–16
removal by Purex process, **2**(4), 15
removal by salt-cycle process, **3**(3), 28
removal by scavenging, **1**(2), 11; **2**(4), 15–16
removal by Thorex process, **2**(3), 13; **3**(3), 15
separation from wastes, **3**(1), 47
solubility in bismuth (liquid), **3**(1), 30
solubility in cadmium (liquid), **2**(4), 22
solubility in calcium-magnesium alloys (liquid), **1**(4), 17; **2**(1), 29
solubility in di-2-ethylhexyl phosphoric acid, **3**(4), 18
solubility in hydrofluoric acid–nitric acid systems, **2**(1), 10
solubility in lithium fluoride–sodium fluoride–zirconium fluoride systems (fused), **3**(4), 23
solubility in sodium fluoride–zirconium fluoride systems (fused), **3**(1), 30
solubility in zinc (liquid), **2**(4), 22
volatilization from fused fluorides, **1**(2), 14; **1**(4), 15
Niobium alloys, corrosion by uranium (liquid), **1**(2), 25
Niobium fluoride, volatilization, **1**(2), 14; **1**(4), 15
Niobium-tantalum alloys, corrosion by plutonium-iron alloys (liquid), **2**(1), 33
Niobium-uranium alloys
See Uranium-niobium alloys
Niobium-uranium-zirconium alloys
See Uranium-niobium-zirconium alloys
Nionel alloy, corrosion by aluminum nitrate–zirconium fluoride systems, **3**(1), 37–8
corrosion by ammonium fluoride–ammonium nitrate–hydrogen peroxide systems, **3**(4), 36
corrosion by ammonium fluoride–ammonium nitrate systems, **3**(4), 36
corrosion by ammonium fluoride–hydrofluoric acid systems, **2**(4), 29
corrosion by hydrofluoric acid–nitric acid systems, **3**(3), 32
corrosion by hydrogen fluoride–hydrogen peroxide systems, **3**(1), 35
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34
corrosion by Niflex process solutions, **2**(2), 26
corrosion by nitric acid–sodium fluoride systems, **3**(1), 33
corrosion by Purex wastes, **3**(1), 35; **3**(3), 35–6
corrosion by Sulfex-Thorex solutions, **2**(3), 26; **2**(4), 28; **3**(1), 33
corrosion by sulfuric acid, **2**(1), 31–2; **2**(2), 24–5; **3**(1), 33; **3**(2), 33

Nionel alloy (Continued)
corrosion by Thorex solutions, **2**(1), 31–2; **3**(1), 33
corrosion by zirconium fluoride (fused), **3**(1), 37–8

Nitric acid, aluminum dissolution, **3**(3), 13
aluminum-nickel alloy dissolution, **2**(4), 6
corrosive effects, **1**(4), 20, 23; **2**(2), 28; **2**(3), 27; **2**(4), 32; **3**(2), 13, 35; **3**(4), 35, 37
electrolytic dissolution of stainless steel, **3**(1), 9, 11; **3**(2), 12; **3**(4), 11
electrolytic dissolution of uranium dioxide (stainless-steel-clad), **3**(1), 11
leaching of fission products from aluminum oxide, **1**(1), 31
leaching of fission products from aluminum oxide–zirconium oxide systems, **1**(1), 31
lead dissolution, **3**(1), 9
nickel dissolution, **3**(1), 9; **3**(2), 13; **3**(4), 11
plutonium-aluminum alloy dissolution, **2**(2), 8
plutonium-aluminum-silicon system dissolution, **2**(1), 10; **2**(2), 8
radiolysis, **2**(3), 16
thorium dissolution from uranium-thorium-graphite fuels, **3**(3), 12–13
uranium-aluminum alloy dissolution, **1**(4), 8
uranium-aluminum-molybdenum alloy dissolution, **3**(2), 15; **3**(3), 12
uranium carbide dissolution, **3**(4), 13
uranium dioxide dissolution, **1**(4), 4–5; **2**(4), 10; **3**(1), 7
uranium dioxide–stainless steel cermet dissolution, **2**(1), 9
uranium dioxide–thorium oxide system dissolution, **2**(2), 8–9
uranium dissolution, **1**(3), 5, 13; **1**(4), 4; **2**(4), 9–10; **3**(2), 16; **3**(4), 13
uranium dissolutions from uranium-graphite systems, **3**(4), 13
uranium dissolution from uranium-thorium-graphite systems, **3**(3), 12–13
uranium-graphite system dissolution, **3**(1), 12; **3**(2), 16; **3**(4), 13
uranium-molybdenum alloy dissolution, **2**(1), 10; **2**(2), 7–9; **2**(3), 12; **3**(2), 15; **3**(3), 12–13; **3**(4), 13
uranium-molybdenum-silicon system dissolution, **3**(2), 15; **3**(3), 12
uranium-thorium dissolution from graphitic fuels, **3**(4), 13
uranium-thorium-graphite system dissolution, **3**(2), 16
uranium-zirconium alloy dissolution, **3**(4), 12

Nitric acid–aluminum nitrate systems
See Aluminum nitrate–nitric acid systems

Nitric acid–aluminum nitrate–ammonium fluoride systems
See Aluminum nitrate–ammonium fluoride–nitric acid systems

Nitric acid–aluminum nitrate–sodium fluoride systems
See Aluminum nitrate–nitric acid–sodium fluoride systems

Nitric acid–ammonium bifluoride systems
See Ammonium bifluoride–nitric acid systems

Nitric acid–ammonium fluoride systems
See Ammonium fluoride–nitric acid systems

Nitric acid–ferric nitrate systems
See Ferric nitrate–nitric acid systems

Nitric acid–hydrochloric acid systems
See Hydrochloric acid–nitric acid systems

Nitric acid–hydrochloric acid–uranyl nitrate hexahydrate systems
See Uranyl nitrate hexahydrate–hydrochloric acid–nitric acid systems

Nitric acid–hydrofluoric acid–aluminum nitrate systems
See Aluminum nitrate–hydrofluoric acid–nitric acid systems

Nitric acid–mercuric nitrate systems
See Mercuric nitrate–nitric acid systems

Nitric acid–mercuric nitrate–uranyl nitrate systems
See Uranyl nitrate–mercuric nitrate–nitric acid systems

Nitric acid–sodium fluoride systems, corrosive effects, **3**(1), 33

Nitric acid–sulfuric acid systems, corrosive effects, **3**(2), 33–4
stainless-steel dissolution, **2**(4), 6

Nitric acid–tributyl phosphate systems
See Tributyl phosphate–nitric acid systems

Nitric acid–uranyl nitrate hexahydrate systems
See Uranyl nitrate hexahydrate–nitric acid systems

Nitrogen dioxide–bromine trifluoride–hydrogen fluoride systems
See Bromine trifluoride–hydrogen fluoride–nitrogen dioxide systems

Nitrogen dioxide–hydrogen fluoride systems
See Hydrogen fluoride–nitrogen dioxide systems

Nitrogen-fluorine systems
See Fluorine-nitrogen systems

Nitrogen, organo-, compounds
See Organonitrogen compounds

Noble gases, removal by cyclic oxidation-reduction, **3**(3), 28

Nonylamine, triiso-,
See Amine, tri-isononyl

NPD-2 Reactor
See Reactor (NPD-2)

NRTS
See National Reactor Testing Station

NTS
See Nevada Test Site

Nuclear safety
See Safety

O

Oak Ridge National Laboratory, accident reports, **3**(2), 6; **3**(3), 5
commercial facilities for fuel processing, **3**(1), 3
fission-product separation, **3**(4), 3
fuel processing, **2**(4), 9
ground disposal facilities, **3**(3), 42
radiological survey of Clinch River downstream from laboratory, **3**(4), 43
waste-burial sites, **3**(4), 46
waste disposal, **1**(2), 31; **1**(3), 32; **2**(1), 38–9, 45, 47; **2**(3), 34
waste storage, **3**(4), 3

Ocean waste disposal, **3**(1), 45–6; **3**(3), 40
costs, **3**(1), 46
criteria, **2**(4), 2
IAEA recommendation, **3**(4), 45–6
regulatory legislation, **3**(1), 42
survey of sites, **3**(3), 3; **3**(4), 43

Octylamine, tri-*n*-,
See Amine, tri-*n*-octyl

Octylamine, triiso-,
See Amine, tri-iso-octyl

tri-*n*-Octylphosphine oxide
See Phosphine oxide, tri-*n*-octyl

Off-gas disposal, Mallinckrodt feed materials process, **2**(4), 40
ruthenium removal from calciners, **3**(4), 44

Organonitrogen compounds
See also specific compounds and compound types, i.e., Amines
extraction efficiency, **1**(4), 10–12
fission-product extraction, **3**(4), 17
radiolysis, **2**(3), 16; **2**(4), 14
solvent properties, **1**(2), 12–13; **2**(3), 15; **3**(1), 14–16

Organophosphoric acids
See also specific materials
solvent properties, **1**(2), 7–8

Organophosphorus compounds
See also specific compounds
extraction efficiency, **1**(4), 10–12; **3**(4), 17–18
radiolysis, **1**(2), 14; **2**(3), 16
rare-earth extractions, **3**(2), 19
solvent properties, **1**(2), 12–13; **2**(2), 10–11; **2**(3), 14–15; **3**(1), 14–16
zirconium extraction, **3**(1), 16

ORNL-Higgins contactor, **2**(1), 19
ORNL-Jury contactor, **2**(1), 19
Oxide drossing, **1**(2), 14–17
Oxide fuels, **1**(1), 10
Oxygen, conversion of uranium dioxide to uranic-uranous oxide, **3**(4), 34
detection, **3**(2), 32
oxidation of uranium tetrafluoride to uranium hexafluoride, **3**(1), 51–3

P

Paducah Gaseous Diffusion Plant, uranium hexafluoride recovery from vent gases, **2**(2), 37–8
Palladium, adsorption on Dowex 2 resin, **2**(1), 17–18
ion exchange, **2**(1), 17–18
partition coefficients between aluminum-cadmium layers (liquid), **3**(4), 31
removal by fractional crystallization, **1**(4), 20
removal by melt refining, **2**(2), 20
solubility in bismuth-titanium alloys (liquid), **2**(4), 24
solubility in bismuth-zirconium alloys (liquid), **2**(4), 24
solubility in cadmium (liquid), **2**(4), 22
solubility in zinc (liquid), **2**(4), 22, 26; **3**(1), 27; **3**(2), 28

Palladium-uranium alloys
See Uranium-palladium alloys

Perflex process, **3**(1), 10; **3**(2), 13–14
corrosion problems, **3**(1), 35; **3**(2), 33; **3**(3), 33
flow sheets, **3**(2), 14; **3**(3), 8

Permutit 3148 membrane, uranium permeability, **2**(1), 18
Permutit resin, neptunium adsorption, **2**(2), 18
Permutit SK resin, hydrodynamic characteristics, **1**(3), 12
ion-exchange efficiency, **1**(3), 12–13
plutonium adsorption, **1**(4), 14; **2**(2), 14; **2**(3), 17
radiation effects, **1**(4), 14

Permutit SKB resin, performance in Jiggler contactor, **3**(4), 21

Phosphate, dibutyl
See Dibutyl phosphate

Phosphate, tributyl
See Tributyl phosphate

Phosphine oxide, tri-*n*-octyl, radiolysis, **2**(4), 14
Phosphines, radiolysis, **2**(4), 14
thorium extraction, **2**(2), 10–11
Phosphonate, diamylamyl, extraction power, **3**(3), 16
Phosphonate, di-*n*-butylbutyl, neptunium and plutonium extraction, **3**(1), 16
Phosphonate, di-*sec*-butylphenyl, radiolysis, **3**(3), 16
thorium and uranium extraction, **3**(4), 18
Phosphonate, di-*sec*-butylphenyl, and Solvesso-100 solvent systems, radiolysis, **3**(4), 20
Phosphonates, neptunium extraction, **2**(4), 13
Phosphoric acid, dialkyl, uranium extraction, **3**(3), 16
Phosphoric acid, dibutyl, radiolysis, **2**(3), 16
Phosphoric acid, di-2-ethylhexyl, barium extraction, **3**(2), 42
cerium extraction, **2**(4), 13–14; **3**(2), 42
cesium extraction, **2**(4), 13–14; **3**(2), 42
niobium extraction, **3**(4), 18
rare-earth extraction, **3**(2), 42; **3**(4), 18
strontium extraction, **2**(4), 13–14; **3**(2), 19, 42; **3**(4), 17–18
thorium and uranium extraction, **3**(4), 18
vanadium extraction, **3**(2), 19–20

Phosphoric acid, di-2-ethylhexyl (Continued)
yttrium extraction, **3**(2), 42
zirconium extraction, **3**(4), 18
Phosphoric acid, mono-2-ethylhexyl, americium, cerium, europium, neodymium, and promethium extraction, **2**(4), 13
Phosphorus, organo-, compounds
See Organophosphorus compounds
Plants, cost factors, **2**(3), 1; **3**(3), 30
Platinum, catalytic effect on stainless-steel dissolution, **3**(1), 8
corrosion by fused-salt volatility process solutions, **2**(1), 32
corrosion by Fluorex process solutions, **2**(4), 32
corrosion by hydrofluoric acid–nitric acid systems, **1**(4), 20
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34
Platinum-iridium alloys, corrosion, **3**(4), 37
corrosion by hydrochloric acid, **3**(2), 33–4
corrosion by hydrofluoric acid–nitric acid systems, **3**(2), 33–4
corrosion by nitric acid–sulfuric acid systems, **3**(2), 33–4
Plutonic-plutonous oxide, reduction to plutonium with calcium, **3**(1), 55
Plutonium, adsorption on Amberlite IRA-400 resin, **2**(3), 18
adsorption on Amberlite IRA-401 resin, **1**(4), 14; **2**(3), 17
adsorption on Deacidite FF resin, **3**(2), 22–3
adsorption on Dowex 1 resin, **1**(4), 14; **2**(2), 16; **2**(3), 16, 17; **2**(4), 16; **3**(2), 23; **3**(3), 18, 19
adsorption on Dowex 50 resin, **2**(4), 16–17; **3**(3), 18
adsorption on Dowex 50W resin, **2**(4), 16
adsorption on loop walls in Homogeneous Reactor Experiment II, **1**(4), 19
adsorption on manganese dioxide, **2**(2), 18
adsorption on silica gel, **2**(1), 12
costs, **1**(3), 1; **3**(1), 3
criticality studies, **1**(3), 12
electrorefining, **1**(4), 17; **2**(1), 30
extraction with di-*n*-butylbutyl phosphonate, **3**(1), 16
fluorination rates, **2**(4), 20
ion exchange, **1**(1), 12; **1**(2), 11; **1**(3), 13; **2**(1), 17–18; **2**(2), 14–16; **3**(2), 22
liquid-metal extraction, **1**(4), 17; **2**(3), 23
losses in Darex process, **3**(2), 15; **3**(3), 10–11
losses in decladding solutions, **3**(2), 12
losses in Redox process, **2**(4), 13
losses in Sulfex process, **3**(1), 8; **3**(3), 10–11
nonaqueous dissolution, **3**(2), 30
precipitation, **1**(2), 15–16; **2**(2), 13–14
price, **1**(1), 1; **1**(4), 2; **2**(3), 1; **3**(4), 3
production of high-purity metal, **2**(4), 44; **3**(1), 55
production by plutonium trichloride process, **3**(3), 48
recovery from crucible skulls, **3**(2), 28
recovery by fused-salt extraction, **3**(2), 30
recovery by melt refining, **2**(1), 25, 29–30; **2**(3), 21–2; **3**(2), 27; **3**(4), 29
recovery from melt-refining process residues, **2**(3), 23
recovery from Purex wastes, **1**(3), 12–13; **1**(4), 13–14
recovery by pyrometallurgical methods, **1**(4), 17
recovery by salt-cycle process, **3**(3), 28
recovery from sulfate decladding solutions, **3**(1), 15–16
recovery from uranium-molybdenum alloys by Redox process, **3**(4), 16
reduction with ferrous sulfamate, **3**(4), 16
reduction from plutonium trichloride, **2**(1), 25
reflux in Purex process, **1**(1), 9
removal by aluminum, **1**(4), 18
removal by fused-salt extraction, **2**(2), 20
separation by electrorefining methods, **1**(4), 17
separation by fluoride volatilization, **1**(2), 14; **3**(1), 24
separation by fractional crystallization, **1**(4), 18
separation in fused-salt volatility process, **2**(2), 19; **3**(4), 24
separation by liquid-metal extraction, **1**(4), 17; **2**(2), 20–1
separation by melt refining, **1**(3), 19–20; **1**(4), 16, 17; **2**(2), 20
separation by precipitation, **2**(2), 13–14
separation by Purex process, **2**(2), 10; **2**(3), 13–14; **3**(1), 14; **3**(2), 18
separation from uranium, **3**(3), 26
solubility in aluminum (liquid), **2**(1), 26
solubility in amines, **3**(1), 15–16; **3**(2), 19
solubility in bismuth (liquid), **2**(1), 26
solubility in cadmium (liquid), **2**(2), 22; **2**(4), 24
solubility in calcium-magnesium alloys (liquid), **1**(4), 17
solubility in lead (liquid), **2**(1), 26
solubility in magnesium (liquid), **1**(2), 20–1; **1**(3), 17; **2**(3), 23; **3**(3), 26
solubility in magnesium-zinc alloys (liquid), **1**(4), 17; **2**(1), 27
solubility in mercury, **1**(3), 21; **1**(4), 17; **2**(1), 26, 30; **2**(4), 23
solubility in silver (liquid), **1**(3), 17; **2**(1), 27
solubility in sodium chloride–zinc chloride system (fused), **2**(1), 29
solubility in sulfuric acid, **2**(3), 11–12; **3**(1), 8, 15
solubility in uranium-cadmium alloys (liquid), **2**(2), 22
solubility in uranium-chromium alloys (liquid), **1**(4), 17
solubility in zinc (liquid), **1**(2), 18; **2**(1), 26
Plutonium (liquid), corrosive effects, **1**(2), 25; **1**(4), 22; **2**(1), 33; **2**(2), 27; **2**(4), 31–2; **3**(1), 29, 38; **3**(4), 38
Plutonium-238, buildup in recycled fuel, **1**(4), 1
Plutonium-239, criticality studies, **2**(2), 12–13
Plutonium-240, buildup in recycled fuel, **2**(1), 23

Plutonium alloys (liquid), corrosive effects, **3**(4), 38
Plutonium-aluminum alloys, dissolution in Zirflex process, **1**(2), 6–7
plutonium recovery, **2**(3), 22
solubility in nitric acid, **2**(2), 8
Plutonium-aluminum alloys (Zircaloy-2-clad), decladding, **1**(4), 7
Plutonium-aluminum-iron-nickel-silicon systems, solubility in mercuric nitrate–nitric acid systems, **3**(4), 12–13
Plutonium-aluminum-nickel alloys, solubility in uranyl nitrate–mercuric nitrate–nitric acid systems, **3**(4), 13
Plutonium-aluminum-nickel-silicon systems, solubility in mercuric nitrate–nitric acid systems, **3**(4), 12–13
Plutonium-aluminum-silicon systems, solubility in hydrofluoric acid–nitric acid systems, **2**(1), 10
solubility in nitric acid, **2**(1), 10; **2**(2), 8
solubility in sodium hydroxide, **2**(1), 10
Plutonium-cerium-cobalt alloys (liquid), corrosive effects, **2**(1), 33
Plutonium-cobalt alloys (liquid), **1**(2), 20
corrosive effects, **2**(1), 33
Plutonium dioxide, **1**(1), 10
direct formation, **3**(2), 25
fluorination with fluorine, **3**(1), 22
fluorination with sulfur tetrafluoride, **3**(3), 24; **3**(4), 25
heat of formation, **3**(4), 31
reduction with magnesium alloys, **2**(3), 23–4
Plutonium dioxide–uranium dioxide systems
See Uranium dioxide–plutonium dioxide systems
Plutonium-fissium alloys, melt refining, **2**(3), 21; **2**(4), 21
Plutonium hexafluoride, conversion from plutonium tetrafluoride, **2**(1), 21; **3**(2), 25
decomposition, **3**(4), 26
polymerization, **2**(2), 13–14
preparation, **3**(4), 26
separation from uranium hexafluoride, **3**(4), 25
thermal decomposition, **2**(1), 21
thermodynamic properties, **2**(4), 20
vapor pressure, **2**(4), 20; **3**(2), 25–6
Plutonium-iron alloys, **1**(2), 20
melt refining, **2**(3), 21
Plutonium-iron alloys (liquid), corrosive effects, **2**(1), 33; **2**(4), 31–2; **3**(1), 38
Plutonium-nickel alloys (liquid), corrosive effects, **2**(1), 33
Plutonium tetrafluoride, conversion to plutonium hexafluoride, **2**(1), 21; **3**(2), 25
fluorination rates, **1**(3), 15
fluorination with sulfur tetrafluoride, **3**(3), 24; **3**(4), 25
Plutonium trichloride, reduction to plutonium, **2**(1), 25
Plutonium trichloride process, **3**(3), 48
Plutonium trifluoride, solubility in beryllium fluoride–lithium fluoride–sodium fluoride systems (fused), **1**(4), 15
solubility in beryllium fluoride–lithium fluoride systems, **1**(4), 15
solubility in beryllium fluoride–sodium fluoride systems (fused), **1**(3), 16; **1**(4), 15
Plutonium-uranium alloys
See Uranium-plutonium alloys
Plutonium-zinc alloys, phase diagrams, **3**(1), 27
Polonium, isolation by ion exchange, **1**(1), 14
Porosity indicators, **3**(1), 32
Potassium aluminum chloride (fused), uranium dioxide dissolution, **1**(3), 20
Potassium chloride–aluminum chloride systems
See Aluminum chloride–potassium chloride systems
Potassium chloride–bismuth chloride–magnesium chloride–sodium chloride systems
See Bismuth chloride–magnesium chloride–potassium chloride–sodium chloride systems
Potassium chloride–lithium chloride systems
See Lithium chloride–potassium chloride systems
Potassium chloride–lithium chloride–zinc chloride systems
See Lithium chloride–potassium chloride–zinc chloride systems
Potassium chloride–sodium chloride systems (fused), corrosive effects, **3**(3), 28
plutonium separation, **2**(2), 20–1
thorium dissolution, **3**(3), 27
uranic-uranous oxide, uranium, and uranium trioxide dissolution, **3**(4), 34
uranium dioxide dissolution, **3**(3), 28
Potassium fluoride–lithium fluoride systems
See Lithium fluoride–potassium fluoride systems
Potassium oxide, solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
Potassium permanganate, fission-product scavenging, **1**(4), 13
Potassium-sodium alloys, **3**(3), 12
See Sodium-potassium alloys
Praseodymium, ion exchange, **1**(3), 12; **3**(3), 20
partition coefficients between aluminum-cadmium layers (liquid), **3**(4), 31
solubility in cadmium (liquid), **3**(4), 31
Precipitation processes, **1**(2), 15–16; **1**(4), 13; **2**(2), 13–14; **2**(4), 15–16; **3**(2), 21–2; **3**(3), 17–18
Pressure transmitters, Homogeneous Reactor Experiment II, **1**(4), 23–4
Primene JM amine, uranium extraction, **3**(1), 16; **3**(2), 19
Primene JM-T amine, radiolysis, **2**(3), 16; **2**(4), 14
23 Process
See Thorex process
25 Process
See ICPP process
Processing Refabrication Experiment, **2**(3), 23; **3**(2), 27; **3**(3), 25–6

Promethium, adsorption on Dowex 1 resin, 3(3), 11
separation from americium, 3(3), 19
separation from other rare earths by ion exchange, 3(3), 20
separation by Purex process, 3(3), 15
separation from Purex wastes, 2(4), 37–8; 3(2), 43
separation by rare-earth double-sulfate process, 3(2), 43
solubility in mono-2-ethylhexyl phosphoric acid, 2(4), 13
Promethium-147, adsorption on Dowex 50W resin, 3(2), 23
separation at ORNL, 3(4), 3
3(4), 3
separation from waste solutions, 2(1), 44
Protactinium, adsorption on Deacidite FF resin, 2(4), 18
adsorption on Dowex 1 resin, 2(4), 18; 3(2), 23
adsorption on Zeokarb-225 resin, 2(4), 18
chemical properties, 3(3), 17–18
ion exchange, 2(4), 18
liquid-metal extraction, 2(1), 27
oxidation by zinc chloride, 3(1), 27
precipitation by aluminum chloride, 3(3), 18
recovery from Springfields Works wastes, 3(3), 18
separation by Thorex process, 2(3), 13; 3(3), 15
solubility in aluminum fluoride–nitric acid systems, 3(3), 18
solubility in di-isobutyl ketone, 3(3), 18
solubility in hydrogen fluoride–nitrogen dioxide systems, 3(3), 21
solubility in lithium chloride–potassium chloride systems (fused), 3(1), 27
solubility in uranium-chromium alloys (liquid), 2(1), 27; 2(4), 26
Pulse columns
See Columns (pulse)
Pulverization, chemical means, 1(4), 17
Pumps, 3(1), 31–2; 3(2), 31–2
Pumps (diaphragm), 3(4), 39
Pumps (electromagnetic), performance, 1(2), 21
Purex calcine, heat-transfer characteristics, 3(2), 41
Purex process, 1(1), 8–9; 2(2), 10; 2(4), 12; 3(1), 14; 3(2), 18; 3(3), 15; 3(4), 16–17
corrosion problems, 2(1), 34; 3(1), 35
diluent radiolysis, 3(3), 16
equilibrium data, 1(2), 8
fission-product scavenging, 1(4), 13
flow sheets, 1(1), 9; 1(3), 8; 2(1), 12; 2(4), 12; 3(1), 14
ion-exchange applications, 1(1), 12; 2(2), 14
neptunium separation, 1(1), 9; 1(2), 5; 2(1), 12; 2(2), 10; 2(3), 13
plant design, 3(1), 32
ruthenium removal, 1(2), 16; 2(4), 15
shielding requirements, 1(2), 9
solvent purification, 2(2), 11–12
solvent purification equipment, 3(4), 20
solvent radiolysis, 1(4), 9–10; 2(2), 11–12; 2(3), 16; 2(4), 14; 3(1), 17; 3(4), 18–19
temperature effects on decontamination, 2(1), 12
throughput increases, 2(3), 13
uranium recovery, 2(1), 12
uranium transfer mechanisms, 3(2), 20–1
Purex wastes, barium separation, 3(2), 42; 3(3), 16
calcination, 3(1), 33–4; 3(3), 39–40; 3(4), 44
calcium separation, 3(3), 16
cerium separation, 2(1), 44; 2(4), 13–14, 37–8; 3(1), 46–7; 3(2), 42; 3(4), 20–1
cesium-137 separation, 3(2), 42; 3(4), 20–1, 45
corrosive effects, 3(3), 35–6
decontamination with clinoptilolite clay, 3(2), 40; 3(4), 43–4
disposal, 1(1), 28–9; 1(3), 30; 2(1), 41; 2(3), 31; 2(4), 36; 3(1), 43–5; 3(2), 40–1, 42
plutonium recovery, 1(3), 12–13; 1(4), 13–14
promethium separation, 2(4), 37–8; 3(2), 43
rare-earth removal, 3(2), 42
strontium separation, 3(2), 42; 3(3), 16; 3(4), 17, 20–1
Pyrochemical processes, 1(3), 20
Pyrometallurgical processes, 1(1), 17–18; 1(2), 14–26; 1(3), 16–20; 1(4), 16–19, 20, 22; 2(1), 23–9; 2(2), 19–23; 2(3), 20–4; 2(4), 21–7, 30–2; 3(1), 25–9; 3(2), 27–31, 36–7; 3(3), 24–9; 3(4), 28–34, 38–9
corrosion problems, 1(1), 23; 1(2), 25–6; 2(2), 27–8; 2(3), 27–8
development, 1(1), 20–1
Pyrometallurgical Refabrication Experiment, 1(4), 16; 2(1), 25; 2(2), 20; 2(3), 21; 2(4), 22; 3(1), 26
Pyrozinc process, 1(2), 17–19; 1(4), 18; 2(1), 26

R

Radiation counters, 2(1), 34–5; 3(2), 32
Radioactive materials, shipping, 3(1), 4–5; 3(2), 31–2
Radiation detectors, 3(2), 25, 32; 3(3), 32; 3(4), 39
Radioisotopes, industrial uses, 2(4), 2–3
production in power reactors, 3(4), 3
production in U.S.S.R., 1(3), 33
separation at ORNL, 3(4), 3
separation from waste, 3(4), 45
Radium, removal from mill waste, 3(1), 42–3, 3(3), 38
RaLa process, 1(2), 10–11; 1(3), 13
Rare-earth double-sulfate process, cerium, promethium, and strontium separation, 3(2), 42–3
Rare-earth oxides, chlorination with carbon tetrachloride, 3(3), 29
solubility in lithium fluoride–potassium fluoride systems (fused), 1(4), 16
Rare earths, adsorption on Dowex 1 resin, 3(3), 18, 20
adsorption on Dowex 50 resin, 3(4), 21
adsorption on zeolite, 3(2), 40–1

Rare earths, dissolution, 1(2), 7
ion exchange, 1(1), 13; 1(3), 2; 2(4), 17; 3(3), 20
production from monazite sand, 2(3), 36–7
removal by chemical pulverization process, 2(1), 26
removal by fused-salt electrolysis, 2(4), 25
removal by liquid-metal extraction, 3(2), 29
removal by melt refining, 1(3), 17, 19–20; 2(1), 24; 2(2), 20
removal by salt-cycle process, 3(3), 28
removal by Processing Refabrication Experiment, 2(3), 23
removal by Thorex process, 2(3), 13
removal from Purex wastes, 3(2), 42
solubility in di-2-ethylhexyl phosphoric acid, 3(2), 42; 3(4), 18
solubility in organophosphorus compounds, 3(2), 19
solubility in silver (liquid), 2(1), 27
volatilization from uranium-thorium alloys, 2(4), 25
Rare gases, adsorption on charcoal, 1(3), 21
removal by salt-cycle process, 3(4), 34
removal from ceramic fuel elements, 2(3), 23
removal by melt-refining process, 2(1), 24
retention in melt-refined fuels, 1(4), 16
Raw materials, price, 2(2), 1
waste disposal, 2(4), 35
Reactor (Aircraft, Experiment), 1(3), 14–15; 2(1), 20; 3(4), 37–8
Reactor (APPR)
See Reactor (SM-1)
Reactor (Army Package Power)
See Reactor (SM-1)
Reactor (BORAX-IV), fuel-element decladding, 2(4), 6; 3(1), 9; 3(3), 11
fuel-element dissolution, 3(3), 13
Reactor (Chugach Power), 1(4), 9
Reactor (Dresden Power), 1(4), 9; 2(1), 6; 2(3), 9; 3(2), 13; 3(4), 24–5
fuel-element decladding, 2(2), 5; 2(4), 4; 3(4), 9
fuel-processing costs, 2(2), 2–3; 3(1), 3
radioisotope production, 3(4), 3
Reactor (Elk River Power), 1(3), 8
fuel-element disassembly, 2(4), 4
Reactor (Enrico Fermi Fast Breeder), 1(2), 7; 1(4), 9; 2(1), 6, 8; 2(2), 8, 10; 2(3), 13; 2(4), 6
breeding blanket processing costs, 3(1), 3
flow sheets for fuel processing, 1(2), 7
fuel-element disassembly, 2(4), 4
fuel-element dissolution, 3(3), 12
fuel-processing costs, 2(2), 2–3; 3(1), 3
Reactor (Experimental Boiling-Water), 2(1), 8; 2(3), 7, 9; 2(4), 6
fuel-element decladding, 2(2), 6; 3(2), 10–12
Reactor (Experimental Breeder II), 1(1), 18–19; 1(2), 15; 1(3), 16, 17; 1(4), 16; 2(1), 23; 2(2), 19; 2(3), 20–1; 2(4), 21, 24; 3(1), 25; 3(2), 27; 3(3), 25; 3(4), 29
blanket processing, 1(2), 20–1
fuel-element decladding, 3(4), 8, 9
Reactor(s) (fast), fission-product spectra in irradiated fuels, 1(1), 22
Reactor (Hallam Power), fuel-element dissolution, 3(3), 12
fuel-processing costs, 3(1), 3
Reactor (Heat Transfer, Experiment), fuel-element dissolution, 3(3), 33
Reactor (Homogeneous, Experiment II), 1(1), 24; 1(2), 26; 1(3), 21; 1(4), 19; 2(1), 30–1; 2(2), 23; 2(3), 24; 2(4), 26–7; 3(1), 30–1; 3(2), 31; 3(3), 29; 3(4), 34–5
corrosive effects of fuel solutions, 3(1), 35–6
fuel-processing plant design, 3(2), 31
Reactor (Homogeneous, Test)
See Reactor (Homogeneous, Experiment II)
Reactor (Indian Point Power), 1(4), 7; 2(2), 8–9; 2(4), 8, 10, 12; 3(1), 10, 12, 14; 3(2), 15
fuel-element decladding, 2(2), 6–7; 2(4), 4–6; 3(1), 7, 8; 3(2), 12; 3(3), 9; 3(4), 10
fuel-processing costs, 2(2), 2–3; 3(1), 3
Reactor (Liquid Metal Fuel), 1(1), 24; 1(2), 26–7; 1(3), 21–3; 1(4), 20–1; 3(1), 29–30
Reactor (Liquid Metal Fuel, Experiment), 1(3), 21; 1(4), 19–20
Reactor (Los Alamos Molten Plutonium, Experiment), 2(1), 29–30
Reactor (Materials Testing), 1(2), 10–11, 22; 1(3), 13; 2(2), 8
Reactor (Molten-Salt), 3(1), 21
corrosion problems in fuel processing, 3(2), 26
Reactor (New Production), fuel-element decladding, 3(4), 9–10
Reactor (NPD-2), fuel-element decladding, 3(4), 9
Reactor (N.S. *Savannah*), 3(1), 10
fuel-element dissolution, 3(3), 12
Reactor (Organic-Moderated, Experiment), fuel-element disassembly, 2(4), 4
Reactor (Pathfinder Power), 1(4), 9
Reactor (Pebble-Bed), 3(1), 12
fuel-element dissolution, 3(3), 13
Reactor (Piqua Power), 3(2), 15
fuel-element dissolution, 3(3), 13
radioisotope production, 3(4), 3
Reactor (Plutonium Recycle Test), 1(2), 11; 1(3), 13; 1(4), 14, 16–18; 2(1), 6, 10, 25; 2(2), 8, 20
fuel-element decladding, 2(2), 5–7; 3(4), 9
Reactor(s) (power), commercial facilities available for fuel processing, 3(1), 1–3
fuel cost, 2(2), 2–3
fuel processing at Hanford Atomic Products Operation, 2(4), 1
radioisotope production, 3(4), 3
Reactor (S1W), 1(2), 22; 2(4), 6
fuel-element decladding, 2(2), 6; 2(3), 5–6
Reactor (S2W), 1(2), 17; 3(4), 24
Reactor (Shippingport Pressurized-Water), 2(1), 6
breeding-blanket decladding, 2(2), 6
fuel cost, 2(2), 2–3

Reactor (Shippingport Pressurized-Water) (Continued)
fuel-element decladding, 1(3), 4; 2(4), 4; 3(1), 7, 10; 3(3), 9; 3(4), 9
radioisotope production, 3(4), 3
waste disposal, 1(1), 27

Reactor (SM-1), 1(2), 7; 1(4), 5–6; 2(1), 8; 2(3), 10; 2(4), 7; 3(1), 10–11
flow sheets for fuel processing, 1(2), 7
fuel-element decladding, 3(2), 12–13

Reactor (Sodium, Experiment), 1(2), 17; 2(1), 25; 2(3), 21; 2(4), 22; 3(1), 26; 3(2), 27
fuel-element decladding, 2(4), 4; 3(1), 7, 10; 3(3), 7; 3(4), 8

Reactor (Yankee Power), 1(4), 5–6, 9; 2(1), 6, 9; 2(4), 8–9; 3(1), 10
fuel-element decladding, 2(2), 6–7; 2(3), 7; 2(4), 4, 5; 3(1), 8; 3(2), 12
fuel-processing costs, 2(2), 2–3; 3(1), 3

Recuplex process, 2(3), 16

Redox process, 1(3), 8–9; 2(3), 14; 3(1), 14; 3(4), 16
americium separation from waste, 2(4), 17
criticality problems, 1(4), 12
decontamination factor for Darex feeds, 2(4), 12–13
decontamination factor for Niflex feeds, 2(4), 12–13
hazards, 3(4), 7
ion-exchange applications, 1(1), 12
neptunium separation, 1(1), 9; 1(2), 5
plutonium losses, 2(4), 13
solvent radiolysis, 2(2), 12; 2(4), 14; 3(4), 18
solvent studies, 2(1), 12
stack monitors, 3(2), 32
uranium losses, 2(4), 13

Redox wastes, americium separation, 2(4), 17
calcination, 3(1), 44
cesium removal by ion exchange, 1(1), 30–1
decontamination with clinoptilolite clay, 3(4), 43
disposal, 1(3), 29–30; 2(1), 44; 3(1), 43, 44

Reduction to solids, 3(4), 43–5
See also Calcination
fission-product adsorption on clay, 3(3), 38–9
waste processing, 2(4), 35

Reprocessing plants
See also Equipment; specific processes, e.g., Redox process
economics, 3(1), 4

Rhenium-tantalum alloys, corrosion by plutonium alloys (liquid), 3(4), 39

Rhodium, removal by fractional crystallization, 1(4), 20
removal by ion exchange, 1(3), 13
removal by melt refining, 2(2), 20
solubility in cadmium (liquid), 2(4), 22
solubility in zinc (liquid), 2(4), 22, 26

Rhodium-uranium alloys
See Uranium-rhodium alloys

Rokide A
See Aluminum oxide

Rokide C
See Silicon carbide

Rokide Z
See Zirconium oxide

Rokide ZS
See Zirconium silicate

Rubidium, adsorption on zirconium phosphate, 3(1), 19
solubility in cadmium (liquid), 2(4), 22
solubility in zinc (liquid), 2(4), 22

Ruthenium, adsorption on aluminum, 3(4), 45
adsorption on aluminum oxide, 3(1), 44
adsorption on Amberlite IRC-50 resin, 2(1), 19
adsorption from calciner off-gases, 3(1), 44
adsorption on Dowex 1 resin, 2(3), 16
adsorption on Dowex 2 resin, 2(1), 17–18
adsorption on iron, lead, magnesium, and manganese, 3(4), 45
adsorption on manganese dioxide, 2(2), 18
adsorption on Marlex, 3(1), 44
adsorption by molecular sieves, 3(1), 44
adsorption on silica gel, 2(4), 37; 3(1), 44; 3(4), 44
adsorption on soil, 3(1), 43
adsorption on stainless steel, 3(1), 44
adsorption on zinc, 3(4), 45
disposal, 2(2), 33
ion exchange, 1(1), 31; 1(3), 13; 2(1), 17–18; 3(1), 19; 3(4), 21
removal, 1(2), 16
removal in ARCO process, 3(2), 14, 30
removal from ceramic fuel elements, 2(3), 23
removal by chemical pulverization process, 2(1), 26
removal by cyclic oxidation-reduction, 3(3), 28
removal by electrorefining methods, 1(4), 17; 2(1), 30
removal by fractional crystallization, 1(4), 18, 20; 2(1), 29
removal by fused-salt electrolysis, 2(4), 25
removal with hydrogen chloride, 1(3), 20
removal by liquid-metal extraction, 1(4), 17; 3(2), 29
removal with manganese dioxide, 1(4), 13
removal by melt refining, 1(3), 19–20; 2(2), 20; 2(3), 21; 3(4), 30
removal by Purex process, 1(2), 16; 2(4), 15
removal by Redox process, 2(4), 13
removal by salt-cycle process, 3(4), 34
removal by scavenging, 1(2), 16
removal by Thorex process, 2(3), 13; 3(3), 15
removal by zone melting, 2(1), 28
solubility in amines, 3(4), 17
solubility in bismuth-titanium alloys (liquid), 2(4), 24
solubility in bismuth-zirconium alloys (liquid), 2(4), 24
solubility in calcium (liquid), 2(1), 28
solubility in calcium-magnesium alloys (liquid), 1(4), 17; 2(1), 29

Ruthenium (Continued)
solubility in silver (liquid), 2(1), 27
solubility in zinc (liquid), 2(1), 27; 2(4), 26; 3(1), 27
Ruthenium-103, monitoring, 3(2), 32
Ruthenium-106, monitoring, 3(2), 32
Ruthenium (gaseous), corrosive effects, 2(4), 32
Ruthenium (liquid), corrosive effects, 2(3), 28
Ruthenium-uranium alloys
See Uranium-ruthenium alloys

S

S1W Reactor
See Reactor (S1W)
S2W Reactor
See Reactor (S2W)
S-590 cobalt alloy, corrosion by hydrogen chloride–hydrogen systems, 2(1), 31
corrosion by Sulfex-Thorex solutions, 2(2), 25
corrosion by Zircex solutions, 1(2), 23
S-816 cobalt alloy, corrosion by hydrogen chloride–hydrogen systems, 2(1), 31
corrosion by Sulfex-Thorex solutions, 2(2), 25
corrosion by Zircex solutions, 1(2), 23
Safety, 2(1), 3–4; 2(2), 4; 3(2), 6–7; 3(3), 5; 3(4), 5–7
bromine trifluoride process, 1(2), 12–13
hazards of tank storage of wastes, 3(3), 43–4
hearings to determine failure to observe license regulations, 3(2), 4
radiation exposure standards, 2(3), 1–2
Redox process, 1(4), 12; 3(4), 7
shipping containers, 2(3), 2; 3(4), 5
solvent-extraction processes, 1(2), 15
uranium mines, 3(4), 5
Saline waters, dialysis, 2(4), 19
Salt-cycle process, 3(3), 28; 3(4), 34
corrosion problems, 3(3), 28
Salt mines, waste disposal in, 3(3), 42–3
waste storage, 2(3), 34
Salts, corrosion by fused-salt volatility process solutions, 3(2), 26
Salts (fused), bibliographies, 3(1), 28
dissolution of gases, 1(3), 16
Samarium, distribution between uranium-chromium alloy (liquid) and magnesium-silver alloy (liquid) layers, 3(4), 31
ion exchange, 1(3), 2; 3(3), 20
separation by Purex process, 3(3), 15
solubility in amines, 3(4), 17
solubility in magnesium-silver alloys (liquid), 3(2), 30
solubility in uranium-chromium alloys (liquid), 3(2), 30
Savannah River Plant, commercial facilities for fuel processing, 3(1), 3
waste disposal, 1(1), 29; 1(2), 30; 1(3), 28–30; 2(1), 38
waste storage, 1(3), 29; 3(4), 3
Saws, fuel-element cutting, 1(4), 4
fuel-element decladding, 2(1), 5; 2(3), 4; 2(4), 4; 3(1), 6; 3(2), 8; 3(3), 6; 3(4), 8
SBSR resin, aluminum adsorption, 2(1), 18–19
zirconium adsorption, 2(1), 18–19
Scavenging, cesium removal with zinc ferrocyanide, 3(4), 45
niobium, 1(2), 11; 2(4), 15–16
protactinium recovery, 3(3), 18
ruthenium removal, 1(2), 16
zirconium, 1(2), 11; 2(4), 15–16
zirconium removal with barium, 3(4), 10
Scintillation counters, 3(2), 25; 3(3), 32
Scrubbers, gas-disposal applications, 3(4), 45
Separators (electrostatic), gas-disposal applications, 3(4), 45
Separators (hydroclone), 1(1), 10; 1(2), 26
design, 3(1), 30; 3(3), 29
efficiency, 3(3), 29; 3(4), 34
Homogeneous Reactor Experiment II fuel processing, 2(1), 30; 2(2), 23
operation, 1(3), 21; 2(4), 26; 3(1), 30–1
Shears, design, 2(2), 5
fuel-element cutting, 1(4), 4
fuel-element decladding, 2(3), 4; 2(4), 4; 3(1), 6–7; 3(2), 9; 3(3), 7; 3(4), 8
Shielding, Purex process, 1(2), 9
Shipping, 3(1), 4–5; 3(2), 31–2
containers, 2(3), 2; 3(4), 5
irradiated fuel elements, 3(1), 5
radioactive wastes, 2(4), 2; 3(4), 3–4
regulations, 3(3), 2
safety for radioactive shipments, 3(4), 5
Shippingport Pressurized Water Reactor
See Reactor (Shippingport Pressurized-Water)
Silica gel, niobium adsorption, 1(2), 16
plutonium adsorption, 2(1), 12
ruthenium adsorption, 2(4), 36; 3(1), 44; 3(4), 44
ruthenium adsorption from calciner off-gas, 3(4), 44
zirconium adsorption, 1(2), 16
Silicon, complex ion formation in Purex process, 3(2), 18
removal by filtration, 3(2), 21–2
Silicon-aluminum-iron-nickel-plutonium systems
See Plutonium-aluminum-iron-nickel-silicon systems
Silicon-aluminum-nickel-plutonium systems
See Plutonium-aluminum-nickel-silicon systems
Silicon-aluminum-plutonium systems
See Plutonium-aluminum-silicon systems
Silicon carbide, corrosion by magnesium-zinc alloys (liquid), 3(2), 37
corrosion by zinc (liquid), 3(2), 37
Silicon carbide (nitride bonded), corrosion by fused-chloride extraction process solutions, 2(1), 32–3
Silicon dioxide, corrosion by carbon tetrachloride, 3(3), 29
precipitation, 1(2), 16

Silver, corrosion by carbon tetrachloride, **3**(3), 29
corrosion by fused-salt volatility process solutions, **2**(1), 32; **2**(4), 30
corrosion by ICPP process waste solutions, **2**(1), 34
corrosion by uranium-iron alloys (liquid), **1**(2), 21, 25
distribution between lead (liquid) and zinc (liquid) layers, **3**(4), 31
iodine removal, **1**(4), 19
precipitation of neodymium from uranium-neodymium alloys (liquid), **2**(4), 24
solubility in cadmium (liquid), **2**(4), 22
solubility in zinc (liquid), **2**(4), 22

Silver (liquid), cerium dissolution, **2**(1), 27
molybdenum dissolution, **2**(1), 27
plutonium dissolution, **1**(3), 17; **2**(1), 27
rare-earth and ruthenium dissolution, **2**(1), 27
uranium dissolution, **2**(1), 27; **2**(2), 22
zirconium dissolution, **2**(1), 27

Silver-magnesium alloys
See Magnesium-silver alloys

Silver reactors, **2**(1), 40

Skulls, uranium recovery, **3**(3), 26

Slags, hydrogen fluoride and magnesium recovery, **3**(3), 47
uranium recovery, **2**(2), 37; **3**(1), 55–6; **3**(2), 47; **3**(4), 31–2

SM-1 Reactor
See Reactor (SM-1)

Soda lime, uranium hexafluoride adsorption, **3**(2), 27

Sodium, thorium tetrachloride reduction to thorium, **1**(4), 30; **3**(4), 52
uranium hexafluoride reduction to uranium, **3**(1), 54; **3**(4), 26, 50

Sodium acetate–hydrogen peroxide systems
See Hydrogen peroxide–sodium acetate systems

Sodium amalgams, reduction of thorium tetrachloride to thorium, **2**(1), 51
uranium recovery, **1**(4), 18

Sodium chloride–bismuth chloride–magnesium chloride–potassium chloride systems
See Bismuth chloride–magnesium chloride–potassium chloride–sodium chloride systems

Sodium chloride–potassium chloride systems
See Potassium chloride–sodium chloride systems

Sodium chloride–zinc chloride systems (fused), plutonium dissolution, **2**(1), 29

Sodium fluoride, uranium hexafluoride adsorption, **3**(2), 26; **3**(4), 26

Sodium fluoride (fused), corrosive effects, **1**(2), 25

Sodium fluoride–aluminum nitrate–nitric acid systems
See Aluminum nitrate–nitric acid–sodium fluoride systems

Sodium fluoride–beryllium fluoride–lithium fluoride systems
See Beryllium fluoride–lithium fluoride–sodium fluoride systems

Sodium fluoride–beryllium fluoride systems
See Beryllium fluoride–sodium fluoride systems

Sodium fluoride–hydrogen fluoride systems
See Hydrogen fluoride–sodium fluoride systems

Sodium fluoride–hydrogen fluoride–lithium fluoride systems
See Hydrogen fluoride–lithium fluoride–sodium fluoride systems

Sodium fluoride–lithium fluoride systems
See Lithium fluoride–sodium fluoride systems

Sodium fluoride–lithium fluoride–zirconium fluoride systems
See Lithium fluoride–sodium fluoride–zirconium systems

Sodium fluoride–nitric acid systems
See Nitric acid–sodium fluoride systems

Sodium fluoride–thorium fluoride systems
See Thorium fluoride–sodium fluoride systems

Sodium fluoride–uranium tetrafluoride–zirconium fluoride systems
See Uranium tetrafluoride–sodium fluoride–zirconium fluoride systems

Sodium fluoride–zirconium fluoride–hydrogen fluoride systems
See Hydrogen fluoride–sodium fluoride–zirconium fluoride systems

Sodium fluoride–zirconium fluoride systems (fused), **2**(3), 27
argon dissolution, **1**(3), 16
cerium dissolution, **3**(1), 30
cerium fluoride dissolution, **1**(3), 16
corrosive effects, **1**(4), 21–2; **2**(3), 27; **3**(2), 36; **3**(3), 21; **3**(4), 23
dissolution of gases, **1**(3), 16
helium dissolution, **1**(3), 16
hydrogen fluoride dissolution, **1**(3), 16; **1**(4), 15
magnesium dissolution, **3**(1), 30
neon dissolution, **1**(3), 16
niobium dissolution, **3**(1), 30
phase diagrams, **3**(4), 28
stainless-steel dissolution, **1**(2), 13
uranium dissolution, **3**(1), 30
uranium-zirconium alloy dissolution, **1**(2), 13; **3**(3), 21; **3**(4), 23
xenon dissolution, **1**(3), 16
Zircaloy-3 alloy dissolution, **1**(4), 15
zirconium dissolution, **1**(2), 13; **3**(1), 30

Sodium hydroxide, aluminum dissolution, **3**(1), 9
plutonium–aluminum–silicon system dissolution, **2**(1), 10

Sodium hydroxide–ammonium nitrate systems
See Ammonium nitrate–sodium hydroxide systems

Sodium hydroxide–sodium nitrate systems, aluminum dissolution, **2**(4), 6; **3**(4), 11
aluminum-nickel alloy dissolution, **3**(3), 11
corrosive effects, **1**(4), 21
nickel dissolution, **3**(4), 11
uranium dioxide–thorium oxide (nickel-aluminum alloy clad) fuel-element decladding, **3**(3), 11

Sodium-mercury alloys
See Sodium amalgams

Sodium oxide, solubility in lithium fluoride–potassium fluoride systems (fused), 1(4), 16
Sodium peroxide, uranium precipitation, 1(2), 26
Sodium-potassium alloys, reactions with steam, 3(3), 12
Sodium Reactor Experiment
See Reactor (Sodium, Experiment)
Sodium thiocyanate, barium and strontium recovery in Purex process, 3(4), 17
Solid-gas systems, thermal conductivity, 3(1), 45
Solvent extraction, Homogeneous Reactor Experiment II fuel processing, 3(2), 31
uranium extraction from Chattanooga shale, 3(2), 22
Solvent-extraction processes, 1(2), 5–10; 1(3), 8–18; 1(4), 9–12; 2(1), 12–15; 2(2), 10–13; 2(3), 13–16; 2(4), 12–15, 27; 3(1), 14–17; 3(2), 18–21; 3(3), 15–17; 3(4), 16–20
corrosion problems, 1(1), 22–3; 1(2), 23–4; 1(4), 21; 2(1), 31–2; 2(3), 25–6; 3(1), 32–5; 3(2), 33–5; 3(3), 32–3; 3(4), 35–7
flow sheets, 1(1), 7
radiation effects, 1(2), 6–7
waste problems, 1(1), 8
Solvents, degradation product removal, 2(3), 16
radiolysis, 2(4), 14
Solvesso-100 solvent, radiolysis, 3(3), 16; 3(4), 18
Solvesso-100 solvent and di-*sec*-butylphenyl phosphonate systems, radiolysis, 3(4), 20
Stack disposal
See Gas disposal
Stainless steel, anodic dissolution in nitric acid, 3(1), 9
corrosion by aluminum nitrate solutions, 1(1), 23; 3(4), 37
corrosion by ammonium bifluoride, 2(2), 27; 2(3), 26
corrosion by ammonium fluoride, 2(1), 31
corrosion by ammonium fluoride–ammonium nitrate–hydrogen peroxide systems, 3(4), 36
corrosion by ammonium fluoride–ammonium nitrate systems, 2(3), 26
corrosion by bismuth-lead alloys (liquid), 2(2), 23
corrosion by cadmium (liquid), 3(1), 38; 3(3), 36
corrosion by cadmium-magnesium alloys (liquid), 3(1), 38
corrosion by cadmium-magnesium-uranium alloys (liquid), 2(4), 32
corrosion by cadmium-magnesium-zinc alloys, 3(1), 38
corrosion by cadmium-zinc alloys (liquid), 3(3), 36
corrosion by carbon tetrachloride, 3(3), 29
corrosion by Darex solutions, 1(2), 23
corrosion by ferric nitrate–nitric acid systems, 3(1), 34
corrosion by Flurex process solutions, 2(4), 32
corrosion by fused-chloride extraction process solutions, 1(3), 25; 1(4), 22
corrosion by fused-salt volatility process solutions, 1(4), 22
corrosion by hydrochloric acid–nitric acid systems, 1(1), 6; 2(4), 27; 3(4), 37
corrosion by hydrofluoric acid, 2(3), 26; 3(1), 34–5; 3(3), 12
corrosion by hydrofluoric acid–nitric acid systems, 1(4), 7; 2(3), 26; 3(2), 16, 35; 3(3), 34
corrosion by hydrogen fluoride–nitrogen dioxide systems, 3(3), 34
corrosion by ICPP process waste solutions, 2(1), 33
corrosion by magnesium (liquid), 1(1), 23
corrosion by Niflex process solutions, 2(2), 26
corrosion by nitric acid, 1(4), 23; 2(1), 31; 2(2), 4, 28, 32; 2(3), 26; 3(2), 35; 3(4), 37
corrosion by Purex process waste solutions, 2(1), 34; 3(1), 35; 3(3), 35–6
corrosion by ruthenium (gaseous), 2(4), 32
corrosion by ruthenium (liquid), 2(3), 28
corrosion by Sulfex wastes, 3(1), 34
corrosion by sulfuric acid, 2(1), 32; 2(2), 24; 3(1), 36
corrosion by Thorex solutions, 2(1), 32; 2(4), 29; 3(2), 34–5; 3(3), 33, 35
corrosion by uranium-cadmium alloys (liquid), 3(1), 38
corrosion by uranium-chromium alloys, 1(4), 22
corrosion by uranium-magnesium-zinc alloys (liquid), 2(2), 28
corrosion by waste solutions, 1(4), 22
corrosion by Zircex solutions, 2(3), 26
corrosion by zirconium wastes, 3(2), 34
corrosion by Zirflex solutions, 1(2), 24
depassivation in Sulfex process, 3(4), 11
dissolution in fused fluorides, 1(2), 13
dissolution in Sulfex process, 1(3), 6
electrolytic dissolution in nitric acid, 3(1), 11; 3(2), 12; 3(4), 11
passivation in hydrochloric acid–nitric acid systems, 3(2), 15
ruthenium adsorption, 3(1), 44
solubility in ammonium bifluoride–nitric acid systems, 2(4), 7
solubility in hydrochloric acid–nitric acid systems, 1(4), 5–6; 2(1), 9; 2(2), 7–8; 2(3), 10; 2(4), 8–9; 3(1), 9, 10; 3(2), 15; 3(4), 10, 12
solubility in hydrofluoric acid–nitric acid systems, 1(3), 6; 1(4), 7; 2(3), 7, 10; 3(3), 12
solubility in hydrogen fluoride–nitrogen dioxide systems, 2(3), 20; 3(3), 21
solubility in lithium fluoride–sodium fluoride–zirconium fluoride systems (fused), 3(4), 23
solubility in nitric acid–sulfuric acid systems, 2(4), 6
solubility in sodium fluoride–zirconium fluoride systems (fused), 1(2), 13
solubility in sulfuric acid, 1(3), 6; 1(4), 7; 2(2), 6–7; 2(3), 7, 12; 2(4), 5–6; 3(1), 8–9; 3(2), 12–13; 3(3), 9–10; 3(4), 10
solubility in uranyl nitrate hexahydrate–hydrochloric acid–nitric acid systems, 3(1), 10

Stainless-steel cladding, dissolution, **2**(1), 26; **2**(2), 6
Stainless steel–steel couples, corrosion by Sulfex waste, **3**(3), 35
Stainless steel–uranium alloys
See Uranium–stainless steel alloys
Steam, reactions with sodium-potassium alloys, **3**(3), 12
uranium oxidation, **3**(1), 7–8
zirconium-cladding removal, **3**(1), 7–8
Steam-hydrogen systems
See Hydrogen-steam systems
Steel, corrosion by aluminum nitrate solutions, **1**(1), 23; **3**(2), 34
corrosion by cadmium (liquid), **2**(4), 23; **3**(1), 38; **3**(3), 36
corrosion by cadmium-aluminum alloys (liquid), **3**(2), 28
corrosion by cadmium-magnesium alloys (liquid), **3**(1), 38
corrosion by cadmium-magnesium-uranium alloys (liquid), **2**(4), 32
corrosion by cadmium-magnesium-zinc alloys (liquid), **3**(1), 38
corrosion by calcium-magnesium alloys (liquid), **3**(3), 35
corrosion by fused-chloride extraction process solutions, **3**(2), 32–3
corrosion by ICPP wastes, **3**(3), 35
corrosion by lead–lead chloride systems, **3**(2), 33
corrosion by magnesium (liquid), **1**(1), 23
corrosion by magnesium-zinc alloys (liquid), **3**(1), 38
corrosion by Purex wastes, **3**(3), 35, 36
corrosion by Sulfex wastes, **3**(1), 34; **3**(3), 35
corrosion by uranium-cadmium alloys (liquid), **3**(1), 28, 38
corrosion by uranium-cadmium-magnesium alloys (liquid), **2**(2), 28; **3**(2), 36
corrosion by uranium-magnesium-zinc alloys (liquid), **2**(2), 28
corrosion by waste solutions, **1**(4), 22
corrosion by zinc (liquid), **2**(4), 32; **3**(1), 38
corrosion by zirconium wastes, **3**(2), 34
iodine and xenon adsorption, **3**(1), 30
Steel (refractory coated), corrosion by magnesium-zinc alloys (liquid), **3**(2), 37
corrosion by zinc (liquid), **3**(2), 37
Steel–stainless steel couples
See Stainless steel–steel couples
Stellite 6 alloy, corrosion by sulfuric acid, **3**(1), 36
Stellite 98M2 alloy, corrosion by sulfuric acid, **3**(1), 36
Storage of wastes
See as subheading under Waste disposal
Storage of irradiated fuels, **1**(1), 4
Strain gauges, **3**(1), 31
Strontium, adsorption on activated carbon, **3**(4), 43
adsorption by clinoptilolite clay, **3**(1), 43; **3**(4), 43
adsorption on Dowex 2 resin, **2**(1), 17–18
adsorption on Dowex 50 resin, **3**(4), 21
adsorption on Dowex 50W resin, **3**(4), 21
adsorption on Dowex A1 resin, **3**(4), 21
adsorption on Duolite C-3 resin, **3**(3), 20
adsorption on manganese dioxide, **2**(2), 18
adsorption on montmorillonite clay, **3**(2), 40
adsorption on zeolite, **3**(2), 40–1
ion exchange, **2**(1), 17; **2**(2), 18
removal in ARCO process, **3**(2), 14, 30
removal with cryolite (fused), **1**(4), 18
removal by fractional crystallization, **1**(4), 18
removal by fused-salt electrolysis, **2**(4), 25
removal with hydrogen fluoride, **1**(3), 20
removal by ion exchange, **1**(1), 31
removal by liquid-metal extraction, **3**(2), 29
removal by melt refining, **2**(1), 24
removal by salt-cycle process, **3**(3), 28
separation by foam separation process, **3**(2), 42, 43
separation in Purex process, **3**(4), 17
separation from Purex wastes, **3**(2), 42; **3**(3), 16; **3**(4), 17, 20–1
separation by rare-earth double-sulfate process, **3**(2), 42–3
separation from waste streams, **2**(4), 13–14
solubility in cadmium (liquid), **2**(4), 22; **3**(1), 27
solubility in calcium (liquid), **2**(1), 28
solubility in di-2-ethylhexyl phosphoric acid, **2**(4), 13–14; **3**(2), 19, 42; **3**(4), 7–18
solubility in zinc (liquid), **2**(4), 22
volatilization from uranium-thorium alloys, **2**(4), 25
Strontium-90, separation at ORNL, **3**(4), 3
separation from waste solutions, **1**(2), 38; **2**(1), 44
Strontium oxide, solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
Submarine Thermal Reactor
See Reactor (S1W); Reactor (S2W)
Sugar, effects on Purex waste calcination, **3**(4), 44
sulfate removal, **3**(2), 41
Sulfex process, **1**(3), 6; **2**(1), 6, 8; **2**(3), 7; **2**(4), 1, 5–6; **3**(1), 8–9; **3**(2), 12–13; **3**(3), 9–11; **3**(4), 10–11
corrosion problems, **1**(2), 24; **2**(1), 31–2; **2**(2), 24–5; **2**(3), 25–6; **2**(4), 27; **3**(1), 34, 36; **3**(2), 32, 33; **3**(3), 32; **3**(4), 35–6
flow sheets, **2**(1), 8; **3**(3), 8, 10
fuel-element decladding, **2**(2), 6–7
plutonium losses, **3**(1), 8; **3**(3), 10–11
thorium losses, **3**(3), 10–11; **3**(4), 11
uranium losses, **3**(1), 8; **3**(3), 10–11; **3**(4), 11
uranium recovery from decladding solution, **3**(2), 19
zirconium removal from dissolver solution, **1**(3), 7
Sulfex F process, **2**(1), 8–9
Sulfex-Thorex process, corrosion problems, **2**(1), 31–2; **2**(2), 25; **2**(3), 26; **2**(4), 27–8; **3**(1), 33
Sulfex wastes, corrosive effects, **3**(3), 35
Sulfocarbonate resin, aluminum and zirconium adsorption, **2**(1), 18–19

Sulfonic acid, dinonylnaphthalene, extractive power, **3**(3), 16
Sulfur tetrafluoride, plutonium dioxide fluorination, **3**(3), 24; **3**(4), 25
plutonium tetrafluoride fluorination, **3**(3), 24; **3**(4), 25
reactions with uranium trioxide fluorination, **3**(4), 25
uranic-uranous oxide fluorination, **3**(3), 24; **3**(4), 25
uranium dioxide fluorination, **3**(3), 24; **3**(4), 25
uranium tetrafluoride fluorination, **3**(3), 24; **3**(4), 25
uranium trioxide fluorination, **3**(3), 24; **3**(4), 25
uranyl fluoride fluorination, **3**(3), 24; **3**(4), 25
Sulfuric acid, corrosive effects, **1**(2), 24; **2**(1), 31–2; **2**(2), 24–5; **2**(3), 25; **2**(4), 27; **3**(1), 33, 35–6; **3**(2), 33; **3**(3), 32; **3**(4), 35–6
depassivation, **3**(3), 9
plutonium dissolution, **2**(3), 11–12; **3**(1), 8, 15
stainless-steel dissolution, **1**(3), 6; **1**(4), 7; **2**(2), 6–7; **2**(3), 7, 12; **2**(4), 5–6; **3**(1), 8–9; **3**(2), 12–13; **3**(3), 9–10; **3**(4), 10
thorium dissolution, **3**(1), 15
uranium dioxide dissolution, **2**(3), 7, 11–12; **2**(4), 10; **3**(4), 11
uranium dioxide (stainless-steel-clad) dissolution, **3**(1), 8
uranium dioxide–thorium oxide systems (stainless-steel-clad) dissolution, **3**(1), 8
uranium dissolution, **3**(1), 15; **3**(2), 47
uranium-plutonium alloy dissolution, **2**(3), 11–12
uranium-plutonium alloys (stainless-steel-clad) dissolution, **2**(3), 12
uranium recovery from slag, **3**(2), 47
Sulfuric acid–nitric acid systems
See Nitric acid–sulfuric acid systems
Symposia
See Conferences

T

Tank storage of wastes
See as subheading, storage hazards, under Waste disposal
Tantalum, application as container material in pyrometallurgical processes, **1**(3), 20
applications in liquid-metal extraction process, **1**(3), 17
corrosion by carbon tetrachloride, **3**(3), 29
corrosion by Darex solutions, **1**(2), 23; **2**(1), 31
corrosion by Flurex process solutions, **2**(4), 32
corrosion by fused-chloride extraction process solutions, **1**(3), 25
corrosion by fused-salt extraction process solutions, **1**(4), 22
corrosion by hydrochloric acid–nitric acid systems, **1**(1), 23; **2**(3), 25
corrosion by hydrofluoric acid–nitric acid systems, **1**(4), 7
corrosion by hydrogen fluoride–nitrogen dioxide systems, **3**(3), 34
corrosion by lead–lead chloride systems (fused), **3**(3), 27
corrosion by magnesium (liquid), **1**(1), 23; **2**(2), 28
corrosion by plutonium (liquid), **1**(2), 25; **1**(4), 22; **2**(1), 33; **2**(2), 27; **2**(4), 31–2; **3**(1), 38; **3**(4), 38
corrosion by plutonium alloys (liquid), **3**(4), 38
corrosion by plutonium-cerium-cobalt alloys (liquid), **2**(1), 33
corrosion by plutonium-cobalt alloys (liquid), **2**(1), 33
corrosion by plutonium-iron alloys (liquid), **2**(1), 33; **2**(4), 31–2; **3**(1), 38
corrosion by plutonium-nickel alloys (liquid), **2**(1), 33
corrosion by sulfuric acid, **3**(1), 36
corrosion by Thorex solutions, **3**(3), 33
corrosion by thorium-magnesium alloys (liquid), **1**(2), 25
corrosion by uranium-aluminum-thorium alloys (liquid), **1**(4), 22
corrosion by uranium-bismuth alloys (liquid), **1**(2), 21
corrosion by uranium (liquid), **2**(1), 33
corrosion by uranium-thorium alloys (liquid), **1**(2), 21
corrosion by uranium-thorium-aluminum alloys (liquid), **1**(1), 23
corrosion by yttrium (liquid), **3**(3), 28
corrosion by Zircex solutions, **1**(2), 23; **1**(3), 24; **2**(3), 26
radiation effects, **3**(4), 38
Tantalum (silver-clad), corrosion by uranium-iron alloys (liquid), **1**(2), 21
Tantalum alloys, corrosion by plutonium (liquid), **3**(4), 38
corrosion by plutonium alloys (liquid), **3**(4), 38
Tantalum borides, corrosion by uranium (liquid), **1**(1), 23; **1**(3), 25
corrosion by uranium-magnesium alloys (liquid), **1**(1), 23
Tantalum-carbon systems, corrosion by plutonium (liquid) and plutonium alloys (liquid), **3**(4), 39
Tantalum-niobium alloys
See Niobium-tantalum alloys
Tantalum-rhenium alloys
See Rhenium-tantalum alloys
Tantalum-tungsten alloys, corrosion by plutonium (liquid), **3**(4), 39
corrosion by plutonium alloys (liquid), **3**(4), 39
corrosion by plutonium–iron alloys, **2**(1), 33
Tantalum-uranium alloys, thermodynamic properties, **1**(4), 19
Technetium, removal by fused-salt volatility process, **3**(4), 24
removal by melt refining, **1**(3), 17
solubility in amines, **3**(4), 17
solubility in cadmium (liquid), **2**(4), 22
solubility in trilaurylamine, **3**(3), 15–16
solubility in zinc (liquid), **2**(4), 22

Technetium-99, separation from waste solutions, **2**(1), 44
Tellurium, removal from ceramic fuel elements, **2**(3), 23
removal by chemical pulverization process, **2**(1), 26
removal by cyclic oxidation-reduction, **3**(3), 28
removal by fractional crystallization, **1**(4), 18, 20
removal with hydrogen chloride, **1**(3), 20
removal by salt-cycle process, **3**(4), 34
solubility in cadmium (liquid), **2**(4), 22
solubility in zinc (liquid), **2**(4), 22
volatilization from spent fuel elements, **2**(2), 21
Terbium, solubility in magnesium-silver alloys (liquid), **3**(2), 30
solubility in uranium-chromium alloys (liquid), **3**(2), 30
Thermenol alloy, corrosion by magnesium-zinc alloys (liquid), **3**(1), 38
corrosion by zinc (liquid), **3**(1), 38
Thermistors, **3**(3), 31
Thioacetamide, ruthenium scavenging, **2**(1), 16
Thiocarbanilide, ruthenium scavenging, **2**(1), 16
Thorex process, **1**(3), 8; **2**(3), 13; **3**(1), 12; **3**(3), 15
accident reports, **3**(2), 6
corrosion problems, **1**(4), 20; **2**(1), 31–2; **2**(4), 27–8, 29; **3**(1), 23–4; **3**(2), 15, 34–5; **3**(3), 33
criticality studies, **1**(2), 8–9
decontamination factors, **2**(3), 13; **3**(3), 15
flow sheets, **1**(2), 5–6
ion-exchange applications, **1**(1), 12
tributyl phosphate removal, **3**(1), 14
Thorex wastes, calcination, **3**(1), 44–5
corrosive effects, **3**(3), 35
Thorium, adsorption on Amberlite IR-120 resin, **2**(4), 18; **3**(3), 20
adsorption on Amberlite IRA-401 resin, **2**(3), 18
adsorption on calcium alginate, **3**(3), 20
adsorption on Deacidite FF resin, **2**(4), 18
adsorption on Dowex 1 resin, **2**(4), 18; **3**(2), 23
adsorption on Dowex 2 resin, **2**(1), 17–18
adsorption on Dowex 50 resin, **2**(3), 18; **2**(4), 18; **3**(3), 20
adsorption on Zeokarb-225 resin, **3**(4), 18
decontamination by induction drip melting, **2**(4), 25; **3**(2), 30–1
electrowinning, **1**(2), 19
extraction with phosphines, **2**(2), 10–11
extraction with phosphonates, **3**(4), 18
ion exchange, **1**(3), 12
losses in Darex process, **3**(2), 15; **3**(3), 10–11
losses in decladding solutions, **3**(2), 12
losses in Sulfex process, **3**(3), 10–11; **3**(4), 11
oxidation by zinc chloride, **3**(2), 29
production from monazite sand, **2**(3), 36–7; **3**(1), 15
purification, **1**(4), 28–9
recovery from breeding blankets, **3**(4), 32
recovery by electrorefining, **3**(3), 27
recovery by fluoride-volatility processes, **2**(1), 20–1
recovery by fused-salt electrolysis, **2**(4), 25
recovery by fused-salt extraction, **2**(2), 20
recovery from graphite fuels, **3**(1), 12; **3**(3), 12–13
recovery by liquid-metal extraction, **2**(3), 23
recovery from mill wastes, **3**(1), 42–3; **3**(3), 38; **3**(4), 2
recovery by Nethix-1 process, **2**(3), 13
recovery by Purex process, **3**(2), 21; **3**(4), 16
recovery from sulfate decladding solutions, **3**(1), 15–16
recovery by Thorex process, **2**(3), 13
reduction by aluminum in cryolite, **3**(3), 27–8
reduction by magnesium, **3**(2), 29
reduction from thorium tetrachloride, **1**(2), 37; **1**(4), 30; **2**(1), 51; **3**(4), 52
separation, **1**(2), 7
separation from uranium, **3**(3), 26
solubility in amines, **3**(4), 17
solubility in di-2-ethylhexyl phosphoric acid, **3**(4), 18
solubility in di-*sec*-butylphenyl phosphonate, **3**(4), 18
solubility in hydrofluoric acid–nitric acid systems, **3**(2), 16
solubility in lithium chloride–potassium chloride systems (fused), **3**(2), 29; **3**(4), 32
solubility in magnesium (liquid), **2**(1), 27; **2**(3), 23; **2**(4), 26; **3**(3), 26
solubility in magnesium-silver alloys (liquid), **3**(4), 32
solubility in mercury, **2**(2), 22; **3**(1), 27
solubility in potassium chloride–sodium chloride systems (fused), **3**(3), 27
solubility in sulfuric acid, **3**(1), 15
solubility in zinc (liquid), **2**(1), 26; **3**(2), 28–9; **3**(4), 32
solubility in zinc chloride (fused), **3**(4), 32
vapor pressure, **1**(4), 19
Thorium (liquid), corrosive effects, **1**(2), 25
Thorium alloys, phase diagrams, **2**(2), 23
Thorium-aluminum-uranium alloys
See Uranium-thorium-aluminum alloys
Thorium carbide–graphite–uranium carbide systems
See Uranium carbide–thorium carbide–graphite systems
Thorium fluoride–beryllium fluoride systems, phase diagrams, **1**(3), 15
Thorium fluoride–lithium fluoride systems, phase diagrams, **1**(3), 15
Thorium fluoride–sodium fluoride systems, phase diagrams, **1**(3), 15
Thorium-magnesium alloys (liquid), corrosive effects, **1**(2), 25
protactinium extraction, **2**(1), 27
Thorium nitrate, conversion to thorium oxide, **3**(3), 48
manufacture from thorium oxide, **1**(2), 37
Thorium oxalate, reduction to thorium oxide, **3**(4), 51
Thorium oxide, chlorination, **3**(3), 29; **3**(4), 51–2
conversion from thorium nitrate, **3**(3), 48
conversion to thorium nitrate, **1**(2), 37

Thorium oxide (Continued)
corrosion by plutonium (liquid), 2(4), 32; 3(1), 29
corrosion by uranium (liquid), 1(2), 25
preparation of spheres, 3(3), 48
production, 3(2), 48
reduction by aluminum, 3(1), 27–8; 3(2), 30
reduction with aluminum and cryolite, 3(3), 27–8
reduction to thorium, 1(4), 29–30
reduction from thorium oxalate, 3(4), 51
solubility in lithium fluoride–sodium fluoride systems (fused), 3(4), 23
solubility in lithium fluoride–sodium fluoride–zirconium fluoride systems (fused), 3(4), 23–4
thermodynamic properties, 1(4), 19
Thorium oxide–uranic–uranous oxide systems
See Uranic–uranous oxide–thorium oxide systems
Thorium oxide–uranium dioxide systems
See Uranium dioxide–thorium oxide systems
Thorium oxide–uranium dioxide–zirconium oxide systems
See Uranium dioxide–thorium oxide–zirconium oxide systems
Thorium tetrachloride, conversion from thorium oxide, 3(3), 29; 3(4), 51–2
reduction to thorium, 1(2), 37; 1(4), 30; 2(1), 51; 3(4), 52
vapor pressure, 1(4), 19
Thorium tetrafluoride, solubility in hydrogen fluoride–nitrogen dioxide systems, 3(3), 21
Thorium-uranium alloys
See Uranium-thorium alloys
Thorium-uranium-graphite systems
See Uranium-thorium-graphite systems
Thorium-zinc alloy, phase diagrams, 1(4), 18
thermodynamic properties, 3(1), 27; 3(2), 28
Tin, solubility in cadmium (liquid), 2(4), 22
solubility in zinc (liquid), 2(4), 22
Tin-lead-bismuth alloys
See Bismuth-lead-tin alloys
Tin-uranium-zirconium alloys
See Uranium-tin-zirconium alloys
Titanium, corrosion by aluminum nitrate–nitric acid systems, 3(2), 34
corrosion by ammonium fluoride, 3(3), 33
corrosion by Darex solutions, 1(1), 6; 1(2), 23; 1(3), 24; 2(1), 31
corrosion by Darex-Thorex solutions, 3(1), 33
corrosion by hydrochloric acid–nitric acid systems, 1(1), 23; 2(4), 27–8; 3(1), 33; 3(2), 15; 3(3), 32–3
corrosion by ICPP process waste solutions, 2(1), 33
corrosion by nitric acid, 1(4), 20
corrosion by nitric acid–sodium fluoride systems, 3(1), 33
corrosion by Purex wastes, 2(1), 34; 3(1), 35
corrosion by sulfuric acid, 3(1), 33
corrosion by Thorex solutions, 2(4), 28–9; 3(2), 15
corrosion by uranyl sulfate, 1(3), 25
corrosion by waste solutions, 1(4), 23
corrosion by zinc (liquid), 2(4), 32
corrosion by Zircex solutions, 1(2), 23; 1(3), 24; 3(1), 35
corrosion by Zirflex solutions, 1(2), 24
solubility in cadmium (liquid), 3(4), 31
Titanium alloys, corrosion by uranium (liquid), 1(2), 25
Titanium-bismuth alloys
See Bismuth-titanium alloys
TLA
See Amine, trilauryl
Toluene, radiolysis, 1(4), 10
Toluene–tributyl phosphate systems
See Tributyl phosphate–toluene systems
Transportation
See Shipping
Transuranic elements, buildup in recycled fuels, 1(4), 1
Trialkylamines, neptunium separation, 1(2), 5
Tributyl phosphate, americium partition, 1(2), 8
complex ion removal, 3(2), 20
concentrations in Purex process, 3(4), 16
decontamination, 3(4), 19
degradation product removal, 1(2), 14
lanthanide partition, 1(2), 8
radiolysis, 1(1), 10; 1(2), 6, 14; 1(4), 9–10; 2(2), 11–12; 2(3), 16; 3(1), 17; 3(2), 9–10, 20; 3(4), 18–19
removal from Thorex process, 3(1), 14
solvent properties, 1(2), 14; 2(2), 11
uranium extraction, 3(3), 17
Tributyl phosphate–benzene systems, radiolysis, 1(4), 10
Tributyl phosphate–kerosene systems, radiolysis, 1(2), 6–7; 1(4), 9–10
Tributyl phosphate–nitric acid systems, radiolysis, 1(2), 7; 2(4), 14
Tributyl phosphate–toluene systems, radiolysis, 1(4), 10
Trichlorethylene, reduction of uranium hexafluoride to uranium tetrafluoride, 2(1), 49
Triisononylamine
See Amine, tri-isononyl-,
Triisooctylamine
See Amine, tri-iso-octyl-,
Trilaurylamine
See Amine, trilauryl
Trioctyldecyl amine
See Alamine
Tritium, production in power reactors, 3(4), 3
Trucking
See Shipping
Tungsten, corrosion by carbon tetrachloride, 3(3), 29
corrosion by plutonium-iron alloys (liquid), 2(1), 33
corrosion by plutonium (liquid), 1(2), 25
corrosion by zinc (liquid), 2(4), 32
Tungsten-chromium–aluminum oxide cermets
See Aluminum oxide–chromium–tungsten cermets
Tungsten crucibles, fabrication, 3(1), 29
Tungsten oxide, thermodynamic properties, 1(4), 19

Tungsten-tantalum alloys
See Tantalum-tungsten alloys
Tungsten trioxide, free energy of formation, **3**(4), 31

U

Ultrasene solvent, radiolysis, **2**(2), 12
Ultrasonics, effect on uranium dissolution in liquid metals, **3**(3), 26
extractor design, **1**(1), 11
Union of Soviet Socialist Republics, isotope production, **1**(3), 33
United States–Euratom Program, fuel-processing features, **1**(4), 2–3
Uranic-uranous oxide, conversion to uranium hexafluoride, **3**(2), 45–6
conversion from uranium monocarbide, **3**(2), 30
fluorination with sulfur tetrafluoride, **3**(3), 24; **3**(4), 25
heat of formation, **3**(4), 31
oxidation from uranium dioxide, **3**(4), 34
reduction with calcium, **3**(1), 55
solubility in potassium chloride–sodium chloride systems (fused), **3**(4), 34
Uranic–uranous oxide–thorium oxide systems (aluminum-clad), solubility in sodium hydroxide–ammonium nitrate systems, **3**(1), 9
Uranium, adsorption on Amberlite IR-120 resin, **2**(4), 18
adsorption on Amberlite IR-401 resin, **2**(3), 18
adsorption on Deacidite FF resin, **2**(4), 18; **3**(1), 19
adsorption on Dowex 1 resin, **2**(4), 18; **3**(2), 23
adsorption on Dowex 2 resin, **2**(1), 17–18
adsorption on Dowex 21K resin, **2**(4), 17, 18; **3**(1), 17–19
adsorption on Dowex 50 resin, **2**(3), 18; **2**(4), 17, 18
adsorption on Duolite C-65 resin, **2**(2), 18
adsorption on manganese dioxide, **2**(2), 18
adsorption on Zeokarb-225 resin, **2**(4), 18
continuous production methods, **1**(3), 37
conversion from uranium tetrafluoride, **3**(2), 46–7
conversion from uranyl nitrate, **1**(3), 35–8
corrosion by fluorine, **3**(1), 37
costs, **1**(3), 37; **3**(1), 3
decontamination, **1**(3), 13; **3**(2), 21
diffusion through Nalfilm and Nepton AR-111 membranes, **2**(1), 18
diffusion through Permutit-3148 membrane, **2**(1), 18
electrolytic purification, **2**(4), 25, 43–4; **3**(3), 27
electrolytic reduction, **1**(3), 37; **3**(4), 35, 50–1
electrowinning, **1**(2), 19–20
extraction by aluminum fluoride–nitric acid systems, **3**(3), 18
extraction by ammonium quaternary compounds, **3**(1), 15
extraction from monazite sand, **3**(1), 15
extraction with organonitrogen compounds, **1**(4), 10–12; **3**(1), 15
extraction with organophosphorus compounds, **1**(2), 12–13; **1**(4), 10–12; **2**(3), 15
extraction with tributyl phosphate, **1**(2), 14
fluorination with beryllium fluoride–lithium fluoride systems, **3**(1), 22
fluorination rate, **2**(4), 20
hazards of processing of enriched, **3**(4), 6–7
ignition and detonation in bromine trifluoride, **1**(2), 13; **2**(3), 19–20; **3**(4), 22–3
ignition studies, **2**(1), 21–2
ion exchange, **1**(1), 12–13; **1**(2), 11; **2**(1), 17; **2**(2), 16; **3**(3), 21
liquid-metal extraction, **2**(3), 23; **3**(2), 28–9; **3**(4), 31
losses in Darex process, **3**(1), 9; **3**(2), 15; **3**(3), 10–11
losses in decladding solutions, **3**(2), 12
losses in ARCO process, **3**(2), 14
losses in Niflex process, **3**(3), 11
losses in Redox process, **2**(4), 13
losses in Sulfex process, **3**(1), 8; **3**(3), 10–11; **3**(4), 11
losses in Zircex process, **3**(3), 22; **3**(4), 26
losses in Zirflex process, **3**(4), 9–10
oxidation by steam, **3**(1), 7–8
oxidation by zinc chloride, **3**(1), 27; **3**(2), 29
partition coefficients between aluminum-cadmium layers (liquid), **3**(4), 31
precipitation with sodium peroxide, **1**(2), 26
price, **2**(2), 1
processing to metal, **1**(1), 33; **1**(4), 19, 28–9; **2**(1), 50–1; **2**(3), 39–40; **2**(4), 40–2; **3**(1), 28, 54; **3**(2), 29; **3**(4), 50
procurement and production in United States, **3**(1), 4; **3**(2), 2–3; **3**(3), 1
production capacity, **3**(1), 4
purification, **2**(1), 52; **2**(4), 43–4; **3**(1), 55; **3**(3), 27
reactions with hydrogen chloride, **2**(3), 7
recovery by ADF process, **3**(2), 24–5; **3**(4), 24
recovery by ARCO process, **3**(2), 30; **3**(3), 27
recovery with bromine trifluoride, **3**(3), 21
recovery from crucible skulls, **3**(2), 28; **3**(3), 26
recovery by Excer process, **2**(2), 16
recovery from fluoride ash, **2**(1), 12
recovery by fractional crystallization, **1**(4), 18
recovery by fused-salt electrolysis, **2**(4), 43–4
recovery by fused-salt extraction, **2**(2), 20; **3**(2), 30
recovery in fused-salt volatility process, **1**(3), 22; **2**(1), 20–1; **2**(2), 18–19; **3**(4), 24
recovery from graphite fuels, **3**(1), 12
recovery with lithium amalgams, **1**(4), 18–19
recovery by melt refining, **1**(4), 17; **2**(2), 20; **2**(3), 21; **3**(2), 27; **3**(4), 32
recovery from melt-refining-process residues, **2**(3), 23
recovery from mill wastes, **3**(1), 42–3; **3**(4), 2
recovery by Purex process, **2**(2), 10; **2**(3), 13–14; **3**(1), 14; **3**(2), 18; **3**(4), 16

Uranium (Continued)
recovery by salt-cycle process, 3(3), 29; 3(4), 34
recovery from scrap, 2(2), 37
recovery from slags, 2(1), 51; 2(2), 37; 3(1), 55–6; 3(2), 47; 3(4), 31–2
recovery with sodium amalgams, 1(4), 18
recovery from Springfields Works wastes, 3(3), 18
recovery from Sulfex decladding solution, 3(1), 15–16; 3(2), 19
recovery from uranium-aluminum alloys, 3(4), 32
recovery from uranium-molybdenum alloys by Redox process, 3(4), 16
recovery from uranium-thorium-graphite fuels, 3(3), 12–13
recovery from uranium-zirconium alloys by ADF process, 3(3), 24
recovery from Winlo process, 3(1), 56
reduction in Hereshoff furnace, 2(4), 39
reduction by magnesium, 3(1), 28; 3(2), 29
reduction from uranium dioxide, 1(4), 19, 28–9
reduction from uranium hexafluoride with sodium, 3(1), 54; 3(4), 50
reduction from uranium tetrafluoride, 1(1), 33; 2(4), 42
sales by Canada, 3(4), 3
scrap recovery contracts, 3(1), 5
separation from Chattanooga shale, 3(2), 22
separation from plutonium, 3(3), 26
separation from thorium, 3(3), 26
separation from thorium fluoride–beryllium fluoride–lithium fluoride systems, 3(1), 22
separation from zirconium, 3(3), 27
solubility in aluminum (liquid), 2(1), 26; 3(2), 29; 3(3), 27; 3(4), 32
solubility in aluminum fluoride–nitric acid systems, 3(3), 18
solubility in aluminum-molybdenum alloys (liquid), 3(4), 31
solubility in aluminum-molybdenum-zinc alloys (liquid), 3(4), 31
solubility in aluminum nitrate–hydrofluoric acid–nitric acid systems, 2(3), 11
solubility in aluminum-zinc alloys (liquid), 3(4), 31
solubility in amines, 3(4), 17
solubility in ammonium fluoride, 3(3), 9
solubility in bismuth (liquid), 2(1), 26; 3(1), 30
solubility in cadmium (liquid), 1(4), 18; 2(2), 22; 3(2), 28; 3(4), 31
solubility in cadmium-magnesium alloys (liquid), 2(4), 23; 3(4), 31
solubility in cadmium-zinc alloys (liquid), 2(4), 24
solubility in calcium (liquid), 2(1), 28
solubility in cerium (liquid), 2(2), 22
solubility in di-2-ethylhexyl phosphoric acid, 3(4), 18
solubility in di-*sec*-butylphenyl phosphonate, 3(4), 18
solubility in dialkyl phosphoric acids, 3(3), 16
solubility in hydrochloric acid–nitric acid systems, 2(2), 8
solubility in lanthanum (liquid), 2(2), 22
solubility in lead (liquid), 2(1), 26; 3(4), 31
solubility in lithium chloride–potassium chloride systems (fused), 3(1), 27; 3(2), 29; 3(4), 32
solubility in lithium chloride–potassium chloride–zinc chloride systems (fused), 2(1), 28; 2(4), 26
solubility in lithium fluoride–potassium fluoride systems (fused), 1(4), 16
solubility in magnesium (liquid), 2(1), 27; 2(2), 22; 2(3), 23; 2(4), 26; 3(3), 26; 3(4), 31–2
solubility in magnesium-zinc alloys (liquid), 2(1), 27; 2(4), 23
solubility in mercury, 1(2), 18; 1(4), 18; 2(1), 26; 3(1), 27
solubility in nitric acid, 1(3), 5, 13; 1(4), 4; 2(4), 9–10
solubility in potassium chloride–sodium chloride systems (fused), 3(4), 34
solubility in Primene JM amine, 3(2), 19
solubility in silver (liquid), 2(1), 27; 2(2), 22
solubility in sodium fluoride–zirconium fluoride systems (fused), 3(1), 30
solubility in sulfuric acid, 3(1), 15; 3(2), 47
solubility in trilaurylamine, 3(3), 15–16
solubility in uranyl nitrate hexahydrate–nitric acid systems, 1(4), 4–5
solubility in zinc (liquid), 1(2), 18; 1(4), 18; 2(1), 26–7; 2(2), 21–2; 2(4), 22; 3(1), 27; 3(2), 28–9; 3(4), 32
solubility in zinc chloride (fused), 3(4), 32
solvent extraction, 3(1), 17
stripping from TBP in Purex process, 2(4), 12
transfer across stable interface, 3(3), 17
uses of depleted, 3(2), 47–8; 3(3), 47
volatilization, 1(2), 12–14
Uranium (liquid), corrosive effects, 1(1), 23; 1(2), 21, 25; 1(3), 20; 2(1), 33; 2(2), 28; 2(3), 28
Uranium (liquid)–halides (fused), solvent partition, 1(1), 22
Uranium (stainless-steel-clad), solubility in hydrochloric acid–nitric acid systems, 3(1), 10
Uranium-233, criticality studies, 1(2), 15; 2(2), 12–13
ion exchange, 2(4), 16
price, 1(2), 2; 2(3), 1
processing to metal, 2(3), 38–9
separation by Thorex process, 2(3), 13
solubility in magnesium (liquid), 3(4), 32
solvent extraction, 2(4), 15
Uranium-233–uranium-235 fuels, price, 1(2), 2
Uranium-235, criticality studies, 1(2), 15; 1(4), 12; 2(2), 12–13
price, 1(2), 2
Uranium-236, buildup in recycled fuel, 1(4), 1; 2(1), 23
Uranium-237, buildup in recycled fuel, 1(4), 1; 2(1), 23
Uranium-238, price, 2(1), 1–2
Uranium alloys, phase diagrams, 2(2), 23

Uranium-aluminum alloys, 1(3), 8
dissolution, 1(4), 7
processing by Purex process, 2(4), 13
solubility in dibasic aluminum nitrate, 2(3), 14
solubility in hydrogen fluoride–nitrogen dioxide systems, 3(3), 21
solubility in mercuric nitrate–nitric acid systems, 2(3), 11; 2(4), 9
solubility in nitric acid, 1(4), 8
thermodynamic properties, 3(2), 28
uranium extraction, 3(4), 32
uranium recovery by liquid-metal extraction, 3(2), 28–9
Uranium-aluminum alloys (aluminum-clad, aluminum-silicon bonded), silicon removal, 3(2), 21–2
Uranium-aluminum-molybdenum alloys, solubility in nitric acid, 3(2), 15; 3(3), 12
Uranium-aluminum-thorium alloys (liquid), corrosive effects, 1(4), 22
Uranium-ammonium phosphate, uranium recovery from Winlo process, 3(1), 56
Uranium-bismuth alloys, 1(4), 19–21
fission-product removal, 2(2), 22
Uranium-bismuth alloys (liquid), corrosive effects, 1(2), 21, 25
fused-salt extraction process, 1(1), 24
uranium recovery by fractional crystallization, 1(4), 18
Uranium-cadmium alloys, thermodynamic properties, 3(1), 27
Uranium-cadmium alloys (liquid), corrosive effects, 3(1), 28, 38
stability, 3(3), 26
Uranium-cadmium-magnesium alloys (liquid), corrosive effects, 2(2), 28; 2(4), 32; 3(2), 36
Uranium-cadmium alloys (liquid), plutonium dissolution, 2(2), 22
Uranium carbide, 3(1), 29
chlorination, 3(3), 29
oxidation, 3(3), 26, 29
solubility in nitric acid, 3(4), 13
Uranium carbide–graphite systems, uranium carbide dissolution, 3(4), 13
uranium recovery, 3(1), 12
Uranium carbide–thorium carbide–graphite systems, uranium-thorium recovery, 3(1), 12
Uranium carbides, chemical reaction, 3(4), 34
Uranium–ceramic oxide systems, properties, 1(1), 22
Uranium chloride–lead chloride systems, phase studies, 3(2), 14
Uranium chlorides, separation from zirconium chloride, 3(1), 10
Uranium-chromium alloy (liquid)–magnesium-silver alloy (liquid), samarium partition, 3(4), 31
Uranium-chromium alloys (liquid), corrosive effects, 1(2), 21; 1(3), 20; 1(4), 22; 2(2), 27; 2(3), 28
fission-product extraction, 3(2), 29–30
neodymium extraction, 3(2), 30
plutonium extraction, 1(4), 17
protactinium extraction, 2(1), 27; 2(4), 26
samarium and terbium extraction, 3(2), 30
Uranium-chromium-magnesium alloys (liquid), corrosive effects, 2(2), 28
Uranium compounds, reduction, 3(2), 30
Uranium–dibutyl phosphate complex, solubility in nitric acid, 3(1), 17
solubility in tributyl phosphate, 3(1), 17
solubility in water, 3(1), 17
Uranium dioxide, 1(1), 10; 1(3), 20
carburization, 3(3), 29
chemical pulverization, 1(4), 17; 2(3), 22–3; 2(4), 25; 3(1), 28
chlorination, 3(2), 30; 3(3), 29
commercial uses, 3(3), 47–8
conversion from ammonium diuranate, 3(4), 49
conversion to uranic-uranous oxide, 3(4), 34
conversion from uranium hexafluoride, 1(3), 36; 2(4), 41–2; 3(2), 46
conversion to uranium tetrafluoride, 1(2), 34–5; 2(4), 42; 3(2), 45; 3(4), 49–50
decontamination by cyclic oxidation-reduction, 3(3), 28
dissolution in Darex process, 1(3), 4
electrolytic reduction to uranium, 1(3), 37; 3(4), 50–1
electrolytic reduction from uranyl chloride, 3(2), 30; 3(3), 28; 3(4), 34
fission-product removal, 2(2), 21
fluorination, 1(2), 34–5; 2(4), 42; 3(1), 22; 3(2), 25, 45; 3(3), 24; 3(4), 25, 49–50
fuel-element fabrication, 2(4), 41
oxidation, 2(2), 21
oxidation to uranic-uranous oxide, 3(4), 34
production in ADU precipitation process, 2(4), 40–1
reactions with uranium hexafluoride, 3(1), 24
recovery by chemical pulverization process, 2(1), 25–6
reduction by aluminum, 1(4), 18, 19
reduction by beryllium, 1(4), 19
reduction by calcium, 1(4), 19
reduction by calcium-mercury alloys, 2(4), 25
reduction by carbon, 1(4), 19, 28–9; 2(4), 25
reduction by magnesium, 1(4), 19
reduction by magnesium alloys, 2(3), 23–4
reduction by magnesium–magnesium chloride systems, 2(4), 25
reduction by magnesium-mercury alloys, 2(4), 25; 3(1), 28
reduction to uranium, 1(3), 37; 1(4), 18–19, 28–9; 2(3), 23–4; 2(4), 25; 3(1), 28; 3(4), 50–1
reduction from uranium trioxide, 3(4), 49–50
reduction by zirconium, 1(4), 19
solubility in aluminum nitrate–ammonium fluoride–nitric acid systems, 3(3), 12
solubility in aluminum nitrate–hydrofluoric acid–nitric acid systems, 2(3), 11
solubility in ammonium bifluoride–nitric acid systems, 2(4), 7

Uranium dioxide (Continued)
solubility in hydrochloric acid–nitric acid systems, **2**(2), 7–8; **2**(3), 10
solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
solubility in nitric acid, **1**(4), 4–5; **2**(4), 10; **3**(1), 7
solubility in potassium aluminum chloride (fused), **1**(3), 20
solubility in potassium chloride–sodium chloride systems (fused), **3**(3), 28
solubility in sulfuric acid, **2**(3), 7, 11–12; **2**(4), 10; **3**(4), 11
Uranium dioxide (gaseous), thermodynamic properties, **1**(4), 19
Uranium dioxide (stainless-steel-clad), electrolytic dissolution in nitric acid, **3**(1), 11
solubility in hydrochloric acid–nitric acid systems, **1**(4), 5–6; **2**(4), 8–9; **3**(4), 12
solubility in hydrofluoric acid–nitric acid systems, **3**(3), 12; **3**(4), 12
solubility in sulfuric acid, **3**(1), 8
Uranium dioxide (Zircaloy-clad), mechanical disassembly, **3**(3), 7
solubility in ammonium fluoride, **1**(4), 6–7
Uranium dioxide (Zircaloy-2-clad), direct fluorination, **3**(4), 24–5
solubility in ammonium fluoride–ammonium nitrate systems, **3**(1), 7
solubility in ethanol–hydrochloric acid systems, **2**(1), 9
Zircaloy-2 dissolution by Zirflex process, **3**(3), 9
Uranium dioxide (zirconium-clad), solubility in ammonium fluoride–ammonium nitrate systems, **3**(2), 3
Uranium dioxide–plutonium dioxide systems, **1**(1), 10
Uranium dioxide–stainless steel cermets, solubility in nitric acid, **2**(1), 9
Uranium dioxide–thorium oxide systems, dissolution in Sulfex process, **1**(3), 6
solubility in aluminum nitrate–nitric acid–sodium fluoride systems, **2**(4), 10; **3**(1), 12; **3**(2), 15
solubility in nitric acid, **2**(2), 8–9
Uranium dioxide–thorium oxide systems (nickel-aluminum alloy clad), solubility in sodium hydroxide–sodium nitrate systems, **3**(3), 11
Uranium dioxide–thorium oxide systems (stainless-steel-clad), dissolution, **1**(4), 7
solubility in hydrochloric acid–nitric acid systems, **2**(4), 8; **3**(1), 9; **3**(2), 15
solubility in sulfuric acid, **3**(1), 8
stainless-steel solubility in sulfuric acid, **3**(4), 10
Uranium dioxide–thorium oxide–zirconium oxide systems, phase studies, **3**(4), 31
Uranium dioxide–zirconium oxide systems, chlorination with carbon tetrachloride, **3**(1), 10
Uranium dioxide–zirconium systems, reprocessing by Purex process, **2**(4), 12
Uranium-fissium alloys, melt refining, **2**(4), 21
Uranium formate, photolytic conversion to uranium tetrafluoride, **3**(1), 49, 51
Uranium-graphite systems, disintegration with iodine monochloride, **3**(4), 13
reactions with bromine, **3**(1), 12
solubility in nitric acid, **3**(1), 12; **3**(2), 16; **3**(4), 13
Uranium hexafluoride, adsorption on activated alumina, calcium fluoride, calcium sulfate, carbon, and soda lime, **3**(2), 27
adsorption on sodium fluoride, **3**(2), 26; **3**(4), 26
adsorption on uranium tetrafluoride, **3**(2), 27
conversion cost, **1**(3), 1
conversion from uranic-uranous oxide, **3**(2), 45–6
conversion to uranium dioxide, **1**(3), 36; **2**(4), 41–2; **3**(2), 46
conversion from uranium tetrafluoride, **1**(2), 36; **2**(1), 50–1; **3**(1), 23, 51–3
corrosive effects, **3**(4), 25
electrolytic reduction, **3**(1), 53
flowmeters, **3**(2), 25
flow sheets for production, **2**(2), 34
government specifications for enriched and depleted, **3**(3), 1
hydrogen fluoride recovery, **3**(3), 47
oxidation from uranium trifluoride, **2**(1), 52
price, **2**(1), 1–2
production from ore concentrates, **2**(2), 34–5
reactions with uranium dioxide, **3**(1), 24
recovery from gas streams, **3**(1), 53–4; **3**(2), 26–7
reduction to uranium, **1**(4), 28, 30; **2**(1), 49; **3**(1), 54; **3**(4), 50
separation from plutonium hexafluoride, **3**(4), 25
solubility in ammonium fluoride–ammonium nitrate systems, **3**(1), 7
thermodynamic properties, **2**(4), 20
vapor pressure, **1**(3), 15; **2**(4), 20
Uranium hexafluoride–bromine pentafluoride systems, phase diagrams, **3**(1), 23–4
Uranium-iron alloys (liquid), corrosive effects, **1**(2), 21, 25
Uranium-lead alloys, thermodynamic properties, **3**(2), 28
Uranium-magnesium alloys (liquid), corrosive effects, **1**(1), 23
Uranium-magnesium-zinc alloys (liquid), corrosive effects, **2**(2), 28
Uranium-mercury alloys, thermodynamic properties, **3**(3), 27
Uranium mills, radiation hazards, **3**(4), 5
radium removal from waste streams, **3**(1), 42–3; **3**(3), 38
thorium recovery from waste streams, **3**(4), 2
uranium production in United States, **3**(3), 1
uranium recovery from waste streams, **3**(4), 2
waste disposal, **2**(4), 35; **3**(1), 42–3
waste-disposal problems, **3**(3), 38
Uranium mines, radiation hazards, **3**(4), 5
Uranium-molybdenum alloys, dissolution flow sheets, **3**(2), 15
dissolution in Zirflex process, **1**(3), 5

Uranium-molybdenum alloys (Continued)
reprocessing by Redox process, 2(4), 13
solubility in aluminum nitrate–ammonium fluoride–nitric acid systems, 2(3), 12
solubility in ethanol–hydrochloric acid systems, 2(1), 9
solubility in ferric nitrate–nitric acid systems, 2(4), 10; 3(1), 11; 3(3), 12; 3(4), 13
solubility in hydrochloric acid–nitric acid systems, 1(3), 11; 2(2), 8
solubility in nitric acid, 2(1), 10; 2(2), 7–9; 2(3), 12; 3(2), 15; 3(3), 12–13; 3(4), 13
uranium recovery by Redox process, 3(4), 16

Uranium-molybdenum alloys (zirconium-clad), solubility in hydrofluoric acid–nitric acid systems, 2(3), 13; 2(4), 6

Uranium-molybdenum-silicon systems, solubility in nitric acid, 3(2), 15; 3(3), 12

Uranium monocarbide, conversion to uranic-uranous oxide, 3(2), 30
properties, 3(2), 30
radiation effects, 3(2), 30

Uranium-neodymium alloys, neodymium precipitation, 2(4), 24

Uranium-niobium alloys, application as container material for liquid uranium alloys, 1(3), 20
dissolution, 1(3), 4
dissolution in Zirflex process, 1(3), 5
solubility in ethanol–hydrochloric acid systems, 2(1), 9

Uranium-niobium-zirconium alloys, dissolution, 1(3), 4
hydrochlorination, 3(1), 10
solubility in ammonium fluoride–ammonium nitrate systems, 3(1), 7

Uranium-niobium-zirconium alloys (Zircaloy-clad), solubility in ammonium fluoride–ammonium nitrate systems, 2(4), 5

Uranium nitrate, photolytic conversion to uranium tetrafluoride, 3(1), 49, 51

Uranium ore concentrates, dissolution of concentrates, 2(4), 39
purification to uranium hexafluoride, 2(2), 34–5
purification to uranium tetrafluoride, 2(2), 35–6; 2(4), 19

Uranium-palladium alloys, equilibrium diagrams, 1(2), 22

Uranium-plutonium alloys, dissolution in Zirflex process, 1(3), 6–7
liquid-metal extraction, 2(3), 23
plutonium separation, 1(3), 17
solubility in calcium, 2(1), 28
solubility in hydrofluoric acid, 2(4), 19
solubility in sulfuric acid, 2(3), 11–12

Uranium-plutonium alloys (stainless-steel-clad), solubility in sulfuric acid, 2(3), 12

Uranium-rhodium alloys, equilibrium diagrams, 1(2), 22

Uranium-ruthenium alloys, equilibrium diagrams, 1(2), 22

Uranium–stainless steel alloys, solubility in hydrochloric acid–nitric acid systems, 1(4), 5; 2(4), 7

Uranium-tantalum alloys, thermodynamic properties, 1(4), 19

Uranium tetrachloride, carburization, 3(3), 29
volatilization, 3(4), 33

Uranium tetrafluoride, commercial production, 2(3), 35–6
conversion from uranium dioxide, 1(2), 34–5; 2(4), 42; 3(2), 45; 3(4), 49–50
conversion from uranium hexafluoride, 2(1), 49; 3(1), 23
conversion from uranium nitrate, 1(3), 35–6
conversion from uranium trifluoride, 2(1), 50
conversion from uranium trioxide, 1(2), 34–5; 2(2), 35; 3(1), 49, 50–1
conversion from uranyl nitrate, 1(3), 35–6; 3(4), 49
dehydration, 2(4), 42
drying, 3(3), 46–7
fluorination to uranium hexafluoride, 1(1), 33; 1(2), 36; 2(1), 50–1; 3(1), 23, 53; 3(3), 24; 3(4), 25
flow sheets for production, 1(2), 34–5; 2(4), 19
photolytic preparation from uranium formate or uranium nitrate, 3(1), 49, 51
production, 3(3), 46
production by ADU precipitation process, 2(3), 35–6
production in fluidized-bed chemical reactors, 1(2), 34–6
production in Moving-Bed Reactor, 3(1), 49, 50–1
production from ore concentrates, 2(2), 35–6; 2(4), 19
reduction to uranium, 1(1), 33; 1(3), 36; 2(4), 42; 3(2), 46–7
solubility in ammonium fluoride–ammonium nitrate systems, 3(1), 7
uranium hexafluoride adsorption, 3(2), 27

Uranium tetrafluoride–beryllium fluoride–lithium fluoride systems, phase diagrams, 1(3), 15

Uranium tetrafluoride–beryllium fluoride–lithium fluoride systems (fused), uranium recovery, 1(4), 15

Uranium tetrafluoride–beryllium fluoride systems, phase diagrams, 1(3), 15

Uranium tetrafluoride–lithium chloride–potassium chloride systems (fused), uranium production by electrolysis, 2(4), 43–4

Uranium tetrafluoride–sodium fluoride–zirconium fluoride systems (fused), corrosive effects, 2(3), 27; 3(4), 37–8

Uranium-thorium alloys, decontamination by various pyrometallurgical methods, 2(1), 28
electrorefining, 3(3), 27
fission-product volatilization, 1(2), 22; 2(4), 25
liquid-metal extraction, 2(3), 23
phase diagrams, 2(1), 28
uranium extraction with magnesium (liquid), 3(4), 32

Uranium-thorium alloys (liquid), corrosive effects, 1(2), 21
Uranium-thorium-aluminum alloys (liquid), corrosive effects, 1(1), 23; 1(2), 21
Uranium-thorium-graphite systems, solubility in nitric acid, 3(2), 16
thorium and uranium recovery, 3(3), 12–13
uranium-thorium dissolution, 3(4), 13
Uranium–thorium oxide systems (stainless-steel-clad), solubility in hydrochloric acid–nitric acid systems, 3(2), 15
stainless-steel dissolution, 3(2), 12
Uranium-tin-zirconium alloys, reprocessing by ADF process, 3(4), 24
solubility in hydrogen fluoride–hydrogen peroxide systems, 2(4), 6; 3(2), 13–14
solubility in hydrogen fluoride–nitrogen dioxide systems, 3(3), 21
Uranium trichloride, fluorination, 3(4), 27
reduction to plutonium, 2(1), 25
Uranium trifluoride, fluorination to uranium tetrafluoride, 2(1), 50
Uranium trioxide, conversion to uranium tetrafluoride, 1(2), 34–5; 2(2), 35; 3(1), 49, 50–1
conversion from uranyl nitrate, 1(1), 32–3; 1(3), 35; 2(4), 39; 3(2), 44; 3(4), 48–9
fluorination with sulfur tetrafluoride, 3(3), 24; 3(4), 25
free energy of formation, 3(4), 31
reduction to uranium dioxide, 3(4), 49–50
solubility in potassium chloride–sodium chloride systems (fused), 3(4), 34
Uranium-zinc alloys, corrosive effects, 1(2), 26
thermodynamic properties, 3(1), 27; 3(2), 28
Uranium-Zircaloy alloys, solubility in lead chloride (fused), 2(4), 10
Uranium-zirconium alloys, 1(2), 22
chlorination by carbon tetrachloride, 3(4), 27
dissolution, 1(4), 7
dissolution in fused-salt volatility process, 1(3), 13–14
dissolution in Zirflex process, 1(3), 5
electrolytic dissolution, 3(2), 12
hydrochlorination, 3(1), 10; 3(3), 22–3; 3(4), 26–7
hydrofluorination, 3(4), 24
reprocessing by fused-salt volatility process, 3(1), 20
solubility in bromine trifluoride–hydrogen fluoride–nitrogen dioxide systems, 2(3), 20
solubility in ethanol–hydrochloric acid systems, 2(1), 9
solubility in hydrofluoric acid, 2(4), 19; 3(3), 11; 3(4), 12
solubility in hydrofluoric acid–nitric acid systems, 1(4), 7; 3(4), 12
solubility in hydrogen fluoride–hydrogen peroxide systems, 3(1), 10; 3(2), 14
solubility in lead chloride (fused), 3(1), 27; 3(2), 14
solubility in lithium fluoride–sodium fluoride systems (fused), 2(3), 18–19
solubility in nitric acid, 3(4), 12
solubility in sodium fluoride–zirconium fluoride systems (fused), 1(2), 13; 3(3), 21; 3(4), 23
uranium recovery, 2(4), 20
Uranium-zirconium alloys (Zircaloy-clad), hydrochlorination, 2(4), 19–21
Uranium-zirconium alloys (Zircaloy-2-clad), solubility in lithium fluoride–sodium fluoride–zirconium fluoride systems (fused), 3(4), 23
Uranium-zirconium-tin alloys, dissolution, 1(3), 4
Uranyl chloride, electrolytic reduction to uranium dioxide, 3(2), 30; 3(3), 28; 3(4), 34
Uranyl fluoride, fluorination with sulfur tetrafluoride, 3(3), 24; 3(4), 25
solubility in ammonium fluoride, 2(4), 5
Uranyl nitrate, conversion to uranium, 1(3), 35–8
conversion to uranium tetrafluoride, 1(3), 35–6; 3(4), 49
conversion to uranium trioxide, 1(1), 32–3; 1(3), 35; 2(4), 39; 3(2), 44; 3(4), 48–9
solubility in tributyl phosphate, 2(2), 11
Uranyl nitrate hexahydrate–hydrochloric acid–nitric acid systems, stainless-steel dissolution, 3(1), 10
Uranyl nitrate hexahydrate–nitric acid systems, nickel dissolution, 3(1), 9
uranium dissolution, 1(4), 4–5
Uranyl nitrate–mercuric nitrate–nitric acid systems, plutonium-aluminum-nickel alloy dissolution, 3(4), 13
Uranyl nitrate–nitric acid systems, nickel dissolution, 3(4), 11
Uranyl sulfate, 2(1), 30–1
adsorption on Dowex 21K resin, 3(4), 21
corrosive effects, 1(4), 19
ion exchange, 3(1), 17, 19
USS *Nautilus* Reactor
See Reactor (S2W)

V

Vallecitos Atomic Laboratory, accident reports, 3(3), 5
Vanadium, corrosion by cadmium (liquid), 3(2), 28
removal in Excer process, 2(2), 16
separation, 1(2), 7
solubility in di-2-ethyhexyl phosphoric acid, 3(2), 19–20
Vitallium alloy, corrosion by zinc (liquid), 2(4), 32
corrosion by Zircex solutions, 2(3), 26
Volatilization, fission products, 2(4), 25
Vycar alloy, corrosion by carbon tetrachloride, 3(3), 29

W

Waste disposal, 1(1), 27–31; 1(2), 30–3, 38–48; 1(3), 28–34; 1(4), 26–7; 2(1), 38–48; 2(2), 31–3; 2(3), 31–4; 2(4), 35–8; 3(1), 42–8; 3(2), 40–3; 3(3), 38–45; 3(4), 43–6
burial, 3(4), 3

Waste disposal (Continued)
cerium separation, 2(1), 44; 2(4), 13–14, 37–8; 3(1), 46–7; 3(2), 42; 3(4), 20–1
cesium separation, 1(3), 32; 2(4), 13–14; 3(2), 42; 3(4), 20–1, 45
Congressional hearings, 2(2), 31–2; 3(1), 42
corrosion problems, 1(4), 22; 2(1), 33; 3(1), 35, 37–8; 3(3), 35–6
facilities in New York State, 3(4), 2
flow sheets, 1(1), 27–8; 2(1), 41
ground disposal, 1(3), 29; 2(1), 44–7; 2(2), 33; 2(3), 33–4; 3(1), 46; 3(3), 41–2, 46; 3(4), 46
ion-exchange applications, 1(1), 30–1; 2(2), 32
isotope separation, 2(1), 42–3; 2(4), 37–8; 3(4), 45
licensing, 2(1), 2; 2(3), 2; 2(4), 2; 3(1), 4–5; 3(2), 4; 3(3), 3; 3(4), 3–4
low-level waste handling in the U.S.S.R., 2(2), 32
ocean burial, 2(1), 45
niobium separation, 3(1), 47
plutonium recovery, 1(3), 12–13
promethium separation, 2(1), 44
protactinium recovery, 3(3), 18
Purex waste volume reduction, 3(2), 18
rare-earth removal, 3(2), 42
reduction to solids, 1(3), 29–30; 2(1), 41–3
shipping of radioactive material, 2(4), 2; 3(4), 3–4
solvent-extraction processes, 1(1), 8
storage, 1(3), 29; 3(4), 2–3
storage hazards, 3(3), 43–4
strontium separation, 1(2), 38; 2(1), 44; 2(4), 13–14
thorium and uranium recovery from mill wastes, 3(4), 2
uranium recovery, 3(3), 18, 21; 3(4), 2
volume reduction, 2(1), 40–1
zirconium separation, 3(1), 47

Water, neutron reflection properties, 2(2), 13
Welds, corrosion by Sulfex-Thorex process solutions, 2(4), 28
Windscale Works, England, ocean disposal, 3(3), 40
waste disposal, 1(4), 26–7; 2(1), 45–6
Winfrith Heath, England, ocean disposal, 3(3), 40
Winlo process, uranium recovery, 3(1), 56
Wofatit P resin, aluminum and zirconium adsorption, 2(1), 18–19
Wolfram
See Tungsten

X

Xenon, adsorption on carbon, 3(1), 31
adsorption on charcoal, 1(3), 21
adsorption on graphite, 3(1), 30
adsorption on steel, 3(1), 30
diffusion through graphite, 1(4), 20–1
removal, 3(1), 30
removal in melt-refining process, 1(3), 17
solubility in cadmium (liquid), 2(4), 22
solubility in sodium fluoride–zirconium fluoride systems (fused), 1(3), 16
solubility in zinc (liquid), 2(4), 22
volatilization from irradiated fuel elements, 2(2), 21

Y

Y-12 Plant, nuclear excursion, 2(1), 3–4
uranium recovery from scrap, 2(2), 37
Yankee Power Reactor
See Reactor (Yankee Power)
York Mesh (silver-plated stainless-steel), iodine removal, 1(4), 19
Yttrium, adsorption on Amberlite IRA-401 resin, 2(3), 18
adsorption on Dowex 2 resin, 2(1), 17–18
application as container material for pyrometallurgical processes, 1(3), 20
corrosion by uranium (liquid), 1(2), 25; 2(3), 28
corrosion by uranium-aluminum-thorium alloys (liquid), 1(4), 22
corrosion by uranium-bismuth alloys (liquid), 1(2), 21
corrosion by uranium-chromium alloys (liquid), 1(2), 21; 1(4), 22; 2(2), 27; 2(3), 28
corrosion by uranium-thorium-aluminum alloys (liquid), 1(2), 21
ion exchange, 1(3), 12; 2(1), 17–18; 2(2), 18
oxidation by zinc chloride, 3(2), 29
partition in tributyl phosphate, 1(2), 8
preparation of high-purity, 3(3), 28
reactions with nickel, 1(3), 20
removal by ion exchange, 1(1), 31
removal by liquid-metal extraction, 3(2), 29
removal by Purex process, 3(4), 17
removal from Purex wastes, 3(2), 42
adsorption on Dowex 50 resin, 2(3), 18
adsorption on manganese dioxide, 2(2), 18
solubility in cadmium (liquid), 2(4), 22
solubility in calcium (liquid), 2(1), 28
solubility in di-2-ethylhexyl phosphoric acid, 3(2), 42
solubility in zinc (liquid), 2(4), 22
Yttrium (liquid), corrosive effects, 3(3), 28
Yttrium fluoride, solubility in beryllium fluoride (fused), 1(4), 15
Yttrium oxide, corrosion by plutonium (liquid), 2(4), 32; 3(1), 29

Z

Zeokarb-225 resin, protactinium, thorium, and uranium adsorption, 2(4), 18
Zeolite, cesium, rare earth, and strontium adsorption, 3(2), 40–1
Zinc, adsorption on Amberlite IRA-401 resin, 2(3), 18
adsorption on Dowex 50 resin, 2(3), 18

Zinc (Continued)
ion exchange, **2**(2), 16; **2**(3), 18
ruthenium adsorption, **3**(4), 45
Zinc (liquid), antimony dissolution, **2**(4), 22
cadmium dissolution, **2**(4), 22
cerium dissolution, **2**(2), 21–2
corrosive effects, **1**(2), 25; **2**(4), 32; **3**(1), 38; **3**(2), 37
fission-product dissolution, **2**(1), 26
indium dissolution, **2**(4), 22
iodine dissolution, **2**(4), 22
molybdenum dissolution, **2**(4), 22; **3**(2), 28
niobium dissolution, **2**(4), 22
palladium dissolution, **2**(4), 22, 26; **3**(1), 27; **3**(2), 28
plutonium dissolution, **1**(2), 18; **2**(1), 26
rhodium dissolution, **2**(4), 22, 26
rubidium dissolution, **2**(4), 22
ruthenium dissolution, **2**(1), 27; **2**(4), 26; **3**(1), 27
silver dissolution, **2**(4), 22
strontium dissolution, **2**(4), 22
technetium dissolution, **2**(4), 22
tellurium dissolution, **2**(4), 22
thorium dissolution, **2**(1), 26; **3**(2), 28–9; **3**(4), 32
tin dissolution, **2**(4), 22
uranium dissolution, **1**(2), 18; **1**(4), 18; **2**(1), 26–7; **2**(2), 21–2; **3**(4), 32
uranium extraction, **3**(2), 29
uranium extraction from magnesium, **3**(4), 31
uranium extraction from uranium-aluminum alloys, **3**(4), 32
xenon dissolution, **2**(4), 22
yttrium dissolution, **2**(4), 22
zirconium dissolution, **1**(2), 18; **1**(4), 18; **2**(1), 26–7; **2**(2), 21–2; **2**(4), 22; **3**(1), 27; **3**(2), 28–9; **3**(4), 32

Zinc-aluminum alloys
See Aluminum-zinc alloys
Zinc-aluminum-molybdenum alloys
See Aluminum-molybdenum-zinc alloys
Zinc-cadmium-magnesium alloys
See Cadmium-magnesium-zinc alloys
Zinc chloride, cerium oxidation, **3**(1), 27; **3**(2), 29
protactinium oxidation, **3**(1), 27
thorium oxidation, **3**(2), 29
uranium oxidation, **3**(1), 27; **3**(2), 29
yttrium and zirconium oxidation, **3**(2), 29
Zinc chloride (fused), thorium dissolution, **3**(4), 32
uranium and zirconium dissolution, **3**(4), 32

Zinc chloride–lithium chloride–potassium chloride systems
See Lithium chloride–potassium chloride–zinc chloride systems
Zinc ferrocyanide, cesium scavenging, **3**(4), 45
Zinc (liquid)–lead (liquid) systems, silver partition, **3**(4), 31
Zinc-magnesium alloys
See Magnesium-zinc alloys
Zinc-magnesium-uranium alloys
See Uranium-magnesium-zinc alloys
Zinc-plutonium alloys
See Plutonium-zinc alloys
Zinc-thorium alloys
See Thorium-zinc alloys
Zinc-uranium alloys
See Uranium-zinc alloys
Zinc-zirconium alloys, phase diagrams, **1**(4), 18
thermodynamic properties, **3**(1), 27
Zircaloy alloy, dissolution in Zirflex process, **1**(3), 4–5
reactions with hydrogen chloride, **2**(4), 19
sawing of tubing, **2**(4), 4
solubility in ammonium fluoride–ammonium nitrate systems, **2**(1), 5–6; **2**(4), 5
solubility in hydrofluoric acid, **2**(1), 5
solubility in hydrogen fluoride–hydrogen peroxide systems, **2**(4), 6
Zircaloy-2 alloy, corrosion by sulfuric acid, **3**(1), 36
direct fluorination, **3**(4), 24–5
dissolution, **1**(4), 15
dissolution in ethanol–hydrochloric acid systems, **2**(1), 9
dissolution in Zircex process, **1**(1), 5–6
dissolution in Zirflex process, **1**(3), 5
reactions with hydrogen fluoride, **2**(3), 18–19
solubility in aluminum nitrate-hydrofluoric acid–nitric acid systems, **2**(4), 5
solubility in ammonium fluoride, **1**(4), 7; **3**(4), 9
solubility in ammonium fluoride–ammonium nitrate systems (fused), **2**(1), 5–6; **2**(3), 5–6; **3**(1), 7; **3**(2), 10–12; **3**(3), 8; **3**(4), 9
solubility in bromine trifluoride–hydrogen fluoride–nitrogen dioxide systems (fused), **2**(3), 19–20
solubility in hydrofluoric acid, **3**(1), 7
solubility in hydrofluoric acid–nitric acid systems, **1**(3), 6; **2**(2), 5–7; **2**(3), 5; **3**(2), 14; **3**(4), 10
solubility in hydrogen fluoride–nitrogen dioxide systems, **2**(3), 20; **3**(3), 21
solubility in lead chloride (fused), **3**(1), 27; **3**(2), 14
solubility in lithium fluoride–sodium fluoride systems, **1**(4), 15; **3**(4), 23
solubility in lithium fluoride–sodium fluoride–zirconium fluoride systems (fused), **3**(4), 23
Zircaloy-3 alloy, corrosion by Flurex process solutions, **2**(4), 32
solubility in sodium fluoride–zirconium fluoride systems (fused), **1**(2), 13; **3**(1), 30
Zircex process, **1**(1), 5; **2**(1), 8–9; **2**(2), 7; **2**(3), 7; **2**(4), 6; **3**(1), 10; **3**(4), 26–8
corrosion problems, **1**(1), 23; **1**(2), 23; **1**(3), 23–4; **2**(1), 31; **2**(3), 26; **3**(1), 35; **3**(4), 26–7
flow sheets, **2**(2), 7; **2**(3), 7, 8–9; **2**(4), 6; **3**(3), 8; **3**(4), 27
Shippingport Pressurized-Water Reactor fuel dissolution, **1**(3), 4
uranium losses, **3**(3), 22–3; **3**(4), 26
Zirconia
See Zirconium oxide
Zirconium, adsorption on Cation KU-1 resin, **2**(1), 18–19
adsorption on Dowex 1 resin, **2**(3), 16

Zirconium (Continued)
adsorption on Dowex 2 resin, 2(2), 17–18
adsorption on Dowex 50 resin, 2(3), 18
adsorption on manganese dioxide, 2(2), 18
adsorption on MSF-1 resin, 2(1), 18–19
adsorption on SBSF resin, 2(1), 19
adsorption on silica gel, 1(2), 16
adsorption on soil, 3(1), 43
adsorption on sulfocarbonate resin, 2(1), 18–19
adsorption on Wofatit P resin, 2(1), 18–19
corrosion by fluorine, 3(1), 37
corrosion by hydrochloric acid–nitric acid systems, 1(1), 23
corrosion by Purex wastes, 3(1), 35
corrosion by sulfuric acid, 2(1), 32; 3(1), 36
corrosion by Thorex solutions, 2(1), 32
corrosion by uranium-thorium-aluminum alloys (liquid), 1(1), 23
dissolution, 1(2), 7; 1(4), 7
dissolution in fused fluorides, 1(2), 13
dissolution by hydrofluoric acid–nitric acid systems, 2(2), 5–7
dissolution in Zircex process, 1(1), 5–6
electrolytic dissolution, 3(2), 12
extraction with organophosphorus compounds, 3(1), 16
ion exchange, 1(1), 31; 1(2), 11; 1(3), 12–13; 2(1), 17; 3(3), 19; 3(4), 21
oxidation with zinc chloride, 3(2), 29
partition coefficients between aluminum-cadmium layers (liquid), 3(4), 31
reduction with magnesium, 3(2), 29
removal by ADF process, 3(2), 24–5
removal by barium fluozirconate process, 3(4), 10
removal by electrorefining, 1(4), 17; 2(1), 30
removal by fractional crystallization, 1(4), 18; 2(1), 29
removal by fused-salt electrolysis, 2(4), 25
removal by liquid-metal extraction, 1(4), 17
removal with manganese dioxide, 1(2), 11; 1(4), 13; 2(4), 15–16
removal by melt refining, 1(2), 16; 1(3), 19–20; 1(4), 16; 2(2), 20; 2(3), 21; 2(4), 21; 3(4), 30
removal in Purex process, 2(4), 15; 3(2), 21
removal by salt-cycle process, 3(3), 28
removal by scavenging, 1(2), 11; 2(4), 15–16
removal from Sulfex dissolver, 1(3), 7
removal by Thorex process, 2(3), 13; 3(3), 15
removal from uranium dioxide by steam, 3(1), 7–8
separation from uranium, 3(3), 27
separation from wastes, 3(1), 47
solubility in aluminum (liquid), 3(3), 27
solubility in amines, 3(4), 17
solubility in ammonium fluoride, 3(3), 7
solubility in ammonium fluoride–ammonium nitrate systems (fused), 3(1), 7; 3(2), 3; 3(3), 8
solubility in bismuth (liquid), 3(1), 30
solubility in cadmium (liquid), 2(4), 22
solubility in calcium-magnesium alloys (liquid), 1(4), 17; 2(1), 29
solubility in di-2-ethylhexyl phosphoric acid, 3(4), 18
solubility in hydrofluoric acid, 2(1), 5; 3(1), 7
solubility in hydrofluoric acid–nitric acid systems, 1(4), 7; 2(3), 5, 13; 2(4), 6; 3(1), 10
solubility in lead chloride (fused), 3(1), 27; 3(2), 14
solubility in lithium chloride–potassium chloride systems (fused), 3(2), 29; 3(4), 32
solubility in lithium fluoride–potassium fluoride systems (fused), 1(4), 16
solubility in magnesium-silver alloys (liquid), 2(4), 24
solubility in silver (liquid), 2(1), 27
solubility in sodium fluoride–zirconium fluoride systems, 1(2), 13; 3(1), 30
solubility in zinc chloride (fused), 3(4), 32
solubility in zinc (liquid), 2(1), 26–7; 2(4), 22; 3(1), 27; 3(2), 28–9; 3(4), 32
uranium dioxide reduction, 1(4), 19
volatilization from fused fluorides, 1(2), 14
volatilization with hydrogen chloride, 2(3), 7

Zirconium alloys, dissolution in fused fluorides, 1(2), 13
electrolytic dissolution, 3(2), 12

Zirconium-bismuth alloys
See Bismuth-zirconium alloys

Zirconium carbide, vapor pressure, 1(4), 19

Zirconium chloride, separation from uranium chlorides, 3(1), 10
volatility, 3(1), 27; 3(2), 14

Zirconium cladding, removal with steam, 3(1), 7, 8

Zirconium–dibutyl phosphate complex, solubility in tributyl phosphate, 3(1), 17
solubility in water, 3(1), 17

Zirconium fluoride, solubility in ammonium fluoride–nitric acid systems, 3(3), 9

Zirconium fluoride (fused), corrosive effects, 3(1), 37–8; 3(2), 36

Zirconium fluoride–aluminum nitrate systems
See Aluminum nitrate–zirconium fluoride systems

Zirconium fluoride–lithium fluoride–sodium fluoride systems
See Lithium fluoride–sodium fluoride–zirconium fluoride systems

Zirconium fluoride–sodium fluoride–hydrogen fluoride systems
See Hydrogen fluoride–sodium fluoride–zirconium fluoride systems

Zirconium fluoride–sodium fluoride–uranium tetrafluoride systems
See Uranium tetrafluoride–sodium fluoride–zirconium fluoride systems

Zirconium fluoride–sodium fluoride systems
See Sodium fluoride–zirconium fluoride systems

Zirconium-niobium-uranium alloys
See Uranium-niobium-zirconium alloys
Zirconium oxide, cerium removal, **2**(1), 29; **2**(3), 21
chlorination with carbon tetrachloride, **3**(3), 29
corrosion by fused-chloride extraction process solutions, **2**(1), 32–3
corrosion by uranium (liquid), **1**(2), 25
corrosion by zinc (liquid), **3**(2), 37
corrosion by zinc-magnesium alloys (liquid), **3**(2), 37
crucibles for melt-refining process, **1**(2), 15
lanthanum removal, **2**(1), 29
solubility in lithium fluoride–potassium fluoride systems (fused), **1**(4), 16
thermodynamic properties, **1**(4), 19
Zirconium oxide–aluminum oxide systems
See Aluminum oxide–zirconium oxide systems
Zirconium oxide crucibles, cracking, **3**(4), 29
Zirconium oxide–uranium dioxide systems
See Uranium dioxide–zirconium oxide systems
Zirconium oxide–uranium dioxide–thorium oxide systems
See Uranium dioxide–thorium oxide–zirconium oxide systems
Zirconium–uranium dioxide systems
See Uranium dioxide–zirconium systems
Zirconium phosphate, cesium and rubidium adsorption, **3**(1), 19
Zirconium silicate, corrosion by magnesium-zinc alloys (liquid), **3**(2), 37
corrosion by zinc (liquid), **3**(2), 37
Zirconium tetrachloride, volatilization, **3**(4), 26–7
Zirconium-tin-uranium alloys
See Uranium-tin-zirconium alloys
Zirconium-uranium alloys
See Uranium-zirconium alloys
Zirconium wastes, corrosive effects, **3**(2), 34
Zirconium-zinc alloys
See Zinc-zirconium alloys
Zirflex process, **1**(2), 4; **1**(3), 4–5, **1**(4), 6–7; **2**(1), 5–7; **2**(3), 5–6, **2**(4), 1, 5; **3**(1), 7; **3**(2), 10–14; **3**(3), 7–9; **3**(4), 9–10
application to plutonium-aluminum alloys, **1**(3), 6–7
application to uranium-plutonium alloys, **1**(3), 6–7
corrosion problems, **1**(2), 24; **2**(1), 31; **2**(3), 26; **3**(1), 34; **3**(3), 32–3; **3**(4), 35–6
flow sheets, **1**(4), 6–7; **2**(1), 7; **2**(2), 5–6; **2**(3), 5–6; **3**(2), 11; **3**(3), 8
uranium losses, **3**(4), 9–10
Zone melting, **2**(1), 28

LEGAL NOTICE

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.